Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



WM. FLEMER'S SONS, INC.


PRINCETON NURSERIES


PRINCETON, N.J.



RETAIL

Fall 1943 Spring 1944





NASSAU HALL

The first college building on the Princeton campus, erected in 1756. Here the first legislature of the State of New Jersey met in 1776, and here also the Continental Congress was in session from June to November 1783

Table of Contents

	PAGE
Highway Map showing location of Nurseries	over
Foreword	2
How to reach Princeton Nurseries by auto or train	6
Terms of Sale, Prices, Liability, and Claims	3
B. & B. Schedule	4
Truck Delivery Service and Charges	5
Notes in explanation of Catalogue	6
Alphabetical listing of nursery stock, by botanical names	7
Alphabetical index of Common Plant Names	130
Fruiting Apples	124
What to plant and where to plant it	125

TELEPHONE PRINCETON 1776-7 All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

EXTRA CHARGE FOR BALLING

We recommend that all varieties marked with an asterisk(*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

SCHEDULE OF B & B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations. These charges are based on a carefully dug, solid ball of

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

SHRUBS AND SMALL TREES

	Each	10 rate 5 to 24 2	100 rate 5 or more
10 in. diam. 18-24 in. 12 in. diam. 2-3 ft. 13 in. diam. 3-4 ft. 15 in. diam. 4-5 ft. 16 in. diam. 5-6 ft. 18 in. diam. 6-8 ft. 21 in. diam. 8-10 ft.	.45	.37	.30
	.60	.52	.45
	1.05	.90	.75
	1.40	1.25	1.10
	1.80	1.65	1.50
	2.30	2.10	1.90
	3.75	3.35	3.00

TREES

	Each	10 rate 5 to 24	100 rate 25 or more
15 in. diam. 1 in. cal. 18 in. diam. 1¼ in. cal. 20 in. diam. 1¼ in. cal. 22 in. diam. 1¾ in. cal. 24 in. diam. 2 in. cal. 28 in. diam. 2½ in. cal. 32 in. diam. 3½ in. cal. 30 in. diam. 3½ in. cal. 40 in. diam. 4¼ in. cal. 41 in. diam. 4½ in. cal. 42 in. diam. 5 in. cal. 54 in. diam. 60 in. diam.	5.60 7.50 9.75 13.50 17.25 22.50 30.00	1.65 2.10 3.00 3.75 5.00 6.75 9.00 12.00 16.00 21.00 27.75 36.00 48.00	1.50 1.90 2.60 3.40 4.50 6.00 8.25 10.25 15.00 19.50 25.50 33.00 45.00

TRUCK DELIVERY SERVICE

With a fleet of trucks of various sizes we are in a position to get our fresh dug material delivered to you with minimum delay and handling. The following schedule of charges allows free delivery on quantity orders within a limited area and a minimum percentage charge to cover the additional cost in other cases.

CARLOADS


We have our own railroad siding and are equipped to load and forward carload lots to all points.


DOVING	CHARGES
RUXING	CHARGES

BOXING CHARGES							
Length	12×15"	15 x 16"	17x20"	19x24"	23x28"	27x32"	31 x 36"
4' 6'	.75	1.00	1.25	1.50	1.75	2.00	2.50
6'	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8'	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10'	1.70	2.50	2.75	3.25	3.50	4.00	4.50
12'	2.25	3.00	3.25	3.50	4.00	5.00	5.50
14'	2.75	3.50	3.75	4.00	4.25	5.50	6.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.





SCHEDULE OF TRUCK DELIVERY CHARGES							
VALUE OF ORDER			75 to	ZONE 5 100 to 125 mi.	ZONE 6 125 to 150 mi.	ZONE 7 150 to 175 mi.	
\$500 to \$1000 \$200 to \$500 \$100 to \$200	FREE FRE FREE FRE FREE 49 3% 59 3.00 \$8.0	E 5% 6%	5% 7% 8% 13% \$19.00	7% 9% 10% 17% \$25.00	9% 11% 12% 20% \$30.00	11% 13% 14% 24% \$35.00	

SPECIAL SELECTIONS-25% ADDITIONAL

A charge of 25 per cent additional on our regular listed price will be made for the special selection and marking in the nursery of extra heavy or specimen plants. We invite inspection of our material and on quantity orders will, if requested mark an average sample to assist our diggers in the selection of the grade wanted.

Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

3

How to Reach Princeton Nurseries by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.


The office of Princeton Nurseries is located on Lake Road, in the town of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.



When in Princeton for a football game or track meet in the Stadium, why not run out and take a look at the Princeton Nurseries?

——— A 除———

	Unit P	rice in Qua	ntities
	1-4	5-24	25-249
ABELIA-Edouard Gouchet			Abelia
12 to 15 in., pots or B. & B	.80		
	.00	.65	.52
grandiflora, '3-4'		Glossy .	Abelia
Evergreen. Choice small shrub	with w	hite-tinted	, lilac
flowers, produced throughout the	entire	summer n	onths.
15 to 18 in., pots or B. & B	1.05	.90	.70
18 to 24 in., pots or B. & B	1.30	1.05	.85
2 to 3 ft., pots or B. & B	1.50	1.25	1.00
longituba (schumanni), 5'			
Semi-evergreen with rose pink to during the summer months.	ıbular f	lowers pro	oduced
6 to 9 in., 3-in. pots	-75	.60	
9 to 12 in., 5-in. pots	.90	-75	
ABIES balsamea, 60'-70'		Balsa	m Fir
Good variety with lustrous, dark	green 1	eaves.	
18 to 24 in., B. & B	2.00		
2 to 2½ ft., B. & B	3.00		
2½ to 3 ft., B. & B	3.75		
3 to 4 ft., B. & B	4.50	-	
—cephalonica, 60'-70'			ek Fir
Interesting specie with broad rig		lles.	
2 to 2½ ft., B. & B	2.25		
2½ to 3 ft. B. & B	3.40 5.00		
4 to 5 ft., B. & B	6.75		
—cilicica, 50'-60'		Cilici	an Fir
A native of Asia Minor. Very lar	ge cone		an 1 11
12 to 18 in., B. & B	.90		
18 to 24 in., B. & B	1.75	1.50	
2 to 2½ ft., B. & B	2.75	2.30	
2½ to 3 ft., B. & B	4.00	3.25	
concolor, 70'-80'		Whi	te Fir
Evergreen. Perhaps the most be	autiful	of all th	e firs.
thriving in most locations and			
tree which is maintained even			
gray-green needles.			
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	3.40	2.80	2.25
3 to 4 ft., B. & B	5.00 6.75	4.00 5.50	3.40 4.50
5 to 6 ft., B. & B	10.15	8.45	6.75
Larger specimens to 14 ft.	@ 2.25]		- 73
firma, 60'-75'			mi Fir
Native fir of Japan. Has large	rigid de		
Fine accent and specimen tree.			
18 to 24 in., B. & B	1.90		
2 to 2½ ft., B. & B	2.25		
2½ to 3 ft., B. & B			
	3.50		
3 to 4 ft., B. & B	3.50 4.50 6.00		

	Unit Pr	ice in Qua	
ABIES—continued	1-4	5-24	25-249
fraseri, 50'-60'		Fras	er Fir
This variety is also known as the It is hardy north and a very satis	e South sfactory	ern Balsa tree.	m Fir.
2 to 2½ ft., B. & B	1.75	1.50	
2½ to 3 ft., B. & B	2.70	2.25	
3 to 4 ft., B. & B	3.75	3.00	
nordmanniana, 80'-100'		Nordman	
Handsome, desirable species for densely-branched tree with dark	ming br green f	oad pyra foliage.	midal,
15 to 18 in., B. & B	1.90	1.50	1.25
18 to 24 in., B. & B	2.70	2.25	1.80
2 to $2\frac{1}{2}$ ft., B. & B	3.40	2.80	2.25
$2\frac{1}{2}$ to 3 ft., B. & B	4.25	3.55	2.85
3 to 4 ft., B. & B	5.60	4.75	3.7 <i>5</i>
pectinata, 60'-80'		Silv	er Fir
Silvery white on under side of ne	edles.		
18 to 24 in., B. & B	3.00		
2 to 3 ft., B. & B	4.00		
3 to 4 ft., B. & B	5.00		
4 to 5 ft., B. & B	7.50		
5 to 6 ft., B. & B	10.00		
veitchi, 60'-80'		Veit	ch Fir
A broad pyramidal tree, hardy, some while young.	and par	ticularly	hand-
18 to 24 in., B. & B	1.25	1.10	.90
2 to 3 ft., B. & B	1.35 1.80	1.50	1.20
3 to 4 ft., B. & B	3.00	2.50	2.00
4 to 5 ft., B. & B	3.60	2.85	2.40
douglasi (See PSEUDOTSUGA			
and and the state of the state		,	
Spruce (See PICEA)			
ACANTHOPANAX pentaphyllus	m. 7'-8'		
		Fiveleaf	Aralia
Graceful, arching habit; splendid able; good foliage for smoky ex			adapt-
18 to 24 in	.30	.25	.20
2 to 3 ft	.35 -45	.38	.30
3 to 4 ft	.55	.47	-37
4 to 5 ft	.80	.65	.52
4 10 3 111		,	-5-
ACER campestre, 25'-30'		Hedge	Maple
Useful for dry locations in under grows slowly.	growth;	has cork	y bark;
6 to 8 ft	3.90	3.30	
8 to 10 ft	5.50	4.50	
10 to 12 ft	7.90	6.55	
12 to 14 ft	9.00	7.50	

	Unit P	rice in Qua	intities
ACER—continued	1-4	5-24	25-249
dasycarpum, 60'-80'		Silver	Maple
Quick-growing, graceful shade tre neath.	e; leave	s silvery	under-
6 to 8 ft	.90	•75	.60
8 to 10 ft	1.35	1.10	.90
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	1.80	1.50	1.20
10 to 12 ft.—1½ to 1¾ in	2.25	1.90	1.50
10 to 12 ft.—13/4 to 2 in 12 to 13 ft.—2 to 2½ in	2.85	2,30	1.90
12 to 13 ft.—2 to 2½ in	3.90	3.25	2.60
13 to 14 ft.— $2\frac{1}{2}$ to 3 in 14 to 16 ft.—3 to $3\frac{1}{2}$ in	5.00 6.75	4.25 5.50	3.50
14 to 16 ft.—3½ to 4 in	7.75	6.50	4.50 5.60
		al Silver	-
A very desirable subject for scr			Mapre
			0.25
12 to 14 ft.—2½ to 3 in	4.90 6.75	4.05 5.50	3.25 4.50
14 to 16 ft.— $3\frac{1}{2}$ to 4 in	9.00	7.50	6.00
—wieri, 60'-80'	Wier	Cutleaf 1	Maple
Graceful, drooping form; very d	lesirable	•	
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	2.25	1.90	1.50
10 to 12 ft.—1½ to 1¾ in	2.90	2.40	1.95
11 to 12 ft.—13/4 to 2 in	3.75	3.00	2.50
12 to 13 ft.—2 to 2½ in	4.50	3.75	3.00
13 to 14 ft.—2½ to 3 in	5.60	4.75	3.75
ginnala, 10'-12'		Amur I	Maple
Graceful and valuable for brigh twiggy habit of growth.	t red a	utumn col	oring;
3 to 4 ft	.70	-55	-45
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
negundo, 60'			xelder
Will grow where other trees fail;	especial	lly good f	or dry,
barren places and seashore.			
6 to 8 ft	.75 1.20	.60 1.00	.50 .80
8 to 10 ft	1.20	1.00	.00
japonicum aureum, 15'		lenmoon	Maple
Similar in growth to palmatum.	Foliage	golden.	
18 to 24 in., B. & B	3.90		
2 to 3 ft., B. & B	4.50		
palmatum (polymorphum), 12'-1	5' Green J	apanese i	Maple
Develops into a splendid specime			
2 to 3 ft., B. & B	4.00		
3 to 4 ft., B. & B	6.00		
4 to 5 ft., B. & B	8.00		

	Unit P	rice in Qu	antities
ACER—continued	1-4	5-24	25-249
-atropurpureum, 6'-8' Purpl	eleaf J	apanese	Maple
A good, dwarf tree with rich pur mer. Best in sun. These plants are strain imported, being carefully stant color.	grafted	from th	e finest
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.65 2.25 3.40 4.50 5.60 8.00	1.35 1.90 2.80 3.75 4.75 6.50 8.45	1.10 1.50 2.25 3.00 3.75 5.25 6.75
— —nigrum, 6'-8'			
A selected strain of the purple darker leaves.	Japan	ese Mapl	e with
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	2.85 3.90 4.50 6.75	2.35 3.25 3.75 5.50	1.90 2.60 3.00 4.50
— —novum, 6'-8'			
Similar to the above. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2 ¹ / ₂ ft., B. & B.	2.25 2.85 3.90 5.25	1.90 2.35 3.25 4.40	1.50 1.90 2.60 3.50
dissectum, 4'-6' Purple C	utleaf 1	apanese	Maple
More dwarf than the above wit leaves, giving the plant a very gra for rock work.	h finely	cut pur	ple-red
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.80 2.85 4.05 6.00	1.50 2.35 3.40 5.00	1.20 1.90 2.70 4.00
-dissectum, 4'-6' Green Cu	ıtleaf J	apanese	Maple
A good, dwarf tree with finely cut attractive throughout the summ fall when frost tints the leaves in	green and	leaves. It beautiful	is very
12 to 15 in., B. & B	1.80 2.85 4.00 6.00	1.50 2.35 3.40	
	owth. A	fine acce	nt tree.
18 to 24 in., B. & B	2.25 3.90 5.60	1.90 3.25 3.50	1.50 2.60 2.75
pennsylvanicum (striatum), 20'-3 Green bark, striped with white; t		Striped wet soil	•
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	2.50 3.00 4.00 5.25	2.00 2.50 3.50 4.40	

	Unit P	rice in Qu	antities
ACER—continued	1-4	5 - 24	25-249
platanoides, 50'-75'		Norway	Maple
The most popular street tree; runtil late autumn.	retains	its green	leaves
NOTE—These trees are Princeton heads, heavier caliper and well-far superior to western, irrigated what we ask for them.	-develo	ped roots	, being
6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 11 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 13 to 15 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 16 to 18 ft., 4 to 5 in.	2.25 2.85 3.40 3.90 4.50 5.60 6.75 8.00 8.00	1.90 2.35 2.80 3.25 3.75 4.75 5.50 6.50 7.00 9.50	1.50 1.90 2.25 2.60 3.00 3.75 4.50 5.25 6.00 7.50
-columnare			
True columnar form of Norway	Maple	2.	
6 to 8 ft	3.00	2.50	2.00
—globosum, 10'	Globa	Norway	Manla
Dwarf form of the above. Forms		2	-
5 year, 6 ft. stem, $1\frac{1}{2}$ to 2 in	7.00	- snapeu	iicau.
5 year, 6 ft. stem, 2 to $2\frac{1}{2}$ in	9.00		
—schwedleri, 40'-60'		chwedler	
—schwedleri, 40'-60' Probably the best, large-growing as lawn specimen.			
Probably the best, large-growing as lawn specimen. 6 to 8 ft			
Probably the best, large-growing as lawn specimen. 6 to 8 ft	3.40 4.50	2.80 3.75	2.25 3.00
Probably the best, large-growing as lawn specimen. 6 to 8 ft	3.40 4.50 5.25	2.80 3.75 4.40	2.25 3.00 3.50
Probably the best, large-growing as lawn specimen. 6 to 8 ft	3.40 4.50 5.25 5.60	2.80 3.75 4.40 4.75	2.25 3.00 3.50 3.75
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in.	3.40 4.50 5.25 5.60 6.00	2.80 3.75 4.40 4.75 5.00	2.25 3.00 3.50 3.75 4.00
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in	3.40 4.50 5.25 5.60 6.00 7.50	2.80 3.75 4.40 4.75 5.00 6.25	2.25 3.00 3.50 3.75 4.00 5.00
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in.	3.40 4.50 5.25 5.60 6.00	2.80 3.75 4.40 4.75 5.00	2.25 3.00 3.50 3.75 4.00
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75'	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75'	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 10 to 11 ft.—1½ to 1¾ in 12 to 14 ft.—2½ to 3 in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft.	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 ding harder. 2.25	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and	2.25 3.00 3.50 3.75 4.00 5.00 7.50 Maple suitable
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in. 14 to 16 ft.—3 to 3½ in. 15 pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring.	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 ding hatore. 2.25	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in. 14 to 16 ft.—3 to 3½ in. pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft.	9urple 3.40 4.50 5.25 5.60 6.00 7.50 9.00 i1.00 Sing harder 2.25 Red of ves in	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland;	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in. 14 to 16 ft.—3 to 3½ in. pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft.	3.40 4.50 5.25 5.60 7.50 9.00 11.00 ding hardered 2.25 Red of twes in	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland;	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 E Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2½ in. 12 to 14 ft.—2 to 2½ in. 14 to 16 ft.—3 to 3½ in. pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 1½ to 1½ in. 11 to 1½ to 1½ in. 12 to 14 ft.—2½ to 3 in. 13 to 15 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 1½ to 1½ in. 17 to 1½ in. 18 to 10 ft. 18 to 10 ft.	3.40 4.50 5.25 5.60 6.00 9.00 11.00 Sting harder. 2.25 Red of ves in	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 or Scarlet upland; 1	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 E Maple suitable
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in 10 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrired autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 Siding hatore. 2.25 Red of ves in	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland; 1	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable ————————————————————————————————————
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in. 14 to 16 ft.—3 to 3½ in. 15 pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. 10 to 8 ft. 11 to 12 ft.—1 to 1½ in. 12 to 14 ft.—2 to 1½ in. 13 to 16 ft.—3 to 3½ in. 14 to 16 ft.—3 to 3½ in. 15 pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. 16 to 8 ft. 17 to 17 to 17 to 19 in. 18 to 10 ft. 19 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in.	yurple 3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 ding harder 2.25 Red of exes in 2.25 3.90 5.25 7.15	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland; 1.90 2.35 3.25 4.40 5.85	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable Maple brilliant 1.50 1.90 2.60 3.50 4.75
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 ding hater the control of	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland; 1 1.90 2.35 3.25 4.40 5.85 6.75	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in. 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in. 14 to 16 ft.—3 to 3½ in. 15 pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 11 to 14 ft.—2 to 2½ in. 12 to 14 ft.—2½ to 3 in. 13 to 16 ft.—3 to 3½ in. 14 to 16 ft.—3 to 3½ in. 15 pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 11 to 12 ft., 1½ to 1½ in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2½ to 2½ in. 15 to 14 ft., 2½ to 2½ in.	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 4ding harder harder harder harder 2.25 2.85 3.90 5.25 7.15 8.00 10.50	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland; 1 1.90 2.35 3.25 4.40 5.85 6.75 9.00	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 E Maple suitable
Probably the best, large-growing as lawn specimen. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 11 ft.—1½ to 1½ in 10 to 12 ft.—1¾ to 2 in. 12 to 14 ft.—2 to 2½ in 14 to 16 ft.—3 to 3½ in pseudoplatanus, 50'-75' Vigorous-growing tree of spread for exposed locations and seash 8 to 10 ft. rubrum, 50'-75' Best in moist locations; also thrived autumn coloring. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in	3.40 4.50 5.25 5.60 6.00 7.50 9.00 11.00 ding hater the control of	2.80 3.75 4.40 4.75 5.00 6.25 7.50 9.50 Sycamore abit and 1.90 r Scarlet upland; 1 1.90 2.35 3.25 4.40 5.85 6.75	2.25 3.00 3.50 3.75 4.00 5.00 6.00 7.50 Maple suitable

	Unit P	rice in Qu	antities
ACER—continued	1-4	5-24	25-249
saccharum, 50'-75'		Sugar	Maple
Most popular in northern states; has rich yellow autumn coloring	best pl	lanted in	spring;
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
10 to 11 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.40	2.80	2.25
11 to 12 ft.— $1\frac{7}{2}$ to $1\frac{3}{4}$ in	4.50	3.75	3.00
12 to 14 ft.— $1\frac{3}{4}$ to 2 in	5.25	4.40	3.50
12 to 14 ft.—2 to 2½ in	6.00	5.00	4.00
12 to 14 ft.—2 ¹ / ₄ to 2 ¹ / ₂ in	7.15 8.00	5.85	4.75
14 to 16 ft.—2½ to 3 in	9.40	6.7 <i>5</i> 7.80	5.50 6.25
10 to 10 11. 9 to 9/2 11	9.40	7.00	0.23
spicatum, 20'-30' Small tree with nice yellow and s		I ountain	
			otoring.
2 to 3 ft	.90	.75	
4 to 5 ft	1.45	1.20	
5 to 6 ft	1.90 2.25	1.50	
j 10 0 1tt	2.23		
ACTINIDIA arguta, 20'-30'		Bower A	ctinidia
Greenish-white, July. Rich, dark berries.	green	foliage.	Yellow
2 yr., 2 to 3 ft	-55	-47	-37
3 yr., 3 to 4 ft	.70	·5 <i>5</i>	-45
AESCULUS glabra, 25'		Ohio B	
Makes a small tree of handsome flowers in May. Foliage turns yel	appeara low in	ince with early fall	yellow l.
3 to 4 ft	1.10	.95	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.25	1.90	
6 to 8 ft	3.00		
10 to 12 ft	4.00 5.25		
10 10 12 11 11 11 11 11 11 11 11 11 11 11 11	3.43		
hippocastanum, 60'-80'		Horsech	
A beautiful, symmetrical shade to panicles of white flowers against	ree cove the darl	ered with k green le	sho wy aves.
3 to 4 ft	1.10	.95	•75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft.—1¼ to 1½ in 8 to 10 ft	2.85	2.35	1.90
8 to 10 ft	3.60	2.85	2.40
—parviflora, 6'-10'	Dwarf	Horsech	estnut
15 to 18 in., 5 in. pot gr	1.90		
18 to 24 in., 6 in. pot gr	2.25		-
AILANTHUS glandulosa, 50'-60'		ree of F	
Succeeds under most adverse city leaves and grows rapidly.	y condi	tions. Ha	s large
5 to 6 ft	1.45	1.20	
6 to 8 ft	1.80	1.50	
8 to 10 ft	2.85	2.35	

	Unit F	Price in Q	uantities 25-249
AKEBIA quinata, 15'-20'	•	Fiveleaf	
Dainty, beautiful vine, purple fl leaves persisting till winter.			
2 yr	-33	.27	.22
ALNUS glutinosa, 70'-80']	Europea	n Alder
A rapid-growing tree with dark g moist situations.	green fo	oliage ad	apted to
2 to 3 ft	.60 •75	.50 .60	.40 .50
4 to 5 ft	1.00	.80	.65
AMELANCHIER canadensis (bot	ryapiu Do	i m), 20'-3 owny Sh	go'
White flowers in early spring be relished by birds. Also called Jun	fore 1	eaves; fr	
18 to 24 in	-55	-47	-37
2 to 3 ft	.90 1.10	.75 .95	.60 .75
laevis, 20'-30'	Allec	gheny Sh	adblow
Unfolding leaves are smooth an Large drooping flowers with purp	d have	a reddi	
5 to 6 ft	2.25	1.90	
6 to 8 ft	2.70 3.50	_	
stolonifera, 3'-4'	Rui	nning Sh	adblow
18 to 24 in	-55	-47	-37
2 to 3 ft	.90 1.10	.75 .95	.60 .75
AMORPHA canescens, 2'-3'		Le	adplant
Long spikes of blue flowers in Jul	y. A cho	oice, dwa	rf plant.
15 to 18 in	.55 .80	.65	-37
fragrans, 3'-4'	Scen	ted Indi	gobush
Purple blue racemes six inches lo	ong in	July.	
18 to 24 in	•33 •50	.27 .40	
3 to 4 ft	.60	.50	
fruticosa, 8'-10'			gobush
Deep purple flowers in June; spr			
2 to 3 ft	.30 -45	.25	.20 .30
4 to 5 ft	•43 •55	-37 -47	-37
5 to 6 ft	.70 .90	•55 •75	.60
AMPELOPSIS aconitifolia, 15'-20'	М	onkshoo	d Vine
Attractive foliage; bright blue			
October. 2 yr	·5 <i>5</i>	-47	-37

	• -		
AMPELOPSIS—continued	Unit P	rice in Qu 5-24	antities 25-249
heterophylla, 25'-30'		ain Amp	
A good, sturdy vine with good tive, turquoise-colored fruit.			
2 year	-55	47	•37
humulifolia, 25'-30'	H	op Amp	elopsis
Similar to above, not quite so rol	bust. God	od green i	foliage.
2 year	•55 •70	-47 -55	-37 -45
quinquefolia, 30'-50'	Vi	rginia C	reeper
Valuable for rich, fiery autumn	coloring	. Quick g	grower.
1 year	.15	.12	.10
2 year 3 year	.22 •37	.20 .30	.15 .25
quinquefolia engelmanni, 30'-40'	Enge	lmann C	-
A good, self-clinging woodbine;	_		
coloring.		,	74 1411
1 year	.15	.12	.10
2 year 3 year	.22 •37	.20 .30	.15 .25
tricuspidata (veitchi), 40'-50'		Bosto	n Ivy
Brilliant autumn coloring, blue closely self-clinging. Also called	berries,	turning	black ·
1 year, 12 to 18 in	.22	.20	.15
2 year, 18 to 24 in	·37 ·45	.30 •37	.25 .30
—lowi, 6'-8' Dwa	rf Cutle	af Bosto	n Ivy
A good variety of the type, with age. Very graceful and distinct.	smaller,	deeply-cu	t foli-
3 in. pots	.65	-55	45
AMYGDALUS nana (See Prunus	glandul	osa)	
	Db 1. W ih	ite Flg. 1	Peach
—Clara Meyer, 8'-10'	Dbl. Pi	nk Flg. I	Peach
—rosea, 8'-10'	Dbl. Pi	nk Flg. I	Peach
rubra, 8'-10'	Dbl. F	Red Flg. I	Peach
2 to 3 ft	·45	•37	.30
4 to 5 ft	•55 •80	.47 .65	•37 •52
ANDROMEDA arborea (See OX	YDENI	ORUM)	
catesbaei (See LEUCOTHOE)			
japonica (See PIERIS)			
ARALIA pentaphyllum (See ACA	NTHO	PANAX)
spinosa, 18'-20'		Hercules	-club
Useful for tropical effects and sl July. Also called Devils-walkingst	hadows;	white flo	wers,
2 to 3 ft	45	-37	.30
3 to 4 ft	.70	.55	45 .60
4 to 5 ft	.90	.75	.60

	Unit Pr 1-4	ice in Qua 5 - 24	ntities 25 - 249
ARCTOSTAPHYLOS uva-ursi		Bear	berry
A most excellent ground cover, Forms a low, dense growth. Pink, scarlet berries.	thriving bell-sha	in sandy ped flowe	soils.
2½ in. pots	45	-37	.30
ARISTOLOCHIA sipho	D	utchman	s-pipe
A vigorous and rapid-growing cli light green leaves which retain entire season. Has curious, br resembling a pipe in shape.	their col	lor throug colored f	gh the lowers
1 year	. 75	.62	.50
ARONIA arbutifolia, 6'-8'	Re	ed Choke	berry
Valuable because of its red bern fall.	ries; vei	y handso	me in
12 to 18 in	.22	.20	.15
18 to 24 in	•33 • 45	.27 •37	.22 .30
•			
· ·		ed Choke	-
Improved form of the Red Choke fruits.			er red
12 to 18 in	.25 •33	.20 .27	.15
2 to 3 ft	•33 •45	·37	.30
3 to 4 ft	-55	-47	-37
atropurpurea, 6'-8'	Purp	le Choke	berry
Intermediate form between Aroni melanocarpa with black fruits. Th			
3 to 4 ft	1.10	.95	
4 to 5 ft 5 to 6 ft	1.50 1.65	1.25 1.35	
melanocarpa (nigra), 8'-10'	Blac	ck Choke	berry
Delicate, white flowers in May; b late.	lack beri	ies persis	t until
12 to 18 in	.22	.20	.15
18 to 24 in	·33	.27	.22
2 to 3 ft	.45 .70	∙3 7 •5 <i>5</i>	.30 -45
4 to 5 ft	.90	.75	.60
AZALEAS			
AZALEA amoena, 3'-4'	Α	moena A	zalea
Evergreen. Conspicuous, purple- Leaves turn a rich, bronze-green			l-May.
9 to 12 in., B. & B	.90	•75	.60
12 to 15 in., B. & B	1.20 1.65	1,00	.80 1.10
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	2.85	2.35	1.90
2½ to 3 ft., B. & B	3.75	3.00	2.50

Unit Price in Quantities

AZALEA—continued	1-4	5-24	25-249
arborescens, 10'-12'	·		Azalea
Fragrant, white flowers in June.		Sweet	112aica
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	3.00 3.80 5.25	2.50 3.15 4.40	
calendulacea, 4'-5'		Flame	Azalea
The great Flame Azalea of Ca showy, burnt orange flowers.	rolina		
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	340	2.80	2.25
2½ to 3 ft., B. & B.	4.50	3.75	3.00
3 to 4 ft., B. & B.	6.75	5.50	4.50
4 to 5 ft	9.00	7.50	6.00
5 to 6 ft	12.00	10.00	8.00
Hinodegiri, 3'-4'	Hi	nodegiri .	Azalea
Evergreen. Larger leaves and loos flowers very bright carmine-pink with Rhododendron.	er grow	th than Ar tive in ma	noena; sses or
8 to 10 in., B. & B	.90	7.5	.60
10 to 12 in., B. & B	1,35	• 7 5	.90
12 to 15 in., B. & B	2.00	1.70	1.35
15 to 18 in., B. & B	2.85	2.35	1.90
18 to 24 in., B. & B	3.40	2.80	2.25
kaempferi, 4'-5'		Torch A	
Warm brick-red flowers, May. Ve	ry hard	dy and des	irable.
12 to 15 in., B. & B.	1.90	1.50	1.25
15 to 18 in., B. & B.	2.85	2.35	1.90
18 to 24 in., B. & B	3.40	2.80	2.25
2 to 2½ ft., B. & B.	4.50	3.75	3.00
AZALEA KAEMPFERI	НҮВ	RIDS	
Carmen—Rose-pink flowers.			
Cleopatra—Lilac-rose flowers			

Cleopatra—Lilac-rose flowers.

Fedora—Salmon-rose flowers.

Louise-Light-rose flowers.

Othello-Brick-red flowers.

12 to 15 in., B. & B	2.00 3.40	1.70 2.80	1.35
18 to 24 in., B. & B 2 to 2½ ft., B. & B	3.90 5.25	3.25 4.40	2.25 2.60 3.50

KURUME AZALEAS-EVERGREEN

Benigeri—Bright red flowers; compact growth. 9-12, 12-15, 15-18, 18-24

Flame-Brilliant red flowers; borne in profusion. 15-18, 18-24, 2-21/2, 21/2-3

Hatsugiri-Bright purple flowers; compact growth. 9-12, 12-15, 15-18

	Unit Pr	ice in Qu	antities
AZALEA—continued	1-4	5-24	25-249
Pink Beauty—Single soft-pink flow 9-12, 12-15, 15-18	vers.		
Pink Pearl—Salmon-rose flowers; 9-12, 12-15, 15-18, 18-24	heavy	bloomer	
Salmon Beauty—Large salmon-pin 9-12, 12-15	ık flowe	ers.	
9 to 12 in., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	.90 1.35 2.40 3.00 3.60 4.90	.75 1.10 2.00 2.50 2.85	
—Snow, 3'			
Evergreen. Large pure white flow	vers.		
9 to 12 in., B. & B	1.35 1.80	1.10	.90 1.25
—Yayegiri, 3' Salmon-red flowers. Of exceptions	al worth	1.	
18 to 24 in., B. & B	2.75	2.30	
2 to 2½ ft., B. & B	3.40 4.50	2.80 3.75	
3 to 3½ ft., B. & B.	5.75	4.90	
ledifolia alba, 4'-6'		Snow	Azalea
Evergreen. Large, single, white fl Makes a striking background : blooming at the same time.	lowers, f for Aza	freely pr ilea Hin	oduced. odegiri,
12 to 15 in., B. & B	1.65 2.85	1.35 2.35	1.10 1.90
-Fujimoyo, 4'-6' Large double pale pink-lilac flow	ers.		
15 to 18 in., B. & B	3.00	2.50	2.00
18 to 24 in., B. & B	3.75	3.00	2.50
2 to $2\frac{1}{2}$ ft., B. & B	4.50	3 .7 5	3.00
—lilacina, 4'-6' Single lilac flowers.			
12 to 15 in., B. & B	2.25	1.90	
15 to 18 in., B. & B	3.00 2.70	2.50 2.25	2.00
macrantha, 21/2'-3'	Red :	Salmon	Azalea
Evergreen. A beautiful plant, wit pear at intervals, and not at one Single and double varieties.	h large time lik	flowers to	that ap- eceding.
15 to 18 in., B. & B	3.40	2.80	
18 to 24 in., B. & B 2 to 2½ ft	4.25 5.00	3.55 4.00	
mollis, 4'-6'	(Chinese	Azalea
Large, showy flowers in shades o June. Large, hairy leaves. Likes		e and rec	l. May-
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90	1.50

	Unit D	ice in Qu	
AZALEA—continued	1-4	5-24	25 - 249
mucronulatum (See RHODOD mucronulatum)	•		-3 -13
nudiflora, 6'-8'		Pinxter	bloom
Flowers pale rose or pink before rocky woodlands and swamps.	e or with	leaves. I	habits
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.40	2.80	2.25
2½ to 3 ft., B. & B	3.90	3.25	2.60
3 to 4 ft., B. & B	5.60	4.75	3.75
phoenicea var. Omurasaki, 2'-3' Purple to magenta flowers. Earl			
15 to 18 in., B. & B	3.60	285	
18 to 24 in., B. & B.	4.50	2.85 3.75	
10 to 24 m, b, a b,	4.50	3.13	
poukhanensis, 1'-3'		Korean	
Single, purple-lilac flowers are very hardy.	profusely	borne ir	Мау;
12 to 15 in., B. & B	2.25	1.90	1.50
15 to 18 in., B. & B	2.85	2.35	1.90
18 to 24 in., B. & B	3.90	3.25	2.60
2 to 2½ ft., B. & B	5.60	4.75	3.75
rosea, 6'-8'		Pinxter	
Rose-pink flowers in late May. and useful native variety.	Quite fra	grant. Be	autif u l
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.40	2.80	2.25
$2\frac{1}{2}$ to 3 ft., B. & B	3.90	3.25	2.60
3 to 4 ft., B. & B	5.60	4.75	3.75
schlippenbachi, 3'-5'		Royal A	Azalea
Blooms pale rose color, May-Jun	ie; decidu	ous, very	hardy.
12 to 15 in., B. & B	2.25	1.90	1.50
15 to 18 in., B. & B	2.85	2.35	1.90
18 to 24 in., B. & B	4.10	3.50	2.75
2 to 2½ ft., B. & B	4.90	4.05	3.25
vaseyi, 5'-6'		nkshell A	
Delicate pink, April and May. V best hardy azaleas.	ery attrac	tive, one	of the
18 to 24 in., B. & B	3.40	2.80	2.25
2 to 2½ ft., B. & B.	3.90	3.25	2.60
2½ to 3 ft., B. & B	5.25	4.40	3.50
3 to 4 ft., B. & B	7.15	5.85	4.75
viscosa, 4'-5'		Swamp 1	Azalea
White, very fragrant, June and	Jul y.		
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.40	2.80	2.25
2½ to 3 ft., B. & B.	3.90	3.25	2.60
3 to 4 ft., B. & B	5.60	4.75	3.75

AZALEA—continued	Unit P 1-4	rice in Quant 5-24 25	ities -249
yodogawa, 3'-4'	Yo	odogawa Az	alea
Double, pinkish-lavender flowers, of exceptional merit.	May.	Very hardy	and
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B	3.40	2.80	2.25
$2\frac{1}{2}$ to 3 ft., B. & B	3.90	3.25	2.60

NEW AZALEA VARIETIES

We have built up a stock of choice new introductions that will be offered after this year's trials.



Unit Price in Quantities 1-4 5-24 25-249

BACCHARIS halimifolia, 9'-10' Groundselbush

Conspicuous, fluffy seed pods in September. Good for seashore planting.


18 to 24 in	•33	.27	.22
2 to 3 ft	.45	-37	.30
3 to 4 ft	·55	-47	-37
4 to 5 ft	.70	-55	45

BENZOIN aestivale (LINDERA benzoin), 10'-12'

Spicebush

Flowers yellow, April. Scarlet berries, beautiful autumn coloring, leaves aromatic.

18 to 24 in	•33	.27	.22
2 to 3 ft	45	·37	-30
3 to 4 ft	-55	-47	•37
4 to 5 ft	.85	.70	•55
5 to 6 ft	1.10	.95	-75
6 to 8 ft	1.65	1.35	1.10



THE WASHINGTON STREET BRIDGE OVER LAKE CARNEGIE

The lake, the gift of Andrew Carnegie in 1906, is used by

Princeton crews and is also a favorite resort of canoeists in

the summer

BERBERIS NEW HARDY EVERGREEN TYPES


We have a good assortment of these new varieties which are very attractive in both dark green, holly-like foliage and showy flowers. We consider this class of stock one of the most valuable additions to the broad-leaved evergreens. As a class nearly all have large thorns, spined leaves, and color beautifully in the winter months. Under favorable conditions most of them will attain a height of about six feet.

chenaulti. Deep, green lustrous	folia	ge.	
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.50		1.00
gagnepaini. Has long and very n	arrow,	holly-lik	e leaf.
9 to 12 in., 4 in. pots	-75	.60	.50
12 to 15 in., 4 in. pots	1.10	.95	.75
15 to 18 in., 5 in. pots	1.50	1.25	1.00
julianae. Fairly rapid growth with	h broad	der, spine	d leaves.
9 to 12 in., B. & B	-55	-47	-37
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.50	_	1.00
18 to 24 in., B. & B	2.25	1.90	1.50
triacanthophora. Rapid grower, lightly-spined leaves.	dense	habit an	d small,
9 to 12 in., B. & B	.55	.47	-37
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.25	1.90	1.50
verruculosa		Warty B	-
Distinctive in character. Of dv habit. Shiny foliage. Fragrant yel			
6 to 9 in., 4 in. pots	.75		
9 to 12 in., 5 in. pots	1.00	.80	
12 to 15 in., 6 in. pots	1.50	1.25	
BERBERIS-DECIDUO	ous '	TYPES	
thunbergii, 4'-5'	Ja	panese B	arberry
A splendid, low hedge plant, o	r for	massing;	brilliant
autumn coloring; scarlet berries	•		
9 to 12 in	.08	.06	.05
12 to 15 in	.12	.10	.08
15 to 18 in	.18	_	.12
18 to 24 in	.20		.14
2 to 2½ ft	.27	.22	.18
2½ to 3 ft	-45	-37	.30
		panese B	•
A very desirable, new, red-leave			
Should be planted in sun for beaunusually deep color and symm			
			_
0 to 12 in.	12	10	רא
9 to 12 in	.12	.10	.08
12 to 15 in	.18	.15	.12
12 to 15 in	.18	.15	.12
12 to 15 in	.18	.15	.12
12 to 15 in	.18 .27 .37	.15 .22 .30	.12 .18

EDDEDIG '		rice in Qu	
ERBERIS—continued	1-4	5-24	25-249
-minor, 2'-3'		Box Ba	-
A dwarf, compact form of Jap sparingly. Used for edging where			
9 to 12 in	.22	.20	.15
12 to 15 in	•33	.27	.22
15 to 18 in	•45 •55	·37	.30
· ·		-47 ean White	-37 Birch
Known by its white bark.	Larope		Direi
5 to 6 ft	1.35	1.10	.90
6 to 8 ft	2.00	1.70	1.3
8 to 10 ft	2.85	2.35	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.40	2.80	
	3.7 <i>5</i>		
		dal Whit	
Columnar form of the European heavy formal effects are desired.	Birch.	Excellen	t wnere
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.85	2.35	
6 to 8 ft	3 .7 5	3.00	
—laciniata, 30'-40' Excellent tree for lawn planting		Weeping	g Bircl
5 to 6 ft	2.00	1.70	1.2
6 to 8 ft	2.85	2.35	1.3 1.9
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	4.50	3.75	
*lenta, 40'-50'		Swee	t Birc
Has attractive, smooth, reddish catkins in spring.	a bark	and con	spicuou
6 to 8 ft	1.90	1.50	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.85	2.35	
10 to 12 ft., 1½ to 2 in	3 . 75	3.00	
12 to 14 ft., 2 to 2½ in	4.50	3.75	
Specimens up to 4 in. caliper.			
*lutea, 50'-70' Makes fine windbreak.		Yellov	w Birc
6 to 8 ft	1.90	1.50	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.00	_	
10 to 12 ft., 1½ to 2 in	3.75	3.00	_
12 to 14 ft., 2 to 2½ in	4.50		
*nigra, 50'-60'		Rive	r Birc
	rn, rag		
Thrives in moist places; its to unique.			
unique. 10 to 12 ft.—1½ to 1¾ in	345	2.80	
unique. 10 to 12 ft.—1½ to 1¾ in	3.45 4.50		
unique.		3.75	
unique. 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in	4.50 5.25	3.75	e Bire
unique. 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in	4.50 5.25 Pape	3.75 4.40 er or Cano	e Bird
unique. 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in *papyrifera, 40'-50' Picturesque paper bark, very wh	4.50 5.25 Pape	3.75 4.40 er or Cand en older.	oe Birc
unique. 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in *papyrifera, 40'-50' Picturesque paper bark, very wh 6 to 8 ft 8 to 10 ft.—1¾ to 1½ in	4.50 5.25 Pape nite who	3.75 4.40 er or Cano en older. 1.90	e Birc
unique. 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in *papyrifera, 40'-50' Picturesque paper bark, very wh 6 to 8 ft 8 to 10 ft.—1¼ to 1½ in 10 to 12 ft.—1¼ to 1¾ in	4.50 5.25 Pape nite who 2.25 3.40 4.50	3.75 4.40 er or Cancen older. 1.90 2.80	3.0
unique. 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 14 ft.—2 to 2½ in *papyrifera, 40'-50' Picturesque paper bark, very wh 6 to 8 ft 8 to 10 ft.—1¾ to 1½ in	4.50 5.25 Pape nite who 2.25 3.40	3.75 4.40 er or Cand en older. 1.90 2.80 3.75 4.75	_

	Unit Pı	ice in Qu	antities
BETULA—continued	1-4	5-24	25-249
*populifolia, 30'-40'		Gray	Birch
Will grow in poor soil and dry native in New Jersey.	places. C	ommonly	found
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.85 3.40	2.35 2.80	1.90 2.25
10 to 12 ft., 13/4 to 2 in	4.50	3.75	3.00
12 to 14 ft., 2 to 2½ in	5.60 7.00	4.75 5.50	3.75
BIGNONIA grandiflora, 25'-40'			
One of the handsomest of flow		rumpetc	
trusses of orange-yellow flowers	in July	and Au	ust.
2 year, grafts	.70	-55	45
Mad. Gallen, 25'-40'			
An improved variety of a darker	orange t	han gr <mark>an</mark>	diflora.
2 year, grafts	.70	-55	.45 .60
3 year, grants	.90	•75	.00
radicans, 25'-40'		rumpetc	-
Showy, trumpet-shaped flowers, s Roots as it climbs.	scarlet ar	nd orange	, July.
1 year 2 year, heavy	.12 .22	.10 .20	.08 .15
SUDDLEIA alternifolia, 10'-12'			
Alternate			
Hardiest member of this genus. summer and continuing into the		neavily in	n mid-
18 to 24 in	·33	.27	.22
3 to 4 ft	.45 .55	-37 -47	.30 •37
TT	_	Butterfl	
12 to 18 in	.22	.20	.15
18 to 24 in	-33	.27	.22
Ile de France, 4'	В	utterfly :	Shrub
Dark purple flowers-fragrant.			
12 to 18 in	.22 •33	.20 .27	.15 .22
magnifica, 8'-10'	Ox-Eye	Butterfl	ybush
Large rose-purple flowers.			
18 to 24 in	.22 .33	.20 .27	.15
veitchiana, 5'-6'	Veitch	Butterfly	bush
Mauve-colored flowers with brigh bloom early in August.			
1½ to 2 ft	.22	.20	.15
2 to 3 ft	•33	.27	.22

	Unit P	rice in Qu	antities
BUXUS	1-4	5 - 24	25 - 249
buxus koreana 6'		Japane	se Box
Dwarf often prostrate form.			
6 to 9 in., B. & B	.65		
9 to 12 in., B. & B	.90		
sempervirens (bush form), 12'-15	5′	В	oxwood
Evergreen. Useful for formal he	dges.		
12 to 15 in., B. & B	.90	.75	
15 to 18 in., B. & B	1.35	1.10	
18 to 24 in., B. & B	1.80	1.50	
—suffruticosa, 3'-4'	Dwa	arf Box	Edging
Evergreen. Extensively used for lot to offer this season. Also call			
4 to 6 in	-33	.27	.22
6 to 8 in	-55	-47	·3 7
8 to 10 in., B. & B	1.10	.95	.75



BLAIR HALL

One of the Princeton dormitories. Its tower is a famous landmark

	Unit Price	-	
CALLICARPA japonica, 4'-5'	Japanese	5-24	25-249
Pink flowers, followed by violet	-		rtybush
18 to 24 in		_	
2 to 3 ft	.30 •4 <i>5</i>	.25 -37	.20 .30
3 to 4 ft	.50	-37 -40	•33
purpurea, 3'-4'	Chinese	Beau	tyberry
Lilac-violet berries, especially Graceful habit.	attractive	in	August.
18 to 24 in	.22	.20	.15
2 to 3 ft	-33	.27	.22
3 to 4 ft	45	-37	.30
CALLUNA vulgaris, 1'-2'			I eath er
Evergreen. These excellent everg masses and may be planted to ad- slopes. Plants offered are first-cla	vantage on	well-	drained
-alba, white flowers.			
-alporti, bright green foliage, rede	dish-purpl	e flow	vers.
-aurea, yellow green foliage, flow	ers mauve		
-compacta, compact form			
—cuprea			
-humilis, bright green foliage, wh	nite flower	re	
-rosea, bright green foliage, rose			
	1. 1		
			rs.
-rubra, spreading habit, purplish-			rs.
—rubra, spreading habit, purplish- —searlei, white flowers in Fall			rs.
-rubra, spreading habit, purplish-			rs.
—rubra, spreading habit, purplish- —searlei, white flowers in Fall			.30
—rubra, spreading habit, purplish- —searlei, white flowers in Fall —tenella alba 2 year	red flower	s. -37	.30
-rubra, spreading habit, purplish- searlei, white flowers in Fall tenella alba year CALYCANTHUS floridus, 4'-5'	red flower	s. -37 Swee	.30 etshrub
—rubra, spreading habit, purplish- —searlei, white flowers in Fall —tenella alba 2 year	red flower	s. -37 Swee	.30 etshrub
—rubra, spreading habit, purplish- searlei, white flowers in Fall tenella alba year CALYCANTHUS floridus, 4'-5' An old garden favorite, with f	-45	s. -37 Swee	.30 etshrub
-rubra, spreading habit, purplish- searlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in	red flower	s. -37 Swee lark r	.30 etshrub eddish-
-rubra, spreading habit, purplish- searlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.45 Fragrant, d .27 .37 .45	37 Sweedark r .22 .30 .37	.30 etshrub eddish-
-rubra, spreading habit, purplish- searlei, white flowers in Fall tenella alba year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.45 Fragrant, d	37 Sweetark r	.30 etshrub eddish-
-rubra, spreading habit, purplish- searlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.27 .37 .45 .55 Siberi	37 Sweetark r .22 .30 .37 .47	.30 etshrub eddish- .18 .25
-rubra, spreading habit, purplish- searlei, white flowers in Fall tenella alba year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May-	45 Fragrant, d 27 37 45 55 Siberi	37 Sweedark r .22 .30 .37 .47 an Po	.30 etshrub eddish- .18 .25 .30 .37 ea-tree
—rubra, spreading habit, purplish—searlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May. 18 to 24 in. 2 to 3 ft.	45 Fragrant, d 27 37 45 55 Siberi	37 Sweedark r .22 .30 .37 .47 an P	.30 etshrub eddish- .18 .25 .30 .37 ea-tree
—rubra, spreading habit, purplish—searlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May. 18 to 24 in. 2 to 3 ft.	45 Fragrant, d .27 .37 .45 .55 Siberi	37 Sweetark r .22 .30 .37 .47 an Po	.30 etshrub eddish- .18 .25 .30 .37 ea-tree
-rubra, spreading habit, purplishsearlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May- 18 to 24 in.	45 Fragrant, d 27 37 45 55 Siberi	37 Sweedark r .22 .30 .37 .47 an P	.30 etshrub eddish- .18 .25 .30 .37 ea-tree
-rubra, spreading habit, purplishsearlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARPINUS betulus, 60'-70'	45 Fragrant, d 27 37 45 -55 Siberi -June. 27 -33 45 -55 European	37 Sweetark r .22 .30 .37 .47 an P .22 .27 .35 .47 Hors	.30 etshrub eddish- .18 .25 .30 .37 ea-tree
—rubra, spreading habit, purplish- —searlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fibrown flowers. 18 to 24 in. 2 to 3 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but strong	-45 Fragrant, d -27 -37 -45 -55 Siberi June27 -33 -45 -55 European	37 Sweetark r .22 .30 .37 .47 an P .22 .27 .35 .47 Hors	.30 etshrub eddish- .18 .25 .30 .37 ea-tree
-rubra, spreading habit, purplishsearlei, white flowers in Fall -tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fbrown flowers. 18 to 24 in. 2 to 3 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but strong 8 to 10 ft.	45 Fragrant, d 27 37 45 55 Siberi-June. 27 33 45 55 European nger growe 8.50	37 Sweetark r .22 .30 .37 .47 an P .22 .27 .35 .47 Hors	.30 etshrub eddish- .18 .25 .30 .37 ea-tree
—rubra, spreading habit, purplish- —searlei, white flowers in Fall —tenella alba 2 year CALYCANTHUS floridus, 4'-5' An old garden favorite, with fibrown flowers. 18 to 24 in. 2 to 3 ft. 4 to 5 ft. CARAGANA arborescens, 10'-12' Yellow, pea-shaped flowers, May. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CARPINUS betulus, 60'-70' Leaves like Caroliniana but strong	-45 Fragrant, d -27 -37 -45 -55 Siberi June27 -33 -45 -55 European	37 Sweetark r .22 .30 .37 .47 an P .22 .27 .35 .47 Hors	.30 etshrub eddish- .18 .25 .30 .37 ea-tree

	Unit Pr	ice in Qua	ntities
CARPINUS—continued		-	25-249
caroliniana, 30'-40'	Americ	an Horn	beam
Bushy, low and often pendulous green foliage with fine autumn of	branch coloring.	es, dark l	bluish-
3 to 4 ft. 4 to 5 ft. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.65 2.25 4.50 6.75 10.15	1.35 1.90 3.75 5.50 8.45 10.50	1.10 1.50 3.00 4.50 6.75 8.50
japonicum 40'	Japan	ese Horn	ıbeam
Very graceful species. Leaves re folding.	ddish b	rown who	en un-
2 to 3 ft	2.00		
CARYOPTERIS incana (mastaca	antha),	2'-3' Blue !	Spirea
Lavender-blue flowers, Septembe massing. Requires protection. Als			
12 to 15 in	•33	.27	.22
CATALPA bungei, 10'-15'	Um	brella C	atalpa
Useful in formal planting.	_		
1 yr. heads, 5 to 6 ft. stem 2 yr. heads, 5 to 6 ft. stem	1.65 2.25	1.35	1.10 1.50
speciosa, 30'-35'	W	estern C	atalp a
Makes a very picturesque tree v leaves and long, bean-like seed p transplanted and with straight, s	ods. Our	stock is	shaped heavy,
6 to 8 ft	.70	-55	45
8 to 10 ft	1.10 1.65	.95 1.35	.75 1.10
CEANOTHUS americanus, 3'-4'		Jers	ey-tea
Very attractive, dwarf, native shi	rub; whi	ite flower	5.
12 to 18 in	.45	-37	.30
CEDRUS atlantica glauca, 35'-50'		ue Atlas	
Large pyramidal tree with uprigh rigid habit giving unique appe foliage.	it leading arance.	g shoots. Handsom	Leaves e blue
10 to 12 ft., B. & B	15.00 18.00 22.00		
deodara, 35'-50'		Г	eodar
Tall tree of pyramidal habit needles—more graceful in appear	with lig	ht bluish t quite so	-green hardy.
2 to 3 ft., B. & B	3.50 12.00		_

	Ilnit I	rice in Qua	ntities
CEDRUS—continued	1-4	5 - 24	
libani, 35'-50'	Ce	dar of Le	banon
A large tree with wide spreadi forming broad head. Dark or bluis	ng hor sh-gree	izontal br n foliage.	anches
6 to 8 ft., B. & B	10.00	8.00	
8 to 10 ft., B. & B	12.00	10.00	
12 to 14 ft., B. & B	15.00 18.00	12.50 15.00	
CELASTRUS orbiculatus, 15'-20'	Orie	ntal Bitter	sweet
High-climbing shrub with orange son seeds.	-yellov	v fruit and	crim-
2 year 18 to 24 in	.22	.20	.15
2 year 2 to 3 ft	•33	.27	.22
3 year 3 to 4 ft	.45	-37	.30
scandens, 20'-25'	Ameri	can Bitter	sweet
Most adaptable vine with orang	e and	red berrie	s that
retain color when cut and dried.			
2 year 18 to 24 in	-37	.30	.25
3 year 2 to 3 ft	-45	•37	.30
CELTIS occidentalis, 50'-60'		Hack	cberry
Similar foliage and habit as Elm	, but o	f slower g	rowth.
3 to 4 ft	·55	-47	·37
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25 2.85	1.90 2.35	1.50
10 to 12 ft., $1\frac{1}{2}$ to 2 in	3.90	3.25	2.60
12 to 14 ft., 2 to $2\frac{1}{2}$ in	4.50	3.75	
CEPHALANTHUS occidentalis,	5'-6'	Butto	nbush
Round heads of creamy-white fl Good foliage; likes moisture.	lowers,	July-Septe	ember.
	20	2.5	20
18 to 24 in	.30 ∙37	.2 <i>5</i> .30	.20
3 to 4 ft	.50	.40	-33
4 to 5 ft	.70	.55	-45
5 to 6 ft	.80	.65	.52
CERASUS (See Prunus)			
*CERCIDIPHYLLUM japonicum	1, 20'-3	o' Katsur	a-tree
Develops into a nice symmetrical and autumn colors.	tree;	beautiful s	spring
4 to 5 ft., B. & B	340	2.80	2.25
5 to 6 ft., B. & B	4.50	3.75	3.00
6 to 8 ft., B, & B	6.35	5.30	
8 to 10 ft., B. & B	8.50	7.00 9.50	
12 to 14 ft., B. & B	15.00	12.50	
14 to 16 ft., B. & B	18.00	15.00	

What to plant and where to plant it. See notes and suggestions, pages 125-129

	Unit Pr	ice in Qua	antities
	1-4	5-24	25-249
CERCIS canadensis, 12'-15'		erican R	
Rosy-pink, April, very effective wood; good foliage. Also called	when pla Judas T	inted wit	h Dog-
3 to 4 ft	.90	.75	.60
4 to 5 ft 5 to 6 ft	1.30 1.65	1.00 1.35	.85 1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
10 to 12 ft	3.15	2.60	2.10
chinensis, 10'-12'	_	hinese R	
Flowers a little larger and darke compact habit of growth.	er than a	ibove, bu	t more
18 to 24 in	.70	-55	.45
2 to 3 ft	.90	•75	.60
3 to 4 ft	1.10 1.50	.95 1.25	.7 <i>5</i> 1.00
	_	1.2)	1.00
CHAMAECYPARIS lawsoniana,	100'	vson's C	TTD #0 0/0
Pendulous branches. Interesting.	Lav	vson s C	ypress
3 to 4 ft., B. & B	4.50	3.75	
4 to 5 ft., B. & B	5.00	4.50	
5 to 6 ft., B. & B	6.00	5.00	
lawsoniana alumi, 20'-25'	S	carab C	ypress
Evergreen. Best columnar type; metallic hue.	foliage	with a	bluish,
5 to 6 ft., B. & B 6 to 8 ft., B. & B	7.50 9.00	6.25 7.50	
obtusa compacta, 4'-6'	Fo	otball C	ypress
Evergreen. Almost spherical i	n shape	. Good	green
throughout winter. Very useful i work.	n found	ation or	formal
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.50 3.15	2.05 2.60	1.65 2.10
3 to 3½ ft., B. & B	3.90	3.25	2.60
3½ to 4 ft., B. & B.	5.25	4.40	
4 to 5 ft., B. & B	6.00 7.00	5.00 6.00	
	•		
		Iinoki Cy	
Narrow, irregular pyramid, rich, grower—picturesque.		en foliage	. Slow
3 to 4 ft., B. & B	6.00		
4 to 5 ft., B. & B	7.50 9.00		
—nana, 2½'-4'	Dwarf H	Iinoki C	press
Evergreen. Low form, of slow g green foliage.			
15 to 18 in., B. & B	3.40	2.80	2.25
18 to 24 in., B. & B	4.50	3.75	3.00
2 to 2½ ft., B. & B	5.60	4.75	3.75
	7.90	6.55	5.25

	IInit D	rice in Qu	
CHAMAECYPARIS—continued		5-24	25-249
—youngi, 15'-20'	Young (Golden (ypress
Young foliage golden on pendu	lous bra	nches.	
18 to 24 in., B. & B	2.00		
2 to 3 ft., B. & B	3.00		
pisifera, 25'-35'		ra Retin	ospora
Evergreen. Quick grower. Loosel	y pyran	nidal.	
15 to 18 in., B. & B	.90	-75	.60
18 to 24 in., B. & B	1.10	.95	.75
2½ to 3 ft., B. & B.	1.6 5 2.00	1.35	1.10
3 to 4 ft., B. & B	3.40	1.70 2.80	1.35 2.25
4 to 5 ft., B. & B	5.60	4.75	2.23
5 to 6 ft., B. & B	7.90	6.55	
6 to 7 ft., B. & B	10.50	9.00	
-aurea, 25'-35' Golde	n Sama	ra Retin	0.000
Evergreen. Foliage bright yellow			
			ring.
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.35	1.10	.90
2½ to 3 ft., B. & B.	1.05 2.25	1.35 1.90	1.10
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	6.00	5.00	4.00
5 to 6 ft., B. & B	8.00	6.75	5.60
6 to 7 ft., B. & B	10.50	9.00	7.00
7 to 8 ft., B. & B	13.00	11.25	8.75
£1:fama and and			
filifera, 15'-20'	Thre	ad Retin	ospora
Evergreen. Has long, stringy, bright green foliage. Graceful an	drooping	g branch	ospora les and
Evergreen. Has long, stringy, bright green foliage. Graceful an	drooping d decor	g branch ative.	ies and
Evergreen. Has long, stringy, bright green foliage. Graceful and 15 to 18 in., B. & B	drooping	g branch ative. •95	ospora les and .75
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B	drooping nd decor 1.10	g branch ative.	•75
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B	drooping ad decor 1.10 1.50 2.25 3.40	g branch ative. .95 1.25 1.90 2.80	•75
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B	drooping nd decor. 1.10 1.50 2.25 3.40 5.60	g branch ative. .95 1.25 1.90 2.80 4.75	•75
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B	drooping ad decor 1.10 1.50 2.25 3.40 5.60 7.90	g branch ative. .95 1.25 1.90 2.80 4.75 6.55	•75
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	drooping ad decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00	•75
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	drooping decor. 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00	•75
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00	-75 1.00
Evergreen. Has long, stringy, bright green foliage. Graceful and 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. Golde Golde	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin	-75 1.00 ——————————————————————————————————
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. —aurea, 10'-12' Golde Evergreen. Very bright, consp	drooping d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 n Three picuous,	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin	-75 1.00 ——————————————————————————————————
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. —aurea, 10'-12' Golde Evergreen. Very bright, consp. Grows more slowly than precedi	drooping d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 n Three picuous,	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden-	ospora
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. —aurea, 10'-12' Golde Evergreen. Very bright, consp	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin	-75 1.00 ——————————————————————————————————
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. Golde Evergreen. Very bright, consp. Grows more slowly than preceding to 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden-	ospora yellow.
Evergreen. Has long, stringy, bright green foliage. Graceful and 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. To 8 ft., B. & B. Globel Evergreen. Very bright, consigned on the consigned of the consig	droopin, ad decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 n Three picuous, ng. 1.10 1.80	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden-	ospora yellow.
Evergreen. Has long, stringy, bright green foliage. Graceful and 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. To 8 ft., B. & B. Golde Evergreen. Very bright, consigned and the consigned are shown of the consigned at	droopin d decor 1.10 1.50 2.25 3.40 5.60 7.90 10.50 12.00 14.00 n Three coicuous, ng. 1.10 1.80 2.70 3.40 4.50	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75	ospora yellow.
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. Golde Evergreen. Very bright, consp. Grows more slowly than preceding to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50	ospora yellow.
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. To 8 ft., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 15 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50 9.50	ospora yellow.
Evergreen. Has long, stringy, bright green foliage. Graceful and 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. To 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00	0.00 -7.5 1.00
Evergreen. Has long, stringy, bright green foliage. Graceful and 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. To 8 ft., B. & B. Grows more slowly than preceding to 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00	0.00 -7.5 1.00
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 5 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 18 to 24 in., B. & B. 2 to 5 ft., B. & B. 2 to 6 ft., B. & B. 3 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00 ad Retinden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00	ospora yellow.
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 16 to 24 in., B. & B. 2½ to 3 ft., B. & B. 5 to 6 ft., B. & B. 10 to 15 in., B. & B. 11 to 18 in., B. & B. 12 to 15 in., B. & B. 13 to 4 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 12 to 15 in., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00	ospora yellow75 1.20 1.80
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 5 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 18 to 24 in., B. & B. 2 to 5 ft., B. & B. 2 to 6 ft., B. & B. 3 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00 ad Retinellow. 1.35 1.90	ospora yellow. -75 1.20 1.80 0 1.50
Evergreen. Has long, stringy, bright green foliage. Graceful an 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 15 to 18 in., B. & B. 2½ to 3 ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 5 ft., B. & B. 2 to 5 ft., B. & B. 2 to 6 ft., B. & B. 2 to 15 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B.	drooping d decor	g branch ative. .95 1.25 1.90 2.80 4.75 6.55 9.00 10.00 11.50 ad Retin golden- .95 1.50 2.25 2.80 3.75 5.50 9.50 11.00	ospora yellow75 1.20 1.80

		·	
	Unit Pr	ice in Qu	antities
CHAMAECYPARIS—continued	1-4	5-24	25-249
plumosa, 25'-35'	Plun	ne Retin	ospora
Evergreen. Forms a dense cone of shearing into formal shapes.	fine tex	tture. Use	eful for
12 to 15 in., B. & B	.80	.65	.52
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B 2 to 2½ ft., B. & B	1.65 2.25	1.35	1.10
2½ to 3 ft., B. & B.	2.85	1.90 2.35	1.50 1.90
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	6.00	5.00	4.00
5 to 6 ft., B. & B	8.00	6.75	
Larger specimens to 14 ft.			
	_	ne Retin	_
Evergreen. A very showy plant			_
12 to 15 in., B. & B	.90 1.35	•75 1.10	.60 .90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	2.60	2.20	
3 to 4 ft., B. & B	3.00	2.50	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.50	3.75	
6 to 7 ft., B. & B	6.7 <i>5</i> 8.00	5.50 6.50	
7 to 8 ft., B. & B	9.00	7.50	
plumosa lutescens, 2½'-3' Dwarf Yel Evergreen. Forms a low, broa bright yellow-tipped branchlets. 18 to 24 in., B. & B	-		-
squarrosa nana, 2½'-3'		Moss C	ypress
Dwarf dense growth. Light blue-		ives.	
9 to 12 in., B. & B	1.25 1.75		
		ss Retir	ospora
Has light yellow tips.			
18 to 24 in., B. & B	1.35	1.10	.90
2 to 2½ ft., B. & B	1.65	1.35	1.10
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 3½ ft., B. & B.	2.85	2.35	1.90
3½ to 4 ft., B. & B	3.90	3.25	
-veitchi, 25'-30'	Mo	ss Retin	ospora
Evergreen. Foliage blue-gray, fer soft woolly appearance. Broad p young.			
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.25 2.85	1.90	1.50
2½ to 3 ft., B. & B	3.90	2.35 3.25	1.90 2.60
4 to 5 ft., B. & B	6.00	5.00	

CHAMAECYPARIS—continued	Unit Pri	ice in Qua	intities 25 - 249
—thyoides andelyensis	1-4		
	Codom	Andel	y Ket.
An ornamental variety of White 6 to 7 ft., B. & B	7.50	6.00	
7 to 8 ft., B. & B	8.50		
8 to 9 ft., B. & B	10.00		
CHAMAEDAPHNE calyculata, 3			erleaf
Compact growing evergreen shru flowers April-May; prefers peaty	ıb covere	d with v	vhitish
18 to 24 in., B. & B		2.50	
CHIONANTHUS virginica, 15'-18		-	cetree
Fragrant, tassel-like white flower			_
plum-like fruits follow.	,		J.4011,
18 to 24 in	-45	-37	.30
2 to 3 ft	•55 •80	.47 .65	-37
4 to 5 ft	1.30	1.05	52 .85
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.75	2.30	
CLADRASTIS lutea (tinctoria),	30'-40'	Yellow	wood
A striking tree with long panicles ers in June.	of fragr	ant, white	e flow-
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	3.40	2.80	2.25
6 to 8 ft	4.50	3.75	3.00
8 to 10 ft	5.60 7.00	4.75 5.50	3.75
	•		
CLEMATIS paniculata, 20'-25' S' White, fragrant flowers. Septem			
also attractive.			
2 year 3 year	.30 .4 <i>5</i>	.2 <i>5</i> ⋅37	.20 .30
	*43		
virginiana, 12'-15' White flowering; medium size.	Inly-Sen	Virgin I tember	sower
2 year	.30	.25	,20
3 year	.45	.37	.30
CLEMATIS, large flowered hybri-	ds		
henryi-white flowers, 6 to 8 in.			
jackmani—velvety, violet-purple	flowers		
Mme Edouard Andre—purplish-		ers	
Ramona—lavender-blue flowers			
2 yr., 6 in. pots	1.00	.80	
CLERODENDRON trichotomum		n Gloryl	hower
Flowers white with conspicuous Bright blue fruit.	, reddisl	a-brown	calyx.
12 to 15 in	.50		
	-		

	Unit Pr 1-4	ice in Qua 5-24	
CLETHRA alnifolia, 4'-5'		Summe	
Spikes of very fragrant flowers. moist, shady places. Also called	July-Sep Sweet P	tember.] epperbus	Prefers h.
18 to 24 in	-45	-37	.30
2 to 2½ ft	.55 .80	47	•37
3 to 4 ft	1.10	.65 .95	.52 •75
COLUTEA arborescens, 8'-10' C	ommon		
Yellow flowers. June-August. Use			
2 to 3 ft	-45	.37	.30
3 to 4 ft	.55	47	·37
4 to 5 ft	.80	.65	.52
5 to 6 ft	1.05	.90	.70
COMPTONIA asplenifolia, 3'-5'		Sweet	t Fern
Leaves are fern-like. Have pung Splendid in masses for covering neglect. Stands severe exposures a	g slopes. llong Atl	Thrives	under
18 to 24 in., collected clumps	.60	.50	40
2 to 3 ft., collected clumps	.90	.75	.60
CORNUS alba (sibirica), 8'-10' Re			
Bright red bark, porcelain blue useful for winter effect.	fruits.	Quick g	rower;
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45 .55	-37 -47	.30 .37
		otch Do	gwood
Leaves are edged with creamy wh	nite.		
18 to 24 in	-33	.27	.22
2 to 3 ft	.45	·37	.30
3 to 4 ft	.90 1.20	•55 1.00	45
4 00 3 100 1100 1100 1100 1100 1100 1100			
alternifolia, 15'-18'		Blue Do	_
Branches spread horizontally; black fruit. Also called Pagoda I	ogwood		
2 to 3 ft	.70	-55	45
3 to 4 ft	.90	·75	.60
4 to 5 ft 5 to 6 ft	1.10 1.35	.95 1.10	.75 .90
6 to 7 ft	1.65	1.35	
amomum (sericea), 8'-9'		Silky Do	gwood
Pale blue fruits; young twigs places.		-	_
2 to 3 ft	.30	.25	,20
3 to 4 ft	.45	·37	.30
4 to 5 ft	.50	.40	-33
5 to 6 ft	.60	.50	.40
6 to 7 ft	.85	.70	
	-	-	

	Tinia Dei	ica in Oua	
CORNUS—continued		ice in Qua 5-24	ntities 25 - 249
*florida, 15'-25' Wh	iteflowe	ring Dog	wood
Among the best of the spring Nursery grown, well-formed sto		g, small	trees.
2 to 3 ft. 3 to 4 ft. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. Extra heavy, bushy specimens 509	.70 1.10 2.85 4.50 6.75 11.00 16.50 % additi	.55 .95 2.35 3.75 5.50 9.50 13.75 onal.	45 .75 1.90 3.00 4.50 7.50
*—plena Doub	le-flower	ring Dog	wood
Double-flowering form of the nat teresting accent tree.		_	
4 to 5 ft., B. & B	6.00		
5 to 6 ft., B. & B	9.00	7.50	
		ring Dog	
The pink flowers are more persist		the white	
2 to 3 ft	1.65	1.35	1.10
3 to 4 ft	2.85 5.60	2.35	1.90
5 to 6 ft., B. & B	7.90	4.75 6.55	3.7 <i>5</i> 5.25
6 to 8 ft., B. & B	10.15	8.45	6.75
8 to 10 ft., B. & B	15.00	12.50	10.00
10 to 12 ft., B. & B	21.75	18.35	14.50
12 to 14 ft., B. & B	26.00	22.00	
Extra heavy, bushy specimens 50%			
*kousa, 16'-18'	Ko	usa Dog	wood
White flowers in June. Conspicu fruits, attractive to birds.	ous, chei	ry-like, s	carlet
2 to 3 ft	1.10	.95	-75
3 to 4 ft., B. & B	2.25	1.90	1.50
4 to 5 ft., B. & B	2.85	2,35	
5 to 6 ft., B. & B	3.60	2.85	
6 to 8 ft., B. & B	5.60	4.75	
8 to 10 ft., B. & B	7.90	6.55	
10 to 12 ft., B. & B	11.00	9.50	
*chinensis C Large flowering variety.	hinese 1	Flg. Dog	wood
18 to 24 in	2.00 4.00	1.75	
mas, 20'-25'		nelian-cl	
Handsome, large shrub. Small, y Shining scarlet fruit in fall.	ellow flo	wers in	April.
18 to 24 in	-55	-47	-37
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	1.05	1.0)	1.10
6 to 8 ft	2.25	1.90	

	Tinia D	-i i O	
CORNUS—continued	1-4	rice in Qua 5-24	25 -2 49
paniculata, 10'-12'	(Gray Dog	gwood
Numerous, small, white flowers white fruits on red stems.	in Ma	y, follow	ed by
18 to 24 in	. 37	.30	.25
2 to 3 ft	.45	·37	,30
3 to 4 ft	-55	47	•37
4 to 5 ft	.75	.60	.50
sanguinea, 8'-10'	Blood	ltwig Dog	gwood
Dark blood red branches.			
18 to 24 in	.22	.20	.15
2 to 3 ft	-37	.30	.25
3 to 4 ft	45	•37	.30
stolonifera, 7'-8'		osier Dog	
Spreading habit; dark red bark, in moist ground.	white i	ruits. Doe	s well
			.0
18 to 24 in	.27	.22	.18
2 to 3 ft	∙37 •45	.30 •37	.2 <i>5</i> .30
3 to 4 14	443	•37	•,,,
lutea, 6'-7'	Golden	twig Dog	wood
Has distinct yellow bark; fine for		_	•
			,0
18 to 24 in	.27	.22	.18
	-45	•37	.30
3 10 4 11	.55	47	
3 to 4 ft	.55 Ame	-47 rican Ha	•37 zelnut
CORYLUS americana, 8'-9'	Ame	rican Ha	zelnut
	Ame shrubs	rican Ha	zelnut
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft	Ame shrubs nting.	rican Ha	zelnut
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft	Ame shrubs nting. .52 .70	rican Haz that mak	zelnut kes an -35 -45
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	Ame shrubs .nting. .52 .70 .90	rican Haz that mal 45 -55 -75	zelnut xes an -35 -45 -60
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	Ame shrubs nting. .52 .70 .90	rican Haz that mak .45 .55 .75 1.05	zelnut ses an 35 45 .60 .85
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	Ame shrubs .nting. .52 .70 .90	rican Haz that mal 45 -55 -75	zelnut xes an -35 -45 -60
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for our	Ame shrubs nting. .52 .70 .90 1.30 1.65	rican Haz that mak 45 .55 .75 1.05 1.35 Purple F	22elnut (1888 an 1888
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for on shrub border.	Ame shrubs nting. .52 .70 .90 1.30 1.65	rican Haz that mal 45 .55 .75 1.05 1.35 Purple F	22elnut (1888 an 1888
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft.	Ame shrubs nting. .52 .70 .90 1.30 1.65	rican Haz that mak 45 .55 .75 1.05 1.35 Purple F	22elnut (1888 an 1888
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft.	Ame shrubs nting. .52 .70 .90 1.30 1.65	rican Haz that mal 45 .55 .75 1.05 1.35 Purple Fal accents	35 45 .60 .85 1.10 Cilbert in the
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12	Ame shrubs nting. .52 .70 .90 1.30 1.65 ecasiona 10.00 12.50	rican Haz that mal 45 .55 .75 1.05 1.35 Purple Fal accents 7.50 mg Cotone	35 45 .60 .85 1.10 Cilbert in the
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12	Ame shrubs nting. .52 .70 .90 1.30 1.65 ecasiona 10.00 12.50 .7	rican Haz that mal 45 -55 -75 1.05 1.35 Purple F al accents 7.50 ag Cotone by black fr	zelnut tes an 35 45 60 85 1.10 Cilbert in the
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots	Ame shrubs nting. .52 .70 .90 1.30 1.65 ecasiona 10.00 12.50 .7 Pekin owed b	rican Haz that mal 45 -55 -75 1.05 1.35 Purple Fal accents 7.50 mg Cotone by black fr -75	zelnut xes an 35 45 .60 .85 1.10 Filbert in the easter uits60
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots	Ame shrubs nting. .52 .70 .90 1.30 1.65 ecasiona 10.00 12.50 .7	rican Haz that mal 45 -55 -75 1.05 1.35 Purple F al accents 7.50 ag Cotone by black fr	zelnut tes an 35 45 60 85 1.10 Filbert in the easter uits.
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots	Ame shrubs nting. .52 .70 .90 1.30 1.65 ccasiona 10.00 12.50 .7 Pekin owed b	rican Haz that mal 45 -55 -75 1.05 1.35 Purple Fal accents 7.50 mg Cotone by black fr -75	22elnut (1888 an 1875
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots	Ame shrubs nting. .52 .70 .90 1.30 1.65 ccasiona 10.00 12.50 .7 Pekin owed b	rican Haz that mal 45 .55 .75 1.05 1.35 Purple Fal accents 7.50 ang Cotone by black fr .75 .95	22elnut (1888 an 1875
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots 2 dapressa, 2' 9 to 12 in., pots 12 to 15 in., pots	Ame shrubs nting. .52 .70 .90 1.30 1.65 ccasiona 10.00 12.50 .7 Pekin owed b	rican Haz that mal 45 .55 .75 1.05 1.35 Purple Fall accents 7.50 ag Cotone by black fr .75 .95 ag Cotone	selnut ses an 35 45 .60 .85 1.10 Silbert in the easter uits60 .75
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots 2 dapressa, 2' 9 to 12 in., pots 12 to 15 in., pots 12 to 15 in., pots 13 to 15 in., pots	Ame shrubs nting	rican Haz that mal 45 .55 .75 1.05 1.35 Purple F al accents 7.50 ang Cotone by black fr .75 .95 ang Cotone .60 .95	22elnut (1888 an 1875
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots 2 dapressa, 2' 9 to 12 in., pots 12 to 15 in., pots 12 to 15 in., pots 13 to 15 in., pots 14 to 15 in., pots 15 to 18 in., pots 16 to 19 in., pots 17 to 19 in., pots 18 in., pots 19 to 19 in., pots 19 to 19 in., pots 20 dossy foliage; spreading habit; b	Ame shrubs nting	rican Haz that mal 45 .55 .75 1.05 1.35 Purple F al accents 7.50 ang Cotone by black fr .75 .95 ang Cotone .60 .95	22elnut (1888 an 1875
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots 2 dapressa, 2' 9 to 12 in., pots 12 to 15 in., pots 12 to 15 in., pots 13 to 15 in., pots 14 to 15 in., pots 15 to 18 in., 2 in. pots 16 to 9 in., 3 in. pots	Ame shrubs nting	rican Haz that mal 45 .55 .75 1.05 1.35 Purple F al accents 7.50 ang Cotone by black fr .75 .95 ang Cotone .60 .95 ed berries45	22elnut (1888 an 1875
CORYLUS americana, 8'-9' One of our native, nut-bearing attractive addition to natural pla 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. avellana atropurpurea, 12'-15' Purple-leaved form. Useful for or shrub border. 6 to 8 ft. 8 to 10 ft. COTONEASTER acutifolia, 10'-12 Small pink flowers in clusters, foll 12 to 15 in., 4 in. pots 15 to 18 in., 4 in. pots 2 dapressa, 2' 9 to 12 in., pots 12 to 15 in., pots 12 to 15 in., pots 13 to 15 in., pots 14 to 15 in., pots 15 to 18 in., pots 16 to 19 in., pots 17 to 19 in., pots 18 in., pots 19 to 19 in., pots 19 to 19 in., pots 20 dossy foliage; spreading habit; b	Ame shrubs nting	rican Haz that mal 45 .55 .75 1.05 1.35 Purple F al accents 7.50 ang Cotone by black fr .75 .95 ang Cotone .60 .95 ed berries.	22elnut (1888 an 1875

COTONEASTER—continued	Unit P 1-4	rice in Qua 5-24	
bacillaris, 10'-12' Small foliage; dark brown fruit. 12 to 15 in., pots	1.50		
dammeri (chumifusa), 1'-2' Good prostrate form. 6 to 9 in., pots	·75	.60	.50
dielsiana, 6'-8' Bright red fruit.	Diels Cotoneaster		
9 to 12 in., 3 in. pots	.70 .90 1.10 1.35	.55 .75 .95 1.10	.45 .60 .75 .90
divaricata, 5'-6' S Handsome shrub bearing bright 9 to 12 in., 4 in. pots	red fru	ng Cotor nits.	easter 45
foveolata, 6'-10' Fruits black; foliage turns bright			
9 to 12 in., 4 in. pots		.75	.60
francheti, 5'-6' Evergreen. Upright-growing va branches. Leaves dark green, w neath. Berries bright orange, freel	riety hite to	mentum	eading
9 to 12 in., 3 in. pots	.60 .75 1.05 1.35	.50 .60 .90 1.10	.40 .50 .70 .90
frigida, 16'-18' Tall, handsome shrub or small tr fall and early winter with its la red berries.	ee, ver arge cl	y conspicu usters of	ous in bright
9 to 12 in., 4 in. pots 12 to 15 in., 4 in. pots	1.00 1.25	.90 1.00	_
horizontalis (davidiana), 2'-3'	Ro	ck Coton	easter
Evergreen. Small, box-like leave effective among rocks.	s; brig	ght red b	erries;
6 to 9 in., 3 in. pots 9 to 12 in., 4 in. pots 12 to 15 in., 5 in. pots	.90 1.10 1.50	.75 .95 1.25	.60 .75 1.00
—perpusilla, 2'-3' Smaller leaves and larger fruit tha	an the 1	ype.	
6 to 9 in., 3 in. pots	.90 1.30 1.65 2.00	•75 1.05 1.35 1.70	.60 .85 1.10
—prostrata, 8'-10'			
Evergreen shrub with long archindense mass. Attractive foliage with	ig stem h red f	s forming ruits.	a low
6 to 9 in., 3 in. pots 9 to 12 in., 4 in. pots	1.30 1.65	1.05	.85

COTONEASTER—continued		ice in Qua	
	1-4	5-24	25-249
lemoine			
15 to 18 in., pots	1.25 1.50		
lindleyi, 8'			
Similar to racemiflora; black fru	iit.		
15 to 18 in., pots	1.25	1.00	.80
18 to 24 in., pots	1.50	1.25	1.00
microphylla, 1½'-2'			spray
Evergreen. Very small leaves, v more bushy than the Rock Coton	ery deer easter.	green.	Rather
6 to 9 in., 3 in. pots 9 to 12 in., 4 in. pots	.70	·55	·45
12 to 15 in., 5 in. pots	.90 1.10	.75 .95	.60 •75
15 to 18 in., 6 in. pots	1.35	1.10	
-congesta			
Glabrous foliage; light pink flor	wers.		
9 to 12 in., pots	1.10		
—thymifolia			
Evergreen prostrate form; very for rocks; red fruited.	small le	aves; ex	cellent
6 to 9 in., 3 in. pots	1.00	.90	
9 to 12 in., 4 in. pots	1.25	1.00	
pannosa, 5'-6'	ilver Le	af Coton	easter
Grayish white on underside of fo	liage. Se	mi-evergi	een.
9 to 12 in., pots	1.30	1.05	.85
racemiflora, 8'			
Hardy, deciduous, white flowering the best.	ng; red	fruited. (One of
9 to 12 in., 4 in. pots	.90 1.00	.75 .90	.60
rotundifolia (buxifolia), 11/2'-2'	Roun <mark>dle</mark>	af Coton	easter
Evergreen. Prostrate-growing. Ser small, round green foliage and b			b with
6 to 9 in., 3 in. pots	-55	47	-37
9 to 12 in., 4 in. pots	.75 1.00	.60 .90	.50
		af Coton	
salicifolia, 10'-12' V Hardy. Partly evergreen. Gracefu			
Beautiful in autumn when cover	ed with	red fruits	3.
9 to 12 in., 4 in. pots	.90 1.10	•75 •95	.60 •75
15 to 18 in., 5 in. pots	1.35	1.10	.90
18 to 24 in., 6 in. pots	1.65	1.35 1.90	1.10 1.50
2 to 3 ft., 6 in. pots	2.25 Simo	ns Coton	-
simonsi, 5'-6' Almost evergreen. Good grower			caster
9 to 12 in., 3 in. pots	.80	.65	.52
12 to 15 in., 4 in. pots	1.10	.05 .95	.75
15 to 18 in., 5 in. pots	1.35	1.10	.90
18 to 24 in., pots	1.65	1.35	1.10

COTONEASTER—continued	Unit P: 1-4	rice in Q 5-24	uantities 25-249
tenuipes, 5'-6'			
Shrub with slender branches, black fruits.	lustrous	leaves	and jet
6 to 9 in., 4 in. pots	.90	-75	
9 to 12 in., 4 in. pots	1.10	.95	.75
12 to 15 in., 5 in. pots	1.35	1.10	
15 to 18 in., 6 in. pots	1.65	1.35	
18 to 24 in., 6 in. pots	2.00	1.70	
*CRATAEGUS arnoldiana, 20'			wthorn
An open-headed tree having who bright crimson fruit in August.	hite flow	ers in l	May and
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.35	1.10	.90
4 to 5 ft	1.65	1,35	1.10
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft	3.40	2.80	2.25
7 to 8 ft	4.50	3.75	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	7.50	6.00	5.00
12 to 14 ft	9.00	7.50	6.00
*carrierei, 15'-20'	Carr	iere Ha	wthorn
A variety of Hawthorn very sel-			
large with red disc and follow	ed by la	rge, ova	l fruits,
bright orange or brick red.			
3 to 4 ft	1.90	1.50	
4 to 5 ft	2.25	1.90	
5 to 6 ft	2.70	2.25	-
6 to 7 ft	3.75	3.00	
	4.50	3.75	
*coccinea, 15'-20'			wthorn
Shrubby habit with long curved			
leaves. Has large, white flowers	and large	e, dull r	ed fruits
in autumn.	0		
3 to 4 ft	1.80	1.50	1.20
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.15	2.60	2.10
6 to 7 ft	4.50	3.75	3.00
7 to 8 ft	6.00	5.00 6.55	4.00
	7.90		.1
	Washing		
Berries are small, brilliant red winter. Brilliant autumn foliage		rsist ne	ariy ali
4 to 5 ft	3.40	2.80	2.25
5 to 6 ft	3.90	3.25	2.60
6 to 8 ft	5.25	4.40	3.50
*crusgalli, 15'			Thorn
Deep green, shiny leaves make th			
white flowers are also conspicue	118 114WLI 0118.	iorii dis	inclive;
2 to 3 ft	1.65	1.35	1.10
3 to 4 ft	2.25	1.90	1.50
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	3.40	2.80	2.25
6 to 7 ft	4.50	3.75	3.00
*ellwangeriana, 20'			wthorn
Tree-like, ascending branches; la	rge red	fruit	THOIL
3 to 4 ft	2.00	1.70	
4 to 5 ft	2.50	2.05	
T J *** · · · · · · · · · · · · · · · · ·	2.50	2.03	

CRATAEGUS—continued	Unit P: 1-4	rice in Qu 5-24	
*mollis, 15'	Do	wny Ha	wthorn
Vigorous, large leaves; red berrie	es.		
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.35	1.10	.90
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft	3.40	2.80	2.25
7 to 8 ft	4.50	3.75	3.00
8 to 9 ft	6.00	5.00	4.00
12 to 14 ft	10.50	9.00	7.00
*oxycantha, 12'-15'	Eng	lish Hav	wthorn
Single, white flowers.			
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	-
5 to 6 ft	2.85	2.35	
6 to 7 ft	3.40	2.80	
7 to 8 ft	4.50	3 . 75	
*—pauli, 12'-15'	aul Eng	lish Ha	wthorn
Double, scarlet flowers.			
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	2.85	2.35	1.90
6 to 8 ft	3.90	3.25	2.60
8 to 10 ft	5.00	4.20	
*—double white, 12'-15'			
6 to 8 ft	4.50		
*—double pink, 12'-15'			
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.40	2.80	2.25



THE BARRACKS

Supposed to have been used as a barracks during the Revolution, this house is possibly the oldest in Princeton

	Unit P	rice in Qu	antities
CRATAEGUS—continued	1-4	5-24	
*pedicellata, 15'-20'			
Small tree having slender, spr branches, forming a symmetrical	reading head.	and as	cending
4 to 5 ft	1.80	1.50	1.20
5 to 6 ft	2.85 3.40	2.3 <i>5</i> 2.80	1.90 2.25
*punctata, 25'-30'	Do	tted Ha	wthorn
Broad-headed, small tree with l May; dull red, spotted fruit in O	large, v ctober.	vhite flo	wers in
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25 2.75	1.90 2.30	
*submollis, 15'	Que	ebec Ha	wthorn
Oval shape leaves and large wh fruit.	ite flow	ers; ora	nge-red
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.2 <i>5</i> 3.40	1.90 2.80	1.50 2.25
pyracantha lalandi (See PYRAC		[A)	
CRYPTOMERIA japonica lobbi,		b Crypt	omerio
Forms narrow, irregular column esque, rich bronze winter color. drained location.	. comp	act and	pictur-
6 to 8 ft., B. & B	9.00	7.50	
8 to 10 ft., B. & B	12.50 18.00	10.00	
CYDONIA japonica, 4'-5'	Flo	wering	Quince
Scarlet flowers in April, May.			
12 to 18 in	.22	.20	.15
18 to 24 in	-33	.27	.22
-HYBRIDS, 4'-5' atrococcinea plena, double redflow	vering.		
Boule de Feu,			
cardinalis, redflowering.			
nivalis, large white flowers.			
pink, double appleblossom pink. red, clear red			
superba atrosanguinea, redflower	ina		
vermilion, redflowering.	mg.		
18 to 24 in	.90 1.10	•75 •95	
CYTISUS seoparius, 4'-6'		Scotch	Broom
Slender, arching shrub with yello	w flowe		2100111
6 to 9 in., 3 in. pot	-33	.27	.22
9 to 12 in., 3 in. pots	45	-37	.30
18 to 24 in., 4 in. pots	.75	.62	.50

→ D >> -

	Unit Pr	ice in Qua	ntities
	1-4	5-24	25-249
DAPHNE cneorum, 1'		Rose D	-
Evergreen. Gray-green foliage, pink flowers in April-May. Deligi	low spr htful fra	reading. Igrance.	Pretty,
6 to 9 in., 5 in. pots	.80	.65	.52
9 to 12 in., 6 in. pots	1.30 2.00	1.05 1.70	.85 1.35
mezereum, 4'	Feb	ruary D	aphne
Deciduous, flowers lilac purple,		-	-
15 to 18 in	1.35	1.10	.90 1.10
DAVIDIA involucrata	-	Dove	Tree
Rare and choice flowering tree	with ve	ry large	white
floral bracts. Our strain not relial York City. Makes a fine accent tree	bly hard		
18 to 24 in., pots		5.50 7.50	
DESMODIUM (See LESPEDEZ	_	. 3	
DEUTZIA gracilis, 3'	•	lender D	eutzia
Profuse bloomer, pure white, May			
12 to 15 in	.30	.25	.20
15 to 18 in	45	·37	.30
18 to 24 in	.50	. 40	•33
2 to 2½ ft	.60	.50	.40
2½ to 3 ft	.70	•55	45
—rosea, 3'		Rose F	
Similar in growth to above but w	vith pink	ish flowe	rs.
12 to 18 in	·37	.30	.25
18 to 24 in	-45	•37	.30
2 to 3 ft	.52	45	-35
3 to 4 ft	.70	-55	45
lemoinei, 4'-5'	Le	moine D	eutzia
Large, white flowers, June, grace	ful.		
15 to 18 in	.22	.20	.15
18 to 24 in	·37	.30	.25
2 to 3 ft	45	-37	.30
3 to 4 ft	.52	.45	-35
-mont rose, 4'-5'		1	. 34.
Very desirable new shrub of fo dium grower with attractive pink	reign in flowers	•	n. Me-
18 to 24 in	-37	.30	
2 to 2½ ft	·45	·37 -45	
2½ to 3 ft	.52 .75	.60	
		wflake D	entzia
scabra candidissima, 9'-10' Graceful habit, double white, Jur		whate D	cutzia
18 to 24 in		.20	.15
2 to 3 ft	.22 .27	.22	.18
3 to 4 ft	·37	.30	.25
4 to 5 ft	.45	-37	.30
5 to 6 ft	.70	-55	45

DEUTZIA—continued	Unit Pri 1-4		uantities 25-249
-crenata fl. pl., 6'-8'	Double	Pink	Deutzia
Pink, slightly fragrant, June.			
18 to 24 in	.27	.22	.18
2 to 3 ft	•33	.27	.22
3 to 4 ft	45	-37	.30
4 to 5 ft	-55	-47	-37
5 to 6 ft	.70	-55	
-magnifica, 9'-10'			
One of the most desirable newer			
and very showy panicles of larg	e, double	white	flowers.
18 to 24 in	.22	.20	.15
2 to 3 ft	.27	.22	.18
3 to 4 ft	•37	.30	.25
4 to 5 ft	·45	-37	.30
3 to 0 it	.70	-55	-45
-Pride of Rochester, 9'-10'	Large !	Flwd.	Deutzia
Vigorous, large flower tinged pin	k, June.		
18 to 24 in	.22	.20	.15
2 to 3 ft	.27	.22	.18
3 to 4 ft	·3 7	.30	.25
4 to 5 ft	45	40	.30
5 to 6 ft	.70	•55	45
DIERVILLA sessilifolia (lutea), a South	4'-5' ern Busl	h-hone	ysuckle
Yellow, more vigorous than trific	la. Tune-	Iulv.	
18 to 24 in	.27	.22	.18
2 to 3 ft	.40	-35	.27
3 to 4 ft	.52	45	-37
trifida, 3' Dw	arf Busl	h-hone	ysuckle
Yellow, June-July. A good low sh	rub for	shady	places.
12 to 18 in	.37	.30	
18 to 24 in	·45	-37	
2 to 3 ft	.55	-47	
DIRCA palustris, 6'		Leath	erwood
Oblong, glaucous foliage. Will do	well in	shade.	
12 to 18 in	.50	.40	



MERCER MANOR

The columns and front of this old house were originally part of the Newkirk Mansion in Philadelphia

——≼ E ≽——

	Unit Pr	ice in Qua	
ELAEAGNUS angustifolia, 15'-15 Silver-gray leaves and branchlet	8′	5-24 Russia: e berries	25-249 n-olive ; good
for massing.			
18 to 24 in	.30	25	.20
3 to 4 ft	.45 .52	•37 •45	.30 •35
4 to 5 ft	.70	.55	•35 •45
5 to 6 ft	.90	.75	.60
argentea, 10'-12'		Silve	rberry
Fruits densely clothed with silve	r scales.		
18 to 24 in	.70	-55	45
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	.75
longipes, 6'-8'		rry Elae	_
Silvery leaves, fragrant, yellow in berries ripe in July.	flowers. 1	May. Lar	ge, red
12 to 18 in	45	·3 7	.30
18 to 24 in	.70	-55	45
-ovata, 6'-8"	I 4- A		
Similar to above. Fruit ripens Jul			
3 to 4 ft	1.10 1.35	.95 1.10	
pungens reflexa, 8' Evergreen. Foliage somewhat smaller. Delightful, fragrant blos	like the	nze Elae longipe fall.	
12 to 15 in., 3 in. pots	.60	.50	.40
umbellata, 8'-10' Attractive, silvery foliage and ye flowers in May or June, followed in September.	ellowish-		agrant
3 to 4 ft	.70	24 24	
		-55	.45
4 to 5 ft	.90	.75	.60
5 to 6 ft			
	.90 1.10 1.50	.75 .95 1.25	.60 .75 1.00
5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 15 to 18 in.	.90 1.10 1.50 rub, den	.75 .95 1.25	.60 .75 1.00
5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 15 to 18 in. ENKIANTHUS campanulatus, 20	.90 1.10 1.50 rub, den .45 0'-25' Red Ve	.75 .95 1.25 se, lilac- .37	.60 .75 1.00 purple .30
5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 15 to 18 in. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a	.90 1.10 1.50 rub, den 45 5'-25' Red Vernamentags with	.75 .95 1.25 se, lilac- -37 in Enkia il value. ericaceou	.60 .75 1.00 purple .30 .nthus
5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 15 to 18 in. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a 12 to 15 in., B. & B.	.90 1.10 1.50 rub, den 45 5'-25' Red Verramentags with	.75 .95 1.25 se, lilac- .37 in Enkia il value. ericaceou oil.	.60 .75 1.00 purple .30 .nthus Excel- is and
5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 15 to 18 in. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers at 2 to 15 in., B. & B.	.90 1.10 1.50 rub, den .45 2-25' Red Verramenta gs with peaty so 1.65 2.25	.75 .95 1.25 se, lilac- .37 in Enkia il value. ericaceou oil. 1.35 1.90	.60 .75 1.00 purple .30 .nthus Excel- is and
5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 15 to 18 in. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a 12 to 15 in., B. & B. 15 to 18 in., B. & B.	.90 1.10 1.50 rub, den .45 5'-25' Red Vei rnamenta gs with peaty so 1.65 2.25 2.85	.75 .95 1.25 se, lilac- .37 in Enkia il value. ericaceou oil. 1.35 1.90 2.35	.60 .75 1.00 purple .30 .nthus Excel- is and
5 to 6 ft. 6 to 8 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 15 to 18 in. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers at 2 to 15 in., B. & B.	.90 1.10 1.50 rub, den .45 2-25' Red Verramenta gs with peaty so 1.65 2.25	.75 .95 1.25 se, lilac- .37 in Enkia il value. ericaceou oil. 1.35 1.90	.60 .75 1.00 purple .30 .nthus Excel- is and

	Unit P	rice in Qua	ntities
	1-4	5-24	25-249
EUONYMUS alatus, 9'-10'	Win	ged Euo	nymus
Interesting, corky bark, warm cr Makes fine specimen shrub.	imson a	utumn co	loring.
18 to 24 in	.70	-55	-45
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.70	1.35
-		ged Euo	
Dwarf, compact form of the type	. Splend	id for hea	ige.
12 to 18 in	.70	•55	45
18 to 24 in	1.05	.90	.70
2 to 3 ft	1.35	1.10	.90
3 to 4 ft	2.00	1.70	1.35
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	3 .75	3.00	
americanus, 7'-8'		ook Euo	nymus
Pink fruits; prefers moist location	ons.		
18 to 24 in	-37	.30	.25
2 to 3 ft	.45	·37	-30
3 to 4 ft	.70	•55	45
4 to 5 ft	.90	. 75	.60
atropurpureus, 20'-25'		hoo Euor	_
Similar to Euonymus europaeus Purple flowers. Crimson fruits wh			
18 to 24 in	.45	. 37	-30
2 to 3 ft	.52	45	-35
3 to 4 ft	•75	.60	.50
		erry Euo	
Fruits profusely. The orange and on bush for a long time. Good as			persist
2 to 3 ft	45	-37	.30
3 to 4 ft	.70	-5 <i>5</i>	45
4 to 5 ft	.90	•75	.60
5 to 6 ft	1.10	.95	.75
6 to 7 ft	1.50	1.25	1.00
		n Burnin	gbush
Pink fruits on long stalks, persist	_	_	
2 to 3 ft	45	-37	.30
3 to 4 ft	.52	· 4 5	-35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.10	.95	. 75
6 to 8 ft	1.50	1.25	
*patens (sieboldianus), 6'-8'	_	ing Euor	•
Evergreen. Grows vigorously, form	ning bro	oad, rathe	r loose
shrub; leaves persist until lat fruits. Effective among denser co free from all insect attacks.	nifers,	er. Ornan and partic	nental cularly
12 to 15 in	. 45	-37	.30

EUONYMUS—continued	Unit Pr 1-4	ice in Qua 5 - 24	
radicans, climbing to 15'		Winterco	eeper
Evergreen. Self-clinging vine. (walls, also useful for under plan	Good fo	r covering	g low greens.
6 to 9 in., 1 year 9 to 12 in., 2 year	•37 •45	.30 -37	.25 .30
—carrieri, 3'-4'	Glossy	Winterci	eeper
Evergreen. Has large, shiny, poin	ted leav	es: bushv	habit.
	-45	-37	. 30
—colorata, 6'-12' Rec	lleaved	Wintercr	eeper
Evergreen. Long, narrow leav tinged purple above. Very effecti			neath,
6 to 9 in., 1 year	.27	.22	.18
9 to 12 in., 2 year	.52	45	.25
12 to 15 in., 2 year	45	•37	.30
—minimus (kewensis), 6"-12"	Baby	Winterco	eeper
Evergreen. Has tiny, evergreen le habit. Charming rock subject.	aves and	l dainty, t	railing
6 to 9 in., pots	.50	.40	
-variegatus, 12"-15" Variega Evergreen. Leaves veined and and pink. Clinging vine. 6 to 9 in., 1 year		Winterco	-
9 to 12 in., 2 year	-37	.30	
-vegetus, 3'-4'	Bigleaf	Winterc	reeper
Evergreen. Bushy, interesting dull green; bright scarlet fruits, some among evergreens. Also sweet.	freely	produced.	Hand-
6 to 9 in., 2 year 9 to 12 in., 2 year	•45 •55	•37 •47	.30 ⋅37
yedoensis, 10'	Υe	ddo Euo	nymus
Tall upright shrubs; attractive	fall colo	ring; pinl	s fruit.
3 to 4 ft	. 75	.60	
EXOCHORDA grandiflora, 6'-9'	Com	mon Pea	rlbush
Dazzling, white flowers, May. Is	improv	ed by pru	ning.
2 to 3 ft	45	·37	.30
3 to 4 ft	•43 •55	•37 •47	·37
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.05	.90	.70

Visit our nurseries when Japanese Flowering Cherries are in bloom—Turn to pages 86 and 87 for varieties and prices.

≪ F № Unit Price in Quantities 5-24 1-4 25-249 FAGUS americana, 75'-100' American Beech Beautiful spreading native tree of incomparable beauty. Clean, smooth, gray bark. Excellent as a hedge or for windbreaks. 6 to 8 ft., B. & B. 7.50 6.25 5.00 8.00 9.50 7.50 13.50 11.00 12 to 14 ft., B. & B. 15.00 13.50 sylvatica, 75'-100' European Beech Slow-growing. Makes a large, handsome tree. 1.65 1.35 1.10 2.85 2.35 1.90 3.90 3.25 2.60 4.30 5.00 3.40 6 to 8 ft., B. & B. 6.25 5.00 6.75 7.50 8 to 10 ft., B. & B. 9.00 7.50 13.50 11.00 9.00 20.50 16.75 13.00 —asplenifolia, 20'-30' Fernleaf Beech Graceful. Slow of growth. Makes a dense shrubby tree with finely cut leaves. Desirable for a specimen. 4.10 3.50 6.00 5.00 6.75 8.00 6 to 8 ft., B. & B. 12.00 10.00 8 to 10 ft., B. & B. 15.00 12.50 –pendula, 25'-40' Weeping Beech The green-leaved European Weeping Beech. 6 to 8 ft., B. & B. 11.00 9.50 8 to 10 ft., B. & B. 15.00 12.50 10 to 12 ft., B. & B. 18.75 15.65 12 to 14 ft., B. & B. 26.25 21.85 -purpurea, 60'-75' Purple European Beech The purple-leaved European Beech. Grafted plants. 8 to 10 ft., B. & B. -Riversi, 40'-60' River's European Beech Compact of habit. Darker purple leaves than the var. purpurea. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 3.75 5.25 6.75 8.00 FORSYTHIA intermedia, 6'-8' Border Forsythia Bright yellow flowers in April before leaves unfold. Profuse and beautiful. 18 to 24 in.22 .20 .15 2 to 3 ft.

.30

45

.52

3 to 4 ft.

4 to 5 ft.

.25

-37

45

.20

.30

-35

FORSYTHIA—continued	Unit P1 1-4	rice in Qua 5-24	antities 25 - 249
intermedia spectabilis, 6'-8' Sh	owy Bo	rder For	svthia
Most profuse of all, with large 1			
ers.	8010	Juli julio	11011
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	.45	·37	.30
4 to 5 ft	.52	45	-35
ovata, 6'-8'	K.	rean For	crrthic
An introduction from Northern K			
Forsythias. Flowers pale primrose than the other varieties.			
18 to 24 in	4.7	0.7	
2 to 3 ft	.45 .60	-37 -50	.30 .40
3 to 4 ft	.80	.65	.52
4 to 5 ft	.90	.7 <i>5</i>	.60
	337		
suspensa, 4'-6'		ping For	
Graceful, drooping habit; excelle	nt for m	assing or	banks.
18 to 24 in	.22	.20	.15
2 to 3 ft	-37	.30	.25
3 to 4 ft	. 45	·37	.30
-fortunei, 7'-8'		tune For	sythia
Good habit; arching branches; vi	igorous	grower.	
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	45	•37	.30
4 to 5 ft	.50	.40	-33
5 to 6 ft	.70	-55	-4 5
viridissima, 7'-8'		tem For	
Most vigorous; has green bark leaves. Last to flower.	and th	ick, dark	green
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	,20
3 to 4 ft	45	-37	.30
FOTHERGILLA major			
Hardy, densely branched shrub, li siderable garden merit. Fragrant autumnal foliage.	white fl	own and o owers. Br	illiant
6 to 12 in	.90	-75	
FRANKLINIA alatamaha (Gordon	nia)		
Choice ornamental tree. Large wishining foliage.	hite flov	vers. Han	dsome
18 to 24 in	3.00		
FRAXINUS americana, 70'-80'		Whit	e Ash
Fairly rapid grower; assumes pl autumn; good in moist soils.	easing g	golden to	nes in
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.85	2.35	1.90
10 to 12 ft., 1½ to 1¾ in	3.40	2.80	2.25
12 to 14 ft., 134 to 2 in	4.50	3.75	3.00
13 to 15 ft., 2 to $2\frac{1}{2}$ in Larger specimens up to 6 in. calip	5.60 per.	4.75	3.75

FRAXINUS—continued	Unit I 1-4	Price in (5-24	uantities 25 - 249
excelsior, 75'-100'		Europ	ean Ash
Large spreading tree. A desirab	ole law	n specin	nen with
8 to 10 ft	2.25	,——	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00		
10 to 12 ft., $1\frac{1}{2}$ to 2 in 10 to 12 ft., 2 to $2\frac{1}{2}$ in	4.00 6.00		
ornus, 35'-50'		Flower	ing Ash
Valuable small tree with inte	resting		_
8 to 10 ft	2.00	2 50	
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00 4.00	2.50	
lanceolata, 50'-60'		Gr	een Ash
Dark green foliage.			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.85	2.35	1.90
12 to 14 ft., 13/4 to 2 in	3.40 4.05	2.80 3.40	2.25
13 to 15 ft., 2 to 2½ in	5.00	4.00	
	Unit P	rice in O	uantities
	1-4	5-24	25-249
GENISTA scoparia (See CYTISU	S)		
tinctoria, 3'			dwaxen
Slender bright green branches. Ye	llow pe	a-shaped	l flowers.
12 to 15 in	-33	.27	.22
15 to 18 in	•45 •55	-37 -47	.30 -37
GINKGO biloba (Salisburia), 50'-7	75′ 1	Maidenl	air-tree
Picturesque, interesting, quite dis maidenhair fern; immune from	tinct le		
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft	4.50	3.75	3.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.60	4.75	3.75
10 to 12 ft., 1½ to 1¾ in	6.15	5.85	4.75
12 to 14 ft., 2 to 2½ in	9.40 12.50	7.80 10.00	6.25 8.25
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	15.75	12.15	10.50
14 to 16 ft., $2\frac{1}{2}$ to 3 in	20.00	17.00	13.50
14 to 16 ft., 3 to 3½ in	27.00	22.50	
—pyramidalis, 50'-60'			
Narrow columnar form. Distinct	ascendii	ng branc	hes.
4 to 6 ft	6.00	5.00	

	Unit Pri	ce in Qu	antities
	1-4	5-24	25-249
GLEDITSIA triacanthos, 60'-70'	Common	Hone	ylocust
Thorny tree with fragrant, whi for gravelly soil. Not affected b		in May	y; good
4 to 6 ft	1.10	.95	-75
6 to 8 ft	1.65	1.35	1.10
8 to 10 ft	2.85	2.35	1.90
10 to 12 ft., 1½ to 1¾ in	3.90	3.25	2.60
10 to 12 ft., 13/4 to 2 in	5.15	4.30	3.40
12 to 14 ft., 2 to $2\frac{1}{4}$ in	6.30	5.25	
•	Thornless	Hone	ylocust
Relatively free of thorns.			
4 to 6 ft	2.25	1.90	1.50
6 to 8 ft	2.40	2.00	
8 to 10 ft	3.60	2.85	
10 to 12 ft	4.65	3.90	
GYMNOCLADUS dioica, 40'-50'			
Light, blue-green foliage of sl outline.	low growt	h; pict	uresque
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.85	2.35	1.90
6 to 7 ft	3.60	2.85	240
7 to 8 ft	4.50	3.75	3.00
8 to 10 ft	6.35	5.30	4.50
10 to 12 ft	8.00	6.75	



TUSCULUM

Located in the country about a mile to the north of Princeton, Tusculum was built in 1773 by John Witherspoon and here he frequently entertained Washington and other notables

——≼ H ≽——

	Unit Pr	ice in Qu 5-24	antities 25-249
HALESIA tetraptera, 12'-15'	G	reat Sil	verbell
Snow-white, bell-shaped flowers is along the branchlets. Can be grow massed.	in May,	profusel	y borne
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	.80 1.10 1.35 1.80 2.25	.65 .95 1.10 1.50 1.90	.52 .75 .90 1.20
HAMAMELIS japonica, 20'-30'	Japanes	e Witch	1-hazel
Interesting Japanese form, blosso Lemon-yellow flowers often purp	ming in lish with	late wint in.	ter.
12 to 15 in	·75	.62	.50
vernalis, 6'-8' Pale yellow flowers January and		ıl Witch	ı-hazel
5 to 6 ft	2.50 3.00	2.00 2.50	
virginiana, 10'-12'	Commo	n Witch	hazel
Yellow, ribbon-like flowers, Octol habit, good foliage. Succeeds be places.	er to N	ovember.	Bushy
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 8 to 10 ft., heavy	•55 .70 .90 2.50	.55 .75 2.00	.37 .45 .60
HEDERA colchica dentata, 20'-50' Evergreen. Strong growing climbe heart-shaped leaves, very decorate	r, with l	nt Engli large eve	_
12 to 15 in., 4 in. pots	-55	-47	-37
helix, 20'-50' Evergreen. Good ground cover ideal wall cover.	in shady	_	sh Ivy ns. An
12 to 15 in., 21/4 in. pots	.22	.20	.15
-baltica, 15'-25' Small-leaved form differing little		y Englis he type	-
in its greater hardiness. 12 to 18 in., 4 in. pots	.60	.50	.40
-conglomerata, 15'-25' Slow growing; small foliage d stems.	ensely o	nch Lea crowded	
9 to 12 in., 4 in. pots	.60	.50	
-pedata, 15'-25' Five lobed leaves with prominer Slow growth; hardy.			lobe.
9 to 12 in., 3 in. pots	-55	-47	-37

	Unit Pri	ce in Qua	ntities 25 - 249
HIBISCUS syriacus (Althea), 10'- Rather formal in outline, flowerin tember. Pink, purple, red, white, double. Also called Rose-of-Sharot anemonaeflorus, double pink. ardens, double rose violet. Boule de feu, double bright red. elegantissimus, double, bluish wh Comte de Hainault, double pink Jeanne d'Arc, semi-double white. Lucy, double lavender-violet. Puniceus Plenus, semi-double, ro- purpureus plenus, double purple. rubis, single red. totus albus, single white.	ng in Ang and blan.	Shrub-august and ue, singl	althea d Sep- e and
W. R. Smith, single white.			
2 to 3 ft	.30 .45 .55 .90 1.20 1.50	.25 .37 .47 .75 1.00	.20 .30 .37
coelestis, single blue			
18 to 24 in	.30 .45	.25 ·37	
variegated, 6'-8' Variegated Le Leaves striped yellow; compact g		ose-of-S	haron
2 to 3 ft	·37 ·55 .80	.30 .47 .65	.25 .37 .52
HYDRANGEA arborescens, 6' Large flat flower clusters, June as		th Hydr	angea
2 to 3 ft	.45 .55 .80	.37 .47 .65	.30 .37 .52
arb. grandiflora alba (sterilis), 4'-	5′	Sno	owhill
Large double white flower panicle	s, very	showy. A	
18 to 24 in	.27 .37 .50	.22 .30 .40	.18 .25 .33
paniculata (type), 8'-9'	Panic	le Hydr	angea
Bears long, loose panicles of white	flowers	. August.	_
18 to 24 in	.27 .33 .55	.22 .27 .47	.18 .22 .37
—grandiflora, 8'-9'	Peeg	ee Hydr	angea
Very showy, blooming in August.	.18	.15	.12
18 to 24 in	.16 .27 .45 .50	.13 .22 .37 .40	.18 .30 .33

HYDRANGEA—continued	Unit P	rice in Qu 5-24	
standard	Т	ree Hyd	rangea
Useful for formal effects in the g	arden.		
2 to 3 ft., medium	.90 1.30	.7 <i>5</i> 1.05	.60
		ing Hydi	
Attractive, rampant-growing vin against large brick or stone build	ings. Cl	idid whe	n used potlets.
2 in. pots	.60	.50	-40
Leaves shaped like an oak leaf. I ing; succeeds in shade. Very desi	Beautifu	eaf Hydi l autumn	_
18 to 24 in	.70 .90 1.10	•55 •75 •95	.45 .60
radiata, 6'	Silverl	eaf Hydi	rancea
Silvery foliage, large dense he Unique.			
2 to 3 ft	.60 .75		
HYPERICUM aureum, 3'-4' Yellow. July-August. Blue-green			
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.40 .50	·35 ·40 ·47	.27 .33 .37
densiflorum, 4'-5'	-55	477	.57
Yellow, July-Sept. Free flowering;	good fe	or sandy	soil.
18 to 24 in	.40 .50	•35 •40	.27 •33
kalmianum, 3'-5'	Ka	lm Hype	ricum
18 to 24 in	.45	-37	.30
2 to 3 ft	.50	.40	•33
3 to 4 ft	.70 .90	∙55 •75	.45 .60
moserianum, 2'			flower
Hybrid form. Useful in the per yellow flowers over two inches ac	ross.	border. C	olden
12 to 15 in., 4 in. pots 15 to 18 in., 5 in. pots	•55 •70	•47 •55	•37 •4 <i>5</i>
patulum henryi, 2' Golden yellow flowers, two inche	Hen:	гу Нуре	ricum
12 to 15 in., 4 in. pots	.60	.50	40
18 to 24 in., 6 in. pots 2 to 3 ft., 6 in. pots	1.35 1.60		
prolificum, 4'-5'	rubby	St. John	swort
Strong, vigorous grower. Masses wery dry or sandy soils.	vell as g	ground co	ver in
18 to 24 in	·45	-37	.30
2 to 3 ft	.55 .80	.65	-37

——≼ I ≽——

	Unit Pr	ice in Qu 5-24	antities 25 - 249
ILEX crenata, 8'-10'	· I	apanese	
Evergreen. Box-like leaves, rich, oing, makes a good hedge. Black l	deep gre		
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	1.35 1.75 2.65 3.40 3.90 5.25	1.10 1.50 1.90 2.80 3.25 4.30	.90 1.20 1.50 2.25 2.60 3.40
—convexa (bullata), 4'-5'	Conve	k leaved	Holly
Choice evergreen form of slow foliage. Makes a distinctive specim	growth	. Shiny	convex
15 to 18 in., B. & B	2.60	2.20	
18 to 24 in., B. & B	3.90	3.25	
2 to 2½ ft., B. & B	6.35	5.30	
		Tapanese	
Evergreen. Smaller leaves and ming.	nore har	dy than	preced-
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	3.40 4.50	2.80 3.75	2.25 3.00
2½ to 3 ft., B. & B.	5.60	4.75	
3 to 3½ ft., B. & B	6.75	5.50	
glabra, 5'-6'			
• , •			kberry
Evergreen. Shining, dark green l ter; black berries. Useful for sha in sun.		urplish i	in win-
Evergreen. Shining, dark green l ter; black berries. Useful for sha		urplish i	in win-
Evergreen. Shining, dark green leter; black berries. Useful for sha in sun. 12 to 15 in., B. & B	1.65 2.60	ourplish is; also si	in win- ucceeds
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B	1.65	ourplish is; also s	in win- ucceeds
Evergreen. Shining, dark green later; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.65 2.60 3.00	ourplish is; also s 1.35 2.20 2.50 .merican	in win- ucceeds 1.10 1.75 2.00 Holly
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.65 2.60 3.00	ourplish is; also s 1.35 2.20 2.50 .merican	in win- ucceeds 1.10 1.75 2.00 Holly
Evergreen. Shining, dark green later; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist,	1.65 2.60 3.00	ourplish is; also s 1.35 2.20 2.50 .merican	in win- ucceeds 1.10 1.75 2.00 Holly
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Copaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B.	1.65 2.60 3.00 A partially	1.35 2.20 2.50 2.50 merican y shaded	1.10 1.75 2.00 Holly place. 1.10 2.25
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.65 2.60 3.00 A partially 1.65 3.40 5.25	ourplish is; also s 1.35 2.20 2.50 .merican y shaded 1.35 2.80 4.40	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50
Evergreen. Shining, dark green leter; black berries. Useful for sha in sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75	ourplish is; also s 1.35 2.20 2.50 .merican y shaded 1.35 2.80 4.40 5.50	1.10 1.75 2.00 Holly place. 1.10 2.25
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00	1.35 2.20 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50
Evergreen. Shining, dark green leter; black berries. Useful for sha in sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75	ourplish is; also s 1.35 2.20 2.50 .merican y shaded 1.35 2.80 4.40 5.50	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50
Evergreen. Shining, dark green l ter; black berries. Useful for sha in sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00 11.00	1.35 2.20 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. Serrata (sieboldi) 8'-10'	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00 11.00 14.00 18.00	1.35 2.20 2.50 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75 9.50	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50 4.50
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. Serrata (sieboldi) 8'-10' Small finely toothed leaves. Bright	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00 11.00 14.00 18.00 Fi	1.35 2.20 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75 9.50	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50 4.50 Holly
Evergreen. Shining, dark green l ter; black berries. Useful for sha in sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 5 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. Serrata (sieboldi) 8'-10' Small finely toothed leaves. Brigle	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00 11.00 14.00 18.00 Fi	1.35 2.20 2.50 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75 9.50 metooth	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50 4.50 ————————————————————————————————————
Evergreen. Shining, dark green l ter; black berries. Useful for sha in sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. Serrata (sieboldi) 8'-10' Small finely toothed leaves. Bright 2 to 3 ft. 3 to 4 ft. 3 to 4 ft.	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00 11.00 14.00 18.00 Fi	1.35 2.20 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75 9.50	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50 4.50 Holly
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. Serrata (sieboldi) 8'-10' Small finely toothed leaves. Brigle 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 10 to 5 ft. 11 to 5 ft. 12 to 5 ft. 13 to 4 ft. 14 to 5 ft.	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00 11.00 14.00 18.00 Fi	1.35 2.20 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75 9.50 metooth erries.	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50 4.50 Holly
Evergreen. Shining, dark green leter; black berries. Useful for sha in sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. Serrata (sieboldi) 8'-10' Small finely toothed leaves. Bright 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. argutidens	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00 11.00 14.00 18.00 Fi	1.35 2.20 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75 9.50 metooth erries.	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50 4.50 ————————————————————————————————————
Evergreen. Shining, dark green leter; black berries. Useful for shain sun. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Opaca, 45'-50' Evergreen. Does best in moist, Rather difficult to transplant. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. Serrata (sieboldi) 8'-10' Small finely toothed leaves. Brigle 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 10 to 5 ft. 11 to 5 ft. 12 to 5 ft. 13 to 4 ft. 14 to 5 ft.	1.65 2.60 3.00 A partially 1.65 3.40 5.25 6.75 8.00 11.00 14.00 18.00 Fi	1.35 2.20 2.50 merican y shaded 1.35 2.80 4.40 5.50 6.75 9.50 metooth erries.	1.10 1.75 2.00 Holly place. 1.10 2.25 3.50 4.50 ————————————————————————————————————

	Unit Pr	rice in Q	uantities
ILEX—continued	1-4	5-24	25-249
verticillata (primos), 6'-8'		Win	terberry
Bright red berries persisting to m birds. Prefers moist soil. Also ca	nid-winte lled Blac	er; not o	eaten by
2 to 3 ft	-55	-47	•37
3 to 4 ft	.80	.65	.52
4 to 5 ft	1.05	.90	.70
5 to 6 ft	1.30	1.00	.85
6 to 7 ft	1.50	1.25	1.00
INDIGOFERA kirilowi		Kirilow	Indigo
Racemes of bright rose flowers is	-		
2 to 3 ft	2.00		
ITEA virginica, 3'-4'		Sw	eetspire
Spikes of fragrant, white flower places; brilliant autumn coloring	rs, July.	Good	for low
18 to 24 in	-45	-37	.30
2 to 3 ft	.70	.55	45
3 to 4 ft	.90	.75	.60



THE GRADUATE COLLEGE

This view shows the western end of Procter Hall, as seen from the garden of Wyman House, the residence of the Dean of the Graduate School

——≼ J ≽——

	Unit P	rice in Qu	antities
	1-4	5-24	25-249
JASMINUM nudiflorum, 3'		Winter]	
Yellow. April-May. Needs protect One of the first to bloom in the sp	tion in ring.	norther	n States.
12 to 18 in	•33	.27	.22
18 to 24 in	-55	47	•37
2 to 3 ft	.80	.65	.52
3 to 4 ft	1.00	.80	
stephanensis, 3'			
Large fragrant flowers of soft pa	le pink	. Tender	species.
18 to 24 in	-55	-47	-37
2 to 3 ft	.70	-55	45
JUGLANS cinera, 80'-100'		Bu	tternut
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
nigra, 80'-100'		Black '	Walnut
Tall, erect native tree, with wides	preadi	ng branch	nes. Has
compound foliage. Edible fruit.			
4 to 5 ft	.90	-75	.60
5 to 6 ft	1.35	1.10	.90
6 to 8 ft	1.80	1.50	1.20
JUNIPERUS chinensis, 15'-20'		Chinese]	-
Formal columnar outline, gray-gr hardy evergreen.	een fol	iage. A s	plendid,
2 to 2½ ft., B. & B	1.65	1.35	1.10
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	5.25	4.40	3.50
5 to 6 ft., B. & B	6.75	5.50	4.50
6 to 7 ft., B. & B	8.50	7.00	
		Chinese]	-
Light bluish foliage intermingl			
branches making very distinctive idal shape.	plant o	f formal	pyram-
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	340	2.80	2.25
3 to 4 ft., B. & B	4.50	3.75	3.00
—columnaris (pyramidalis), 15'-20'			· •
		Chinese J	
Evergreen. Grows rapidly, forming of gray-green foliage. Spire-like evergreen planting.			
4 to 5 ft., B. & B	4.50	275	3.00
5 to 6 ft., B. & B	5.60	3.7 <i>5</i> 4.75	3.75
6 to 7 ft., B. & B	8.25	7.25	5.60
7 to 8 ft., B. & B	11.25	9.25	7.50
8 to 10 ft., B. & B	13.50	11.25	9.00
10 to 12 ft., B. & B	15.00	12.50	

	Unit Pr	ice in Qua	antities
JUNIPERUS—continued	1-4	5-24	25-249
chinensis columnaris viridis, 15'-: Green Co		hinese I	uniner
		_	
A light green form of the ab growth.	ove slig	htly slo	wer in
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	5.25	4.40	3.50
5 to 6 ft., B. & B	6.75	5.50	4.50
6 to 7 ft., B. & B	9.00	7.50	6.00
—japonica, 6'-8'	-	panese J	-
Evergreen. Low grower, spreading leaves. Adapted to rock planting	g branc Grows	hes, dark slowly.	green
12 to 15 in., B. & B	1.00	.80	
15 to 18 in., B. & B	1.35	1.10	
10 to 24 m., b. & b	2.25	2.00	
		hinese J	
A splendid evergreen of pyramid green, scale-like leaves. Compact	al, form: habit. V	al outline ery hard:	. Deep
2 to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	5.25	4.40	3.50
6 to 7 ft., B. & B	0.7 <i>5</i> 9.00	5.50 7.50	4.50 6.00
0 to / Iti, B. & B	9.00	7.50	0.00
-oblonga (sylvestris), 7'-8'			
Evergreen. Forms a broad, irreguery branches. Grayish foliage.	lar pyra	mid with	feath-
15 to 18 in., B. & B	1.10	.95	-75
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B	3.60	2.85	2.40
—pfitzeriana, 5'-6'		Pfitzer Ji	-
Evergreen. Broad, bushy habit. (Gray-gree	en foliag	e, giv-
green; highly recommended.	adaptab	le, hardy	ever-
12 to 15 in., B. & B	1.35	1.10	.90
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	3.40	2.80	2.25
2 to 2½ ft., B. & B.	4.50	3.75	3.00
2½ to 3 ft., B. & B	5.60	4.75	3.75
4 to 5 ft., B. & B	6.7 <i>5</i> 9.00	5.50 7.50	4.50 6.00
5 to 6 ft., B. & B.	11.25	9.00	0.00
6 to 8 ft., B. & B	14.00	12.00	
8 to 10 ft., B. & B	20.00	17.00	
-sargenti (green), 11/2 !		rgent Ju	niper
Evergreen. Prostrate habit, grass- A valuable ground cover and rock	green fo	liage.	
9 to 12 in., B. & B	1.10	.95	.75
12 to 15 in., B. & B	1.90	1.50	1.25
- J	28"	2 2 2	1.00
18 to 24 in., B. & B	2.85 3.60	2.35 2.85	1.90 2.40

	Unit Pr	ice in Qua	ntities
JUNIPERUS—continued	1-4	5-24	25-249
—smithi, 6′-8′		mith Red	
Choice variety. Compact pyramic		_	oliage.
2 to 2½ ft., B. & B	2.25 3.00	1.90 2.50	
3 to 4 ft., B. & B	3.7 <i>5</i>	3.00	
communis, 15'-25'	Со	mmon J	uniper
Evergreen. Forms a vase-shaped			
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B.	1.50	1.25	1.00
2 to 3 ft., B. & B	2.85	2.35	1.90
communis aurea, 6'-10'		Golden J	_
Evergreen. Low-spreading habit. larly bright in spring.	Golden	foliage, p	articu-
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
	2.25	1.90	
—canadensis, 5'-6'		Canada J	
Evergreen. Forms a low vase-sh green above, bluish underneath.	aped bu	sh. Leave	s dark
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
—cracovica, 20'-30'		Polish J	~
Evergreen. Upright, branching fr narrow column.	om grou	nd, makir	ng very
4 to 5 ft., B. & B	3.90	3.25	
5 to 6 ft., B. & B 6 to 7 ft., B. & B	5.25 7.50	4.40 6.25	
	7.50		
—hibernica, 20'-30'		Irish J	_
Evergreen. A very narrow pyram like effect.	na. Usei	ul for its	s spire-
15 to 18 in., B. & B	.80	.65	.52
18 to 24 in., B. & B	1.10 1.65	.95 1.35	.7 <i>5</i> 1.10
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	2.85	2.35	1.90
4 to 5 ft., B. & B 5 to 6 ft., B. & B	3.90 5.25	3.25 4.40	2.60 3.50
6 to 7 ft., B. & B	6.75	5.50	4.50
7 to 8 ft., B. & B	8.00	6.75	5.50
communis suecica, 20'-30'		wedish J	uniper
Quick growing. Narrow, upright		0.5	75
18 to 24 in., B. & B	1.10 2.70	.95 2.25	.75 1.90
4 to 5 ft., B. & B	4.50	3.75	3.00
——nana, 5'-6'	Owarf S	wedish J	uniper
Evergreen. A narrow, compact c	olumn o		
Good foundation or rockery plan	it.		
2½ to 3 ft., B. & B	3.50		
3 to 3½ ft., B. & B	4.50 5.50		
4 to 5 ft., B. & B	7.00		


JUNIPERUS—continued	Unit P	rice in Qı 5 - 24	25 - 249
excelsa stricta, 8'-10'	Spiny	Greek	Inniper
Evergreen. Compact, well-shaped green. Most useful for formal ef	pyram		
12 to 15 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	3.90	3.25	2.60
3 to 4 ft., B. & B	5.00	4.10	3.30
4 to 3 It., B. & B	6.75	5.50	4.50
horizontalis (sabina prostrata), i			_
Evergreen. Branches trail along g work and ground covering.			
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25 2.85	1.90 2.35	1.50
—douglasi, 1'-1½'		ukegan .	Inniner
Evergreen. Long branches trailing		_	
blue foliage. A splendid ground among rocks. Distinct purple hue	d cover	; also	
12 to 15 in., B. & B	1.10	.95	-75
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B.	1.90	1.50	1.25
2 to 2½ ft., B. & B	2.25	1.90	
2½ to 3 ft., B. & B	3.00	2.50	
—glauca, 1'-1½'		Creeping	g Savin
2 to 2½ ft., B. & B	2.25	1.90	
2½ to 3 ft., B. & B	3.15	2.60	
3 to 4 ft., B. & B	4.00	3.35	
— —plumosa, 2'-3' Plum	ed Spr	eading]	uniper .
New, exceedingly hardy, assumes a color in winter. Transplants readi		ttractive,	purple
12 to 15 in., B. & B	1.05	.90	.70
15 to 18 in., B. & B	1.35	1.10	
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	4.50 5.60	3.75 4.75	3.00
	_		
hudsonica, 1'-11/2' Excellent, trailing plant useful		ludson J k work.	-
rapid growth.			
12 to 15 in., B. & B	1.10	.95	-75
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.65	1.35	
japonica, 6'-8'		panese J	
Evergreen. Low grower, spreading leaves. Adapted to rock planting.	g pranc Grows	nes, dari slowly.	green
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B.	2.85	2.35	
2½ to 3 ft., B. & B	3.90	3.25	
		_	

JUNIPERUS—continued	Unit Pr 1-4	ice in Qua 5-24	ntities 25 - 249
sabina, 6'-7'		Savin Ju	ıniper
Evergreen. Dense, dark green foli	age. Spr	eading bra	anches,
forming irregular, vase-shaped p	lant.		
12 to 15 in., B. & B	1.10	.95	. 75
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.85	2.35	1.90
2 to 2½ ft., B. & B.	3.40	2.80	2.25
2½ to 3 ft., B. & B	4.50	3 .75	3.00
3 to 3½ ft., B. & B	5.60	4.75	3 .7 5
—tamariscifolia, I ¹ / ₂ '-2'	Γamarix	Savin J	uniper
Evergreen. A prostrate-growing ty of soft texture.	ype, com	pact and	foliage
9 to 12 in., B. & B	1.10	.95	-75
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.10	1.75	
		- 175	
squamata meyeri, 3'-4'		Meyer J	uniper
A beautiful, deep blue evergree	n of dv	varf habit	t, very
desirable.			
12 to 15 in., B. & B	1.35	1.10	.90
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	3.40	2.80	2.25
2 to 2½ ft., B. & B	4.50	3.7 <i>5</i>	3.00
2½ to 3 ft., B. & B	5.60	4.75	3.75
3 to $3\frac{1}{2}$ ft., B. & B	6.75	5.50	4.50
virginiana, 35'-50'		Red	dcedar
Our native Redcedar, all nursery			
Our native Redcedar, all nursery Evergreen. Forms a dense colu	mn, dee	p green i	oliage,
Our native Redcedar, all nursery	mn, dee	p green i	oliage,
Our native Redcedar, all nursery Evergreen. Forms a dense column purplish in winter. Useful in plantings.	mn, dee formal	p green i work, or	oliage,
Our native Redcedar, all nursery Evergreen. Forms a dense colu purplish in winter. Useful in	mn, dee	p green i	oliage,
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	mn, dee formal	p green i work, or	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B	mn, dee formal	p green f work, or 3.00 4.50	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	3.75 5.60 7.75	p green f work, or 3.00 4.50 6.75	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B.	3.75 5.60 7.75 12.00	p green 1 work, or 3.00 4.50 6.75 9.75	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B.	3.75 5.60 7.75 12.00 15.00	9 green f work, or 3.00 4.50 6.75 9.75 13.50 Burks J	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. -burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B.	3.75 5.60 7.75 12.00 15.00	9 green f work, or 3.00 4.50 6.75 9.75 13.50 Burks J	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. -burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	3.75 5.60 7.75 12.00 15.00	3.00 4.50 6.75 9.75 13.50 Burks J	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 10 ft., B. & B. 10 to 12 ft., B. & B. -burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	3.75 5.60 7.75 12.00 15.00 g a dense 1.80 2.60 4.50	green a work, or 3.00 4.50 6.75 9.75 13.50 Burks J column. 1.50 2.25 3.75	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. -burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	3.75 5.60 7.75 12.00 15.00 g a dens 1.80 2.60 4.50 5.75	green 1 work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	3.75 5.60 7.75 12.00 15.00 g a dens 1.80 2.60 4.50 5.75 7.50	9 green 1 work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B.	3.75 5.60 7.75 12.00 15.00 180 2.60 4.50 5.75 7.50 10.50	green 1 work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00 8.25	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	3.75 5.60 7.75 12.00 15.00 g a dens 1.80 2.60 4.50 5.75 7.50	9 green 1 work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00	foliage, mixed
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B.	mn, dee formal 3.75 5.60 7.75 12.00 15.00 g a dens 1.80 2.60 4.50 5.75 7.50 10.50 13.50	green f work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00 8.25 11.25	dcedar
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B.	mn, dee formal 3.75 5.60 7.75 12.00 15.00 g a dens 1.80 2.60 4.50 5.75 7.50 13.50 Ca	green f work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00 8.25 11.25	dcedar
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B.	3.75 5.60 7.75 12.00 15.00 15.00 2.60 4.50 5.75 7.50 10.50 13.50 Ca	green in work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00 8.25 11.25 nnart Re n foliage.	dcedar
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. -burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 9 to 10 ft., B. & B. 9 to 10 ft., B. & B. 9 to 10 ft., B. & B. 9 to 8 ft., B. & B. 9 to 8 ft., B. & B. 9 to 8 ft., B. & B. 9 to 9 ft., B. & B. 9 to 10 ft., B. & B.	mn, dee formal 3.75 5.60 7.75 12.00 15.00 15.00 2.60 4.50 5.75 7.50 13.50 Ca	green f work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00 8.25 11.25 nnart Re n foliage.	dcedar Dense-
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. -burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. -cannarti, 12'-15' Evergreen. Very deep, rich black growing columnar form. An artist of t., B. & B. 4 to 5 ft., B. & B. 4 to 5 ft., B. & B.	3.75 5.60 7.75 12.00 15.00 15.00 2.60 4.50 5.75 7.50 10.50 13.50 Ca	green in work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00 8.25 11.25 nnart Re n foliage.	dcedar Dense-
Our native Redcedar, all nursery Evergreen. Forms a dense columpurplish in winter. Useful in plantings. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. -burki, 10'-12' Evergreen. Distinct blue, forming 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 9 to 10 ft., B. & B. 9 to 10 ft., B. & B. 9 to 10 ft., B. & B. 9 to 8 ft., B. & B. 9 to 8 ft., B. & B. 9 to 8 ft., B. & B. 9 to 9 ft., B. & B. 9 to 10 ft., B. & B.	mn, dee formal 3.75 5.60 7.75 12.00 15.00 g a dens 1.80 2.60 4.50 5.75 7.50 10.50 13.50 Ca iish-gree istocrat. 4.50 6.75	green f work, or 3.00 4.50 6.75 9.75 13.50 Burks J e column. 1.50 2.25 3.75 4.50 6.00 8.25 11.25 nnart Re n foliage.	dcedar Dense-

	Timin T		
JUNIPERUS—continued	1-4	rice in Qua 5-24	25-249
-elegantissima, 12'-15'	G	oldtip Re	dcedar
Evergreen. Bright yellow tips to l	ranche	s, turning	bronze
in winter. Pyramidal habit.	_		
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.30 4.50	2.75 3.75	2.20 3.00
4 to 5 ft., B. & B	6.75	5.50	4.50
—glauca, 15'-20'		Silver Re	dcedar
Evergreen. Distinct, blue-gray fol	iage. T	ree develo	ps into
a tall, narrow column.			
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B 5 to 6 ft., B. & B	5.25 6.00	4.40	3.50
6 to 7 ft., B. & B	9.00	5.00 7.50	6.00
Specimens up to 17 ft.		per foot	0.00
—globosa, 3'-4'		Globe Red	lcedar
Dwarf compact form with bright	green	foliage.	
2 to $2\frac{1}{2}$ ft., B. & B	4.50	3.75	
2½ to 3 ft., B. & B	5.50	4.50	
virginiana Kosteriana, 3'-4'		oster Red	
Semi-dwarf type of horizontal gro	wing ha	ibit. Bluish	-green
foliage.			
2 to 3 ft., B. & B	4.50	6.00	
4 to 5 ft., B. & B	7.50 8.50	7.00	
5 to 6 ft., B. & B.	10.00	7.00	
—pendula, 25'-30'		eping Red	cedar
A weeping form of the Redcedar			
branches.	with si	ender pend	lulous
6 to 7 ft., B. & B	12.00		
—pyramidalis, 35'-50'	Pyra	midal Red	cedar
Columnar in outline with dense co	mpact	habit.	
18 to 24 in., B. & B	1.80	1.50	
2 to 2½ ft., B. & B.	2.70	2.25	1.20 1.80
2½ to 3 ft., B. & B	3.75	3.00	1.00
3 to 4 ft., B. & B	4.50	3.75	3.00
• • • •			_
-schotti, 12'-15'		chott Red	
Evergreen. Has fresh green foli columnar habit. Good winter colo	age. C	ompact, fo hardy.	ormal,
2 to 2½ ft., B. & B	2.85	2.35	1.90
2½ to 3 ft., B. & B	3.90	3.25	2.60
3 to 4 ft., B. & B	5.60	4.75	3.75
4 to 5 ft., B. & B	7.75	6.50	5.25
5 to 6 ft., B. & B	10.15	8.45	6.75
	11.00	9.50	-
waukegan (See horizontalis doug	glasi)		

——≼ K >>--

	Unit Pr	ice in Qua	intities
	1-4	5-24	25-249
KALMIA angustifolia, 3'-4'		Sheep	-laurel
Rather an open growing bush flowers June-July.	with pro		
2 to 2½ ft., B. & B	3.75 4.50	3.00 3.75	
latifolia, 8'-10'	V	Iountain	-laurel
Evergreen. Most effective in Jun			
pink flowers open. Good foliage		shade.	
This stock is semi nursery grown.	_		
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	3.40	2.80	2.25
2½ to 3 ft., B. & B	5.25 6.75	4.40 5.50	3.50 4.50
0 0/- /	0.73		
KERRIA japonica, 4'-5'	1	Single :	
Golden-yellow flowers. June-Sept			
12 to 18 in	.45	•37 •47	.30
	•55	**	-37
—fl. pl., 4'-5'		Double !	
Similar to the preceding variety l			
12 to 18 in	·55	47	-37
18 to 24 in	.70	.55	45
KOELREUTERIA paniculata, 25		Varni	
Has bright yellow flowers in Ju	ly; is a	valuable	small
flowering tree. Also called Gold			# 2
2 to 3 ft	.80 1.10	.65	.52
4 to 5 ft	1.65	.95 1.35	.75 1.10
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft	3.50		
KOLKWITZIA amabilis, 6'-8'	0,5	Reaut	ybush
A beautiful shrub somewhat simi	lar but		
any of the Weigelas. Covered in			
pink flowers.	, , ,		
18 to 24 in	-55	-47	·37
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.10	.95	• 7 5
4 to 5 ft	1.30	1.05	.85
5 to 6 ft	1.50	1.25	1.00



MERCER HEIGHTS

In this house General Mercer died, January 12, 1777, from wounds received in the Battle of Princeton

——— L þ>		-	
	Unit I	Price in Qu 5-24	
LABURNUM vulgare, 30'	- 4		enchain
Attractive, small tree with yell in long racemes.	ow, pe	a-shaped	flowers,
3 to 4 ft	1.35	1.10	
4 to 5 ft	1.90 4.50	1.50 3.75	
LARIX europaea (decidua), 50'-6	o' I	European	Larch
Especially good for spring effects			
4 to 5 ft., B. & B	3.90	3.25	2.60
5 to 6 ft., B. & B	6.00	5.00	4.00
6 to 8 ft., B. & B	8.00	6.75	5.25
8 to 10 ft., B. & B	11.25	9.50	7.50
10 to 12 ft., B. & B	15.00	12.50	10.50
12 to 14 ft., B. & B	18.00		12.50
leptolepis (kaempferi), 50'-60'		Japanese	Larch
Fast-growing, handsome tree, sim	ilar to	above.	
15 to 18 in., B. & B	1.00	.80	.65
LEIOPHYLLUM buxifolium, 1'-2	ı' I	Box Sand	lmyrtle
Interesting low-spreading shrub similar to Boxwood. Flowers are May-June. Prefers peaty soil.	with e	vergreen with pink	foliage tips—
0.	1.25	1.00	
LESPEDEZA bicolor, 8'-10'	Sh	rub Busl	clover
Rose and white flower, July-Au shrub; attractive clover-like folia	gust. S	lender, g	raceful
2 year	.45 .55	-37 -47	.30 .37
formosa (Desmodium penduliflor	rum), 8	B'-10'	
		rple Bush	
Rosy, purple flower conspicuous is tive, herbaceous shrub.	n Septe	mber. An	attrac-
1 year	-33	.27	.22
2 year	45	-37	.30
3 year	-55	47	-37
LEUCOTHOE catesbaei, 3'-4'		ping Leu	
Evergreen. Attractive, white flow lustrous leaves, rich autumn color planting in shade.	wers, I	May. Han lendid for	dsome, under
12 to 15 in., B. & B	1.10	0.5	
15 to 18 in., B. & B	1.65	.95	.75
18 to 24 in., B. & B		1.35	1.10
2 to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B.	2.85 3.90	2.35 3.25	1.90

What to plant and where to plant it. See suggestions, page 125.

	Unit Pr	ice in Qua	ntities
LIBOCEDRUS decurrens, 60'-75'	1-4		25-249 Codon
		Incense	
Handsome tall growing tree form head. Bark reddish. Deep green for tree.	ing na oliage.	rrow pyra Splendid	imidal accent
3 to 4 ft., B. & B	6.25		
4 to 5 ft., B. & B	8.25		
	10.50 13.50		
	16.00		
LIGUSTRUM acuminata, 10'-12'	F	Bigberry :	Privet
Upright spreading habit. Large glo	ssy bla	c <mark>k berri</mark> es.	,
18 to 24 in	45	-37	.30
2 to 3 ft	.52	-45	
amurense, 14'-15'		Amur	Privet
Half evergreen; very hardy.			
18 to 24 in	.09	.07	.06
2 to 3 ft	.15	.12	.10
3 to 4 ft	.22	.20	.15
ibolium, 8'-10'		Ibolium :	Privet
Upright, vigorous grower, similar but much hardier.	r to Ca	llifornia	Privet,
12 to 18 in	.08	.06	.05
18 to 24 in	.09	.07	.06
2 to 3 ft	.12	.10	.08
3 to 4 ft	.18	.15	.12
ibota, 9'-10'		Ibota	Privet
Good dense habit; flowers and froblack berries. Very hardy.	uits fro	eel y. Deco	rative,
12 to 18 in	.09	.07	.06
18 to 24 in	.18	.15	.11
2 to 3 ft	.22 •33	.20 .27	.15
4 to 5 ft	·55	-47	·37
	,,,		
-regelianum (cuttings), 5'-6'		Regal :	
Makes a splendid, low, dense hedg bery or evergreen plantings. Very			shrub-
12 to 18 in	.27	.22	.18
18 to 24 in	.45	-37	.30
2 to 2½ ft	-55	.47	-37
2½ to 3 ft	.80	.65	.52
-vicary, 8'-10' Striking foliage of clear, even yel		en Ibota	Privet
12 to 18 in	,22	.20	.15
18 to 24 in	•37	.30	.25
2 to 3 ft	45	·37	.30
japonicum, 8'-10'	J	apanese	Privet
Handsome evergreen shrub with foliage.			
15 to 18 in., pots	-55	-47	
18 to 24 in., pots	1.10	.95	

LIGUSTRUM—continued	Unit P	rice in Qua 5-24	ntities 25 -2 49
lucidum (macrophyllum), 20'-25'		Glossy	Privet
Evergreen. Very attractive privet Hardy in the North in sheltered Waxleaf Privet.	with ri l locati	ch. glossy	leaves
15 to 18 in., 5 in. pots	.55 .80	.47 .65	·37
2 to 3 ft., 8 in. pots	1.10	.95	.75
ovalifolium, 12'-15'		alifornia :	
Most popular hedge plant. We of stock well worth the price.	fer goo	od, bushy	2 year
12 to 18 in	.07	.05	.04
18 to 24 in	.08	.06	.05
2 to 3 ft	.12	.10	.08
3 to 4 ft	.18	.15	.12
4 to 5 ft	·37	.30	.25
ovalifolium aureum, 8'-9'		Golden :	Privet
Grows rather slowly.			
12 to 18 in	.27	.22	.18
18 to 24 in	•33	.27	.22
2 to 3 ft	45	·37	.30
3 to 4 ft	.55	-47	•37
4 to 5 ft	.70	.55	45
5 to 6 ft	.90	.75	.60
	_		
vulgare, 10'-12'		uropean l	Privet
Creamy-white flowers. June-July.	Black l	perries.	
18 to 24 in	.27	.22	.18
2 to 3 ft	·33	.27	.22
3 to 4 ft	.45	-37	.30
4 to 5 ft	.55	-47	•37
*LIQUIDAMBAR styraciflua, 50'-6	o'	Swee	tgum
One of the best trees for autumn	color		
moist places; has corky bark; rai	ther di	fficult to	trans-
4 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.90	3.25	2.60
8 to 10 ft	5.25	4.40	3.50
8 to 10 ft., $1\frac{1}{2}$ to 2 in	6.40	5.35	4.30
10 to 12 ft., 2 to 21/4 in	8.00	6.75	5.50
10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.00	7.50	6.00
Larger specimens to 6 in. caliper.			
LIRIODENDRON tulipifera, 60'-	8o′	Tuli	ptree
A quick grower; the yellow, tulip duced in June.		lowers are	pro-
4 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.40	2.80	2.25
	3.90	3.25	2.60
	5.25		
	6.00	4.40	3.50
		5.00	4.00
	7.90	6.55	5.25
to 10 tti, j to 3/2 m 1	0.15	8.45	

	Unit Pri 1-4	5-24	25-249
LONICERA bella albida, 8'-9' W.	hite Belle	Honey	suckle
Grows vigorously.			
2 to 3 ft	.30	.25	.20
3 to 4 ft	45	-37	.30
4 to 5 ft	.55 .80	.47 .65	·37
3 to 0 tt	.00	.03	.54
fragrantissima, 6'-8'	Winter	-	
Fragrant, white flower, April-M			
18 to 24 in	.22	.20	.15
3 to 4 ft	∙33 •4 <i>5</i>	.27 .37	.22
4 to 5 ft	.70	•57 •55	.45
5 to 6 ft	1.05	.90	.70
•	blooming	-	
Flowers purple outside, yellow i	_	-	
18 to 24 in	.15	.12	.10
2 to 3 ft	•13 •33	.27	.22
2 20 3 220 0000000000000000000000000000	•00	,	
henryi, 15'-20'	Henry	Honey	suckle
Semi evergreen vine; large gloss flowers, black fruit.	sy green f	oilage,	reddish
12 to 15 in	.75	.60	
japonica, 15'-20'	Japanese	Honey	suckle
Rapid growing vine, blooming f		-	
tember. Almost evergreen and			
valuable for covering steep ban	ks.		
1 year	.15	.12	.10
2 year	.22	.20	
2 vegr	22	27	.15
3 year	•33	.27	
-aureoreticulata Yellownet	Japanese		.15
-aureoreticulata Yellownet Leaves veined with golden-yello	Japanese	Honey	.15 .22 vsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year	Japanese ow. -37	Honey	.15 .22 vsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello	Japanese	Honey	.15 .22 vsuckle
-aureoreticulata Yellownet Leaves veined with golden-yelle 2 year	Japanese ow. 37 45 Japanese	.30 .37 Honey	.15 .22 vsuckle .25 .30
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year	Japanese 37 45 Japanese h outside	.30 .37 Honey	.15 .22 vsuckle .25 .30 vsuckle
-aureoreticulata Yellownet Leaves veined with golden-yelle 2 year	Japanese ow. 37 45 Japanese	.30 .37 Honey	.15 .22 vsuckle .25 .30
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year	Japanese ow37 .45 Japanese h outside .30 Japanese	.30 .37 Honey	.15 .22 vsuckle .25 .30 vsuckle .20
-aureoreticulata Yellownet Leaves veined with golden-yelle 2 year	Japanese ow37 .45 Japanese h outside .30 Japanese	30 37 Hones 25	.15 .22 vsuckle .25 .30 vsuckle .20 vsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year	Japanese ow. 37 45 Japanese h outside 30 Japanese k.	.30 .37 Honey .25 Honey	.15 .22 vsuckle .25 .30 vsuckle .20 vsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year 3 year brachypoda Hardleaf Slower growing; flowers purplis 2 year -chinensis, 15'-20' Purple Good vine for covering steep ban 2 year 3 year	Japanese ow37 .45 Japanese h outside .30 Japanese	30 37 Hones 25	.15 .22 vsuckle .25 .30 vsuckle .20 vsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year	Japanese ow. 37 45 Japanese h outside 30 Japanese k. 22 33 Japanese	.30 .37 Honey .25 Honey .20 .27	.15 .22 rsuckle .25 .30 rsuckle .20 rsuckle .20 rsuckle .21 rsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year 3 year brachypoda Hardleaf Slower growing; flowers purplis 2 year -chinensis, 15'-20' Purple Good vine for covering steep ban 2 year 3 year	Japanese ow. 37 45 Japanese h outside 30 Japanese k. 22 33 Japanese	.30 .37 Honey .25 Honey .20 .27	.15 .22 rsuckle .25 .30 rsuckle .20 rsuckle .20 rsuckle .21 rsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year	Japanese ow. 37 45 Japanese h outside 30 Japanese k. 22 33 Japanese	.30 .37 Honey .25 Honey .20 .27	.15 .22 rsuckle .25 .30 rsuckle .20 rsuckle .20 rsuckle .21 rsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year	Japanese ow. 37 45 Japanese h outside 30 Japanese k. 22 33 Japanese 7, deliciou	Honey .30 .37 Honey .25 Honey .20 .27 Honeysly frag	.15 .22 vsuckle .25 .30 vsuckle .20 vsuckle .25 .30 vsuckle .20 vsuckle
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year 3 year brachypoda Hardleaf Slower growing; flowers purplis 2 year -chinensis, 15'-20' Purple Good vine for covering steep ban 2 year 3 year -halliana, 15'-25' Hall Grows rampantly. Blooms freely 1 year	Japanese ow. 37 45 Japanese h outside 30 Japanese k. 22 33 Japanese 7, deliciou	Honey .30 .37 Honey .25 Honey .20 .27 Honey sly frag	.15 .22 zsuckle .25 .30 zsuckle .20 zsuckle .15 .22 zsuckle grant.
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year 3 year brachypoda Hardleaf Slower growing; flowers purplis 2 year -chinensis, 15'-20' Purple Good vine for covering steep ban 2 year 3 year -halliana, 15'-25' Hall Grows rampantly. Blooms freely 1 year 2 year 3 year	Japanese ow. 37 45 Japanese h outside 30 Japanese k. 22 33 Japanese 7, deliciou .15 .27 .33	.30 .37 Honey .25 Honey .20 .27 Honey sly frag .12 .22 .27	.15 .22 vsuckle .25 .30 vsuckle .20 vsuckle .15 .22 vsuckle grant. .10 .18 .22
-aureoreticulata Yellownet Leaves veined with golden-yello 2 year 3 year brachypoda Hardleaf Slower growing; flowers purplis 2 year -chinensis, 15'-20' Purple Good vine for covering steep ban 2 year 3 year -halliana, 15'-25' Hall Grows rampantly. Blooms freely 1 year 2 year 3 year	Japanese ow. 37 45 Japanese h outside 30 Japanese k. 22 33 Japanese 7, deliciou .15 .27	.30 .37 Honey .25 Honey .20 .27 Honey sly frag .12 .22 .27	.15 .22 vsuckle .25 .30 vsuckle .20 vsuckle .15 .22 vsuckle grant. .10 .18 .22

	Timis Dai	:- 0-	: . :
LONICERA—continued	Unit Pric	5-24	25-249
maacki, 12'-15'	Amur	Hone	ysuckle
Vigorous grower. Thrives under spreading. White flowers in May ripening in September.	neglect. followed	Uprig l by re	tht and ded fruit
2 to 3 ft	.45	-37	.30
3 to 4 ft	.70	.55	.45
4 to 5 ft	.95 1.05	.75 .90	.60
—podocarpa, 8'-9'	Late	Honey	suckle
Smaller, pinkish flowers, better	fruit tha	n the	variety
maacki and holds leaves longer.	Vigorous.		
2 to 3 ft	45	-37	.30
3 to 4 ft	.70	-55	45
4 to 5 ft	.90	.75	.60
	1.10	.95	. 75
morrowi, 7'-8'	Mor r ow	Hone	suckle
Spreading habit, white, May-June red berries.	; good f	oilage.	Showy
18 to 24 in	.27	.22	.18
2 to 3 ft	·37	.30	.25
3 to 4 ft	.50	40	•33
-xanthocarpa Yellow fruited	Morrow	Honey	suckle
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
nitida, 3'	Shiny	Honey	suckle
A neat evergreen for the rock gar leaves. Needs protection.	den with	small	glossy
6 to 9 in., 3 in. pots	•37 •90	.30 .75	
pileata, 1½'-2'	Privet :	Honev	suckle
An evergreen prostrate form with and purple fruits. Suitable for the location.	white fra	grant	flowers
6 to 9 in., 4 in. pots	45	-37	
9 to 12 in., 5 in. pots	.70	.55	
punicea			
Moderate-growing vine. Twining flower with orange-red corolla.	by sten	ns. Att	ractive
2 year	.45	-37	.30
3 year	-55	-47	-37
4 year	.70	·5 <i>5</i>	-45
ruprechtiana, 8'-9' Mand	hurian	Honey	suckle
Creamy-white flowers, June. Be orange.	rries rec	d, son	netimes
2 to 3 ft	.30	.25	.20
3 to 4 ft	45	-37	.27
4 to 5 ft	-55	-47	-37
5 to 6 ft	.70	-55	-45

Visit our nurseries when Azaleas and Rhododendrons are in flower. Azaleas are listed on pages 15, 16, 17, 18 and 19. Rhododendrons are listed on pages 91, 92 and 93.

	Unit Price	in Ou	antities
LONICERA—continued		5-24	
syringantha, 4'-5'	Lilac 1	Honey	suckle
Attractive, but little known, sle grant, pale, rosy-lilac flowers.	ow-growing	shru	b. Fra-
18 to 24 in	•45 •55	∙37 - 47	
-Wolfi, 4'-5'	Wolf I		
Graceful refined shrub for the la prostrate branches. Bluish-green			
18 to 24 in	.60 ∙75	.50 .60	
tatarica, Pink and White, 9'-10'	Tatarian 1	Honey	suckle
Flowers and fruit freely produshrub.	iced. A mo	ost ad	aptable
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45 .55	•37 •47	.30 •37
5 to 6 ft	.70	.55	
—alba virginalis, 10'	Maiden 1	-	suckle
2 to 3 ft	.40 .50	.30 .40	
-pulcherrima, 9'-10' Bright Red	Tatarian 1	Ho ney	suckle
Handsome red-flowered form of	he type.		
18 to 24 in	-37	.30	.25
2 to 3 ft	45	-37	.30
3 to 4 ft	.55	47	•37
4 to 5 ft	.80	.65	.52
-sibirica, 9'-10' Red	Tatarian I	Honey	suckle
3 to 4 ft	-45	. 37	
thibetica, 3'-4'	Tibetan I	Ioney	suckle
Small, gray-green foliage and f Handsome, small shrub for rocke	ragrant, pu	irple f	lowers.
18 to 24 in		.65	
2 to 3 ft	1.10	.95	
	ean Fly l	-	
Flowers yellowish white often ti fruits dark red.	nged red, I	May to	June;
2 to 3 ft	•33	.27	.22
3 to 4 ft	.45 .55	∙37 •47	.30 ∙3 7
	inese Mat		
Violet flowers in June, followed b ful for holding banks or hangir	y bright real	aining	walls.
18 to 24 in	.22	.20	.15
2 to 3 ft	•33 •45	.27 .37	.22 .30
*LYONIA ligustrina, 10'-12'	He-l	Huckle	eber ry
Has attractive white flowers May	-July.		-
2 to 3 ft	1.00 -		
3 to 4 ft	1.25		

——≼ M ≽——

	Unit P 1-4	rice in Qu 5-24	antities 25-249
MACLURA pomifera, 30'	- 4		
Makes a perfect barrier hedge has use as a small ornamental t	if trimn	Osage (ned yearl	y. Also
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.55 .80 1.05	.47 .65	·37 ·52 ·70
6 to 8 ft	1.30	1.05	.85
MAGNOLIA acuminata, 70'-80'		Cucum	
Pyramidal habit, vigorous growt greenish-yellow; pink fruit.	h; large	leaves;	flowers
3 to 4 ft	1.75		
4 to 5 ft	2.25		
6 to 8 ft., B. & B.	3.00 7.00		
8 to 10 ft., B. & B	9.00		
conspicua, 25'-30'			Yulan
Tree with spreading branches: la	rge, whi	te. sweet.	
nowers before leaves in April or	May.	ec, sweet-	secifica
2 to 3 ft., B. & B	3.00	2.50	
3 to 4 ft., B. & B	4.50	3.75	-
5 to 6 ft., B. & B.	6.7 <i>5</i> 9.00	5.60 7.50	
6 to 8 ft., B. & B	12.00	7.50	
glauca, 15'-20'		Sw	eetbay
Delightfully fragrant, creamy flo leaves, nearly evergreen. Prefers	owers in moist l	May. Glocation.	aucous
18 to 24 in., B. & B	1.10	.95	.75
2 to 3 ft., B. & B	1.65	1.35	1.10
3 to 4 ft., B. & B 4 to 5 ft., B. & B	2.85	2.35	1.90
5 to 6 ft., B. & B.	4.50 6.00	3.75 5.00	
6 to 8 ft., B. & B	7.50	6.25	
8 to 10 ft., B. & B	9.00	7.50	
grandiflora, 60'-75'	Sout	hern Ma	gnolia
Handsome evergreen specimen tr shiny, leathery leaves. Flowers co grant.	ee of th	ie South. hite—qui	Large, te fra-
2 to 3 ft., B. & B	2.60	2.20	
4 to 5 ft., B. & B	4.50	2.20	
5 to 6 ft., B. & B	6.00		
kobus, 20'-30'	K	obus Ma	gnolia
White flowers in April or May be hardiest magnolias.			
2 to 3 ft., B. & B	1.80	1.50	1.20
3 to 4 ft., B. & B	2.85	2.35	1.90
4 to 5 ft., B. & B	3.90	3.25	2.60
6 to 8 ft., B. & B.	6.00	5.00	4.00
8 to 10 ft., B. & B	7.50 11.25	6.2 <i>5</i> 10.00	
10 to 12 ft., B. & B	15.00	12.50	
12 to 14 ft., B. & B	19.00	15.00	

MAGNOLIA—continued	Unit Pr 1-4	rice in Qua 5-24	antities 25-249
liliflora nigra 15'-18'	_	Lily Ma	-
Dark purple flowers. Sometimes of	alled so	ulangeana	ı nigra.
18 to 24 in., pots	4.50		
macrophylla, 25'-40'	Bi	gleaf Ma	gnolia
Rapid-growing, medium-sized large, from 1-3' long. Flowers across.	tree. Le also larg	aves unu ge, being	isually 10-12"
8 to 10 ft., B. & B	12.00 15.00		
soulangeana, 15'-18'	Sa	ucer Ma	gnolia
Large, purplish-pink and white transplanted in early spring.	flowers	s in May	. Best
12 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B	1.35 2.25	1.10 1.90	.90 1.50
3 to 4 ft., B. & B	3.90	3.25	2.60
4 to 5 ft., B. & B	5.60	4.75	3.75
5 to 6 ft., B. & B	7.90	6.55	5.25
6 to 8 ft., B. & B	10.15 12.50	8.4 <i>5</i> 10.00	6.75
soulangeana alba superba, 15'-18		10.00	
White to light pink flowers; in langeana.	_	ucer Ma espects lil	
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color.		nder Ma a, but a fe	
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color.	ılangean	a, but a fe	w days
—alexandrina, 15'-18' This variety is very similar to sou	ilangean: L		w days
 —alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. 	ilangean: L	a, but a fe	w days
 —alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. 	langean: L il. urple Sa	a, but a fe enne Ma aucer Ma	w days
 —alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' P Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 	langean: L il. urple Sa	a, but a fe enne Ma aucer Ma	gnolia gnolia 2.60
 —alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' P Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 	Lil. Surple Sa Flowers 1 3.90 6.00	enne Ma nucer Ma rose-red. 3.25 5.00	w days gnolia gnolia 2.60 4.00
 —alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' P Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 	Lil. urple Sa 3.90	enne Ma aucer Ma rose-red. 3.25	gnolia gnolia 2.60
 —alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' P Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 	Lil. Surple Sa Flowers 1 3.90 6.00	enne Ma nucer Ma rose-red. 3.25 5.00	m days gnolia gnolia 2.60 4.00 5.50
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fraging flowers appearing long before the	Lurple Sa Flowers a 3.90 6.00 8.00	a, but a fe denne Ma aucer Ma rose-red. 3.25 5.00 6.75 Star Ma ni-double,	gnolia gnolia 2.60 4.00 5.50 agnolia
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fraging flowers appearing long before the 18 to 24 in., B. & B.	Lurple Sa Flowers a 3.90 6.00 8.00	a, but a fe denne Ma aucer Ma rose-red. 3.25 5.00 6.75 Star Ma ni-double, 2.35	gnolia gnolia 2.60 4.00 5.50 agnolia
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fraggiflowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Lil. Surple Sa Flowers 1 3.90 6.00 8.00 Fant, sen the leaves 2.85 3.90	a, but a fe denne Ma aucer Ma rose-red. 3.25 5.00 6.75 Star Ma ni-double, 2.35 3.25	gnolia gnolia 2.60 4.00 5.50 agnolia
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fragg flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Lil. Surple Sarant, sente leaves 2.85 3.90 5.60	a, but a fe denne Ma aucer Ma aucer Ma 3.25 5.00 6.75 Star Ma ni-double, 2.35 3.25 4.75	gnolia gnolia 2.60 4.00 5.50 agnolia
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fraging flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	Lil. urple Sa Flowers 1 3.90 6.00 8.00 rant, sen te leaves 2.85 3.90 5.60 7.90	a, but a fe denne Ma aucer Ma rose-red. 3.25 5.00 6.75 Star Ma ni-double, 2.35 3.25	gnolia gnolia 2.60 4.00 5.50 agnolia
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fraging flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Lil. Surple Sarant, sente leaves 2.85 3.90 5.60	a, but a fe denne Ma aucer Ma aucer Ma 3.25 5.00 6.75 Star Ma ai-double, 2.35 3.25 4.75 6.55	gnolia gnolia 2.60 4.00 5.50 agnolia
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. If 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fragging flowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	Lil. urple Sa flowers a 3.90 6.00 8.00 rant, sen ne leaves 2.85 3.90 5.60 7.90 10.50	a, but a fe denne Ma aucer Ma rose-red. 3.25 5.00 6.75 Star Ma ni-double, 2.35 3.25 4.75 6.55 9.00	gnolia gnolia 2.60 4.00 5.50 agnolia
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fraggiflowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	Lil. urple Sa Flowers 1 3.90 6.00 8.00 rant, sen te leaves 2.85 3.90 5.60 7.90 10.50 12.00 15.00 18.00	a, but a fe denne Ma aucer Ma aucer Ma 3.25 5.00 6.75 Star Ma ii-double, 2.35 3.25 4.75 6.55 9.00 10.00	gnolia 2.60 4.00 5.50 agnolia white
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. If 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fraggiflowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	Lil. urple Sa Flowers 1 3.90 6.00 8.00 rant, sen te leaves 2.85 3.90 5.60 7.90 10.50 12.00 15.00 18.00	a, but a fe denne Ma aucer Ma rose-red. 3.25 5.00 6.75 Star Ma ni-double, 2.35 3.25 4.75 6.55 9.00	gnolia 2.60 4.00 5.50 agnolia white
—alexandrina, 15'-18' This variety is very similar to sou later and slightly deeper color. —lennei, 15'-18' Rich, deep purple flowers in Apr. —rustica, 15'-18' Hybrid variety of soulangeana. I 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. stellata, 8'-10' Spreading, shrubby habit, fraggiflowers appearing long before the 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	Lil. urple Sa Flowers 1 3.90 6.00 8.00 rant, sen te leaves 2.85 3.90 5.60 7.90 10.50 12.00 15.00 18.00	a, but a fe denne Ma aucer Ma aucer Ma 3.25 5.00 6.75 Star Ma ii-double, 2.35 3.25 4.75 6.55 9.00 10.00	gnolia 2.60 4.00 5.50 agnolia white

MAGNOLIA—continued	Unit I 1-4	Price in Qu 5-24	antities 25 - 249
tripetala, 30'-40'	Um	brella Ma	gnolia
Very large leaves; flowers white,			_
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	5.25	4.40	3.50
6 to 8 ft	7.50	6.25	5.00
8 to 10 ft	10.00	8.00	6.50
10 to 12 ft	12.50 15.00	10.00 12.50	8.2 <i>5</i> 10.00
MAHONIA aquifolium, 4'-5'		gon Holl	
Evergreen. Shining, green leaves	turn r	ich scarlet	in au-
tumn; striking in May when blue-black fruits. Best in half-sh	ade.	flowers a	appear;
12 to 15 in., B. & B		1.10	.90
15 to 18 in., B. & B	2.00	1.70	1.35
MALUS aldenhamensis, 25'-40'			
A variety popular in Europe. Red Fine tree for the border screen.	dish ca	st to the	foliage.
2 to 3 ft	.90	•75	
3 to 4 ft	1.10	.95	
6 to 8 ft	3.40	2.80	
arnoldiana, 8'-10' White flowers. Compact habit.		Arnolo	l Crab
3 to 4 ft	1.10	.95 1.10	.75
5 to 6 ft	1.35	1.10	
6 to 8 ft	3.00	2.50	
atrosanguinea, 10'-15'		Carmin	e Crab
Single, red flowers freely borne.			
3 to 4 ft	1.10	.95	. 75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft	4.50	3.75	
baccata, 20'-25'		Siberian	
Very hardy; one of the earliest blossoms in great profusion, follow or red fruit.	to bloved by	om. Pure wax-like,	white yellow
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.70	1.35
6 to 8 ft	2.85	2.35	1.90
8 to 10 ft	4.50	3.75	3.00
	6.00	5.00	<u> </u>
—mandshurica, 25'		anchurian	Crab
5 to 6 ft	2.25		
0 10 0 11	3.00		

The Autumn foliage of many shrubs and trees make a wonderful color picture. Visit our nurseries during October and November to see the beauty of Autumn color.

	Unit P	rice in Qu	antities
MALUS—continued	1-4	5-24	25-249
coronaria, 15'-20'		'ild Swee	
Fragrant, blush-pink flowers in ea	rly s pri	ng. Doubl	e.
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.70 2.35	1.35 1.90
8 to 10 ft	4.50	3.75	
dolgo, 15'	, ,	3 7 3	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00		
5 to 6 ft	2.85		
6 to 8 ft	4.00		
, ,		lowering	•
Literally covered with single,	ose-col	ored flow	ers in
early spring. Yellow fruits.		0.7	
3 to 4 ft	1.10	.95 1.35	.7 <i>5</i>
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.40	2.80	
purpurea, 10'-15'	0.	Purple	Crab
A very attractive, purple-foliaged	l tyne (_	
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.90	3.25	2.60
10 to 12 ft	5.60	4.75	3.75
— —eleyii, 10'-15'	Ely I	lowering	Crab
A free-blossoming Crab with rec	-	_	-
grower.			0
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.25	1.90	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.35	-
	5.50	4.75	~ .
halliana parkmani, 10'-15'		Parkman	
Semi-double pink; flowers on lo pact habit, and grows rather slow		ms; good	, com-
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.40	2.80	2.25
6 to 8 ft	4.50	3.75	
8 to 10 ft	6.00		
		Flowering	
Bright, rose-red, double flowers inside and out, making this new, tremely attractive.			
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00

The Cotoneasters are among the best of Rockery Plants. Turn to pages 33, 34, 35 and 36 for varieties and prices of pot grown plants.

MALUS-continued	Unit Pr	ice in Qu	
ioensis plena. 10'-15'	1-4	5-24 Bechte	
Large, double, pure pink flower	re with		
grance; vigorous growers—last to	flower.	nonceau	ic iia-
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25 3.15	1.90 2.60	1.50 2.10
	3.13		
ioensis, 20'-25' More vigorous than the popular pink flowers.	Bechtel		e Crab Single
2 to 3 ft	1.00	.80	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.70	
5 to 6 ft	2.75	2.30	
lemoinei, 15'		Lemoin	e Crab
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.50	3.75	
micromalus, 15'			
Upright growing tree; deep pink of red fruit.	flowers	; large	clusters
5 to 6 ft	2.25 3.00	1.90 2.50	
neidzwetzkyana, 15'-25'		Redvei	n Crab
The twigs, flowers and fruits or reddish hue. Free-growing type.	of this	variety	have a
4 to 5 ft	1.10	.95	-75
5 to 6 ft	1.65	1.35	1.10
8 to 10 ft	2.25 4.05	1.90 3.40	1.50 2.70
Oekonomierat Echtermeyer, 10'-		0.	
Carmine-rose flowers. Dark brown form of Crab.		fruit. W	eeping
3 to 4 ft	1.10	-	
4 to 5 ft	1.50		
5 to 6 ft	2.25		
	3.50	337	C 1
pumila pendula, 10'-15'		Weeping	g Crab
Flowering Crab of weeping or dro 5 to 6 ft., 2 yr. heads		abit.	
3 to 4 ft., 3 yr. heads	2.00 3.00		
4 to 5 ft., 4 yr. heads	4.50		
robusta, 12'-15'		Cherr	y Crab
4 to 5 ft	1.65	1.35	
5 to 6 ft	2.25	1.90	
6 to 8 ft	2.85 3.90	2.35 3.25	
sargenti, 6'-8'	3.90	Sargen	t Crah
Low growing form with rigid sp flowering.	preading		
2 to 3 ft	1.35	1.10	.90
3 to 4 ft	2.00	1.70	1.35
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	3.40	2.80	2.25

MALUS—continued	Unit Pr	ice in Qua 5-24	ntities 25 -2 49
scheideckeri, 10'-15'	Sch	eidecker	Crab
Lasting, double, pink flowers in he yellow fruits.	andsome	clusters.	Large,
3 to 4 ft	1.10	.95	-75
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	2.85 3.90	2.35 3.25	1.90
sieboldi, 12'-15'	3.90	Toringo	Crah
Deep rose fading to white; large	zellow or		
5 to 6 ft	2.00		
	3.00	1	
spectabilis, 10'-15' Ch Beautiful, double pink flowers;		lowering	g Crab
3 to 4 ft	1.10 1.65	.95 1.35	.7 <i>5</i> 1.10
5 to 6 ft	1.75	1.65	1.50
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft	5.25		
theifera, 15'-20'		Tea	a Crab
Sturdy, spreading tree with entir flowers which are white or tinto of the finest.	e branch ed with	es covere pale pin	d with k. One
3 to 4 ft	1.35	1.10	
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.85	2.35	
6 to 8 ft	3.60	2.85	
8 to 10 ft	4.50	3.75	
zumi, 12'-15'	.1 **		i Crab
Low spreading tree of dense gro			iowers.
6 to 8 ft	3.00 4.50	2.50 3.75	
—calocarpa, 12'-15'			
6 to 8 ft	3.00 4.50	2.50	2.00
MORUS alba, 35'-50'		hite Mu	
The Mulberry cultivated in China ally thick-topped, rapid-growing a fruits attractive to birds.			
4 to 6 ft	1.10	.95	.75
-		ping Mu	-
Small "weeping" tree; long slend	_	to the g	round.
 yr. heads, 4 to 5 ft. stem yr. heads, 4 to 5 ft. stem 	2.85 3.90	2.35 3.25	1.90 2.60
MYRICA carolinensis, 4'-5'	Nort	hern Ba	yberry
Does well in poor, gravelly so berries, and glossy, green foliage	il. Has o	decorative	, gray
15 to 18 in	.70	.55	-45
18 to 24 in	.90	.75	.60

≪ N №

Unit Price in Quantities 5-24 25-249 NANDINA domestica, 4'-6' Nandina Evergreen. One of the handsomest, broad-leaved evergreens in the South. Foliage is light in effect. Beautiful fall coloring. Has large trusses of red berries. .60 1.10 .95 18 to 24 in., 6 in. pots..... 1.65 1.35 NEILLIA sinensis, 5'-6' Tube Neillia Graceful small shrub producing innumerable small pink flowers on terminal racemes. 2 to 3 ft.80 .65 3 to 4 ft. 1.05 .90 NEMOPANTHUS mucronata, 10' Mountain Holly Deciduous shrub. Handsome glossy foliage and attractive bluish-pink berries during the fall. Prefers moist soil. .50 18 to 24 in.75 .90 *NYSSA sylvatica, 40'-60' Sourgum

One of our finest, ornamental trees, with handsome foliage, assuming brilliant autumn tints. Will grow in wet

.90

1.10

1.50

1.90

1.35

1.90

2.25

3.50


5.00

places. Also called Tupelo.
2 to 3 ft.

3 to 4 ft.

4 to 5 ft.

6 to 8 ft.



THE STONY BROOK BRIDGE

This triple-arched bridge on the Lincoln Highway, just west of the town, was erected in 1792 to replace the bridge built in 1738 and destroyed in the Battle of Princeton

→ 40 >>--

Unit Price in Quantities 1-4 5-24 25-249

OSMANTHUS aquifolium, 3'-4'	Holly Osmanthus
Evergreen shrub, with holly-like glossy. Suitable for protected loca	

12 to 15 in., pots	1.75 2.25 3.00	1.50 1.90 2.50	
--------------------	----------------------	----------------------	--

OSTRYA virginiana, 25'-30' Hophornbeam Slender, spreading branches; handsome, beech-like foliage, clear yellow in autumn. Smooth, blue-gray bark, hop-like fruits. Useful for dry locations.

nop mic matter obtrar for dry to	cacioni.		
5 to 6 ft	2.85	2.35	1.90
6 to 8 ft	4.50	3.75	3.00
8 to 10 ft	6.35	5.30	4.25
Larger specimens up to 15 ft.			

OXYDENDRUM arboreum, 25'-30'

Sourwood

Graceful clusters of white flowers. August. Good leathery foliage. Fine autumn coloring.

2 to 3 ft., B. & B	1.10	.95	-75
3 to 4 ft., B. & B	1.65	1.35	1.10
4 to 5 ft., B. & B	2.25	1.90	1.50
5 to 6 ft., B. & B	3.90	3.25	2.60
6 to 7 ft., B. & B	4.50	3.75	
7 to 8 ft., B. & B	6.00	5.00	
8 to 10 ft., B. & B	7.50		
10 to 12 ft., B. & B	9.00		



CLIO HALL

This building in white marble, one of the twin edifices which used to house the two college literary and debating societies, is now the office of THE DAILY PRINCETONIAN

——≼ P >>--

	Unit Pr	ice in Qu	
PACHYSANDRA terminalis, 6"-8			
Evergreen. One of the best bed effect in shady places.	lding pl	ants for	green
2 in. pot grown	.15	.12	.10
PAULOWNIA tomentosa, 30' Large heart shaped leaves and st		Empres	s Tree
gives a bold picturesque effect flowers.	. Fragra	nt pale	ranches violet
2 to 3 ft	1.50 2.00	1.25	
PHELLODENDRON chinense, 2	5'-30'		
	Chi	inese Co	rktree
A rapid-growing, tropical-appeari	ng, smal	l tree.	
6 to 8 ft	2.85	2.35	
8 to 10 ft	3.75	3.00	
10 to 12 ft	4.50	3.75	
12 to 14 ft	6.35	5.30	
lavallei, 25'-30'	La	valle Co	rktree
A tree from eastern Asia with follows. Interesting corky bark.	iage simi	ilar to th	e wal-
5 to 6 ft	1.80	1.50	1.20
6 to 8 ft. 8 to 10 ft.	2.70 3.60	2.25	1.80
		2.85	
PHILADELPHUS coronarius, 9'-	10′	. 3.5. 4	
White fragrant flamore	Swee	t Mocko	range
White, fragrant flowers profusely			une.
2 to 3 ft	.30	.25	.20
3 to 4 ft	·37	.30	.27
4 10 3 11	.50	40	-3 3
		f Mocko	range
Dwarf, compact form. Yellow leav	es.		
12 to 15 in	45	·37	.30
15 to 18 in	-55	·47	-37
18 to 24 in	.70	•55	45
floribundus, 9'-10'			
Resembles coronarius. Very fre slightly fragrant.	ee bloo	ming; f	lowers
2 to 3 ft	.30	.25	.20
3 to 4 ft	40	·33	.27
4 to 5 ft	-55	-47	-37
grandiflorus, 7'-8' Big S	centless	Mocko	range
Large flowers lacking fragrance.			
2 to 3 ft	·33	.27	.22
3 to 4 ft	·37	.30	.27
5 to 6 ft	·55 .80	47	•37
<u> </u>	.00	.65	.52

PHILADELPHUS—continued	Unit Pric	ce in Quar	ntities
lemoine, 7'-8'	Lemoine		
Good, compact habit. Flowers swe			ange
18 to 24 in	- 33	.27	.22
2 to 3 ft	40	·33	.27
3 to 4 ft	·5 5	-47	·37
sericanthus		Mocko	_
Late-flowering variety—large leading large.			nusu-
3 to 4 ft	•55 •72	∙47 ∙57	•3 7 •47
virginalis, 7'-8'	Virgina	1 Mocko	range
Beautiful, semi-double flowers all summer.	produced	intermit	tently
18 to 24 in	•33	.27	.22
2 to 3 ft	45	-37	-30
3 to 4 ft	.70	·5 5	-4 5
PHILADELPHUS HYBRIDS			
albatre, 4'-5'			
Large single white flowers. Low	bushy gro	wth.	
18 to 24 in	-33	.27	.22
2 to 3 ft	•45 •55	∙37 •47	.30 ∙37
atlas, 6'-8'	•99	47	•37
Tall variety with enormous flower	rs.		
18 to 24 in	-33	.27	.22
2 to 3 ft	.45	•37	.30
3 to 4 ft	-55	.47	·37
avalanche, 4'-5'	Dwar	f Mocko	range
Graceful, arching habit.			
18 to 24 in	·33	.27	.22
2 to 3 ft	-37	.30	27
banniere, 7'-8'			
New, early, semi-double, pure wh		27	.22
18 to 24 in	∙33 • 37	.27 .30	
3 to 4 ft	-55	.47	
4 to 5 ft	.70	·5 <i>5</i>	•45
	e Bouque		range
Low, dense habit. Blooms freely	. May-Jun	e.	
18 to 24 in	•37 •50	.30 .40	.27 .33
brachybotrys, 5'-6'			
Bushy growth; floriferous.			
3 to 4 ft	.55	-47	-37
4 to 5 ft	.70	-55	45
enchantment, 7'-8'	.1.1	.11	
Double white flowers in thick palanc.			ouquet
18 to 24 in	∙33 •37	.27 .30	
2 10 3 11	.37	.50	

	Unit P1	rice in Qu 5-24	
PHILADELPHUS HYBRIDS-	-continu		, ,
falconeri, 6'-8'			
Graceful arching habit. Star sha	ped flow	ers.	
2 to 3 ft	45	-37	.30
girandole, 7'-8'	-55	-47	•37
Strikingly handsome variety, pro	ofuse in	former.	
18 to 24 in	-37	.30	
2 to 3 ft	.50	40	
3 to 4 ft	-55	-47	-37
inodorus, 5'-6' Profuse bloomer.			
18 to 24 in	22	27	22
2 to 3 ft	•33 •45	.27 .37	.22 .30
laxus, 7'-8'	Drooping		-
Similar to Grandiflora in flower. I			
2 to 3 ft	.45	-37	.30
3 to 4 ft	.55 1.00	.47 .80	-37
lewisi, 8'-10'	1.00	.00	
Large single flowers.			
3 to 4 ft	-55	-47	-37
4 to 5 ft	.70	·55	45
maximus, 7'-8'			
Large-flowered variety.			
2 to 3 ft	·45	-37	.30
4 to 5 ft	·55 .70	∙47 ∙55	-37 -45
5 to 6 ft	.85	.70	-55
nivalis, 10'			
Very floriferous. 18 to 24 in			
2 to 3 ft	-33 -45	.27 •37	.22 .30
3 to 4 ft	·55	·47	.37
4 to 5 ft	.70	-55	-45
pubescens, 8'-10'	Hoary	Mocko	range
Racemes of 6 to 8 flowers. Each across.	flower in	ch and a	ı half
18 to 24 in	·33	.27	.22
2 to 3 ft	-55	47	-37
3 to 4 ft	.45 .70	∙37 ∙55	.30 .45
	ırplecup		
Pure white fragrant flowers with I	ournle ca	MOCKOT vx	ange
3 to 4 ft	.55	-47	-37
4 to 5 ft	.70	.55	45
pyramidalis, 8'-10'			
Narrow upright growth.			
2 to 3 ft	45 ·55	·37	
4 to 5 ft	.70	·47 ·55	
5 to 6 ft	.90	.75	-

	Unit Pr	ice in Qua	ntities 25-249
PHILADELPHUS HYBRIDS-	•		~)- ~ 49
sericantus, 6'-8'			
Bushy with arching growth.			
4 to 5 ft	.70	-55	
5 to 6 ft	.90	.75	
verruculosus, 8'-10'			
Small leaves and white flowers.			
2 to 3 ft	45	-37	.30
3 to 4 ft	•55	-47	-37
4 to 5 ft 5 to 6 ft	.70 .90	•55 75	.60
voie lactee, 7'-8'	.90	.75	.00
Large, single, white flowers, pure	white		
2 to 3 ft		27	
3 to 4 ft	·45 ·55	•37 •47	
4 to 5 ft	.70	-55	
PHOTINIA subumbellata, 10'		Christma	charry
Slender branched shrub. Simila			•
shrubby in character. Attractive se			more
3 to 4 ft	.75	.62	.50
4 to 5 ft	1.20 1.65	1.00	.80 1.10
6 to 8 ft.	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
PHYSOCARPUS opulifolius, 9'-1	o'	Nir	ebark
Creamy-white, June. Vigorous. C	ood for	shade.	
2 to 3 ft	.27	.22	.18
3 to 4 ft	•33	.27	.22
4 to 5 ft	-45	-37	.30
5 to 6 ft	•55	-47	-37
—aureus, 9'-10'		dleaf Nir	
Golden-leaved variety; white flo	wers in	early Jun	e.
2 to 3 ft	.27	.22	.18
3 to 4 ft	•33	.27	.22
4 to 5 ft	45	·37	.30 -37
	-55	47	
—nanus, 5'	D	warf Nir	iedark
Dwarf variety of the specie.	50	.40	
2 to 3 ft	.50	.40	
PICEA			
canadensis (alba), 50'-60'		White S	
Evergreen. Silvery foliage; deve men of close texture.	lops into	o shapely	speci-
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 3 ft., B. & B	2.85	2.35	1.90
5 to 6 ft., B. & B	7.50 10.15	6.25 8.45	5.00 6.75
Larger specimens to 12 to 14 ft.	10.13	ربدت	

PICEA—continued	Unit 1-4	Price in Q 5-24	uantities 25 - 249
canadensis glauca conica, 4'-6'	Dwa	f Alberta	Spruce
Narrow pyramid. Slow of gro branches. Bright green leaves. U	wth w sefuli	ith short, n the rock	twiggy garden.
12 to 15 in., B. & B	1.65	0.3	1.10
18 to 24 in., B. & B.	2.25 4.50		1.50 3.00
2 to 2½ ft., B. & B.	6.00		4.00
engelmanni, 75'-100'	Εı	ngelmann	Spruce
Foliage bluish-green to steel-bl tree.	ue. Ha	andsome s	pecimen
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 3 ft., B. & B.	2.85	2.35	1.90
3 to 4 ft., B. & B	4.10 6.00	0,0	
Larger specimens to 10 to 12 ft.	0.00		
excelsa, 80'-100'		Norway	
Evergreen. Has dark green foli Makes a good windbreak, and a trimmed hedges.	age ar ilso le	nd grows nds itself	rapidl y. well to
	are all	exceptional	lu dense
SPECIAL NOTE—Our Norway Spruce symmetrical plants as they are shaped pare these plants with those grown by	up eve	ry year. Do inary method	not com- ds.
18 to 24 in., B. & B	1.35	1.10	.90
3 to 4 ft., B. & B.	1.80 2.85	1.50 2.35	1.20
4 to 5 ft., B. & B	4.50	3.75	3.00
5 to 6 ft., B. & B	6.75	5.50	4.50
6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	10.15	8.45	6.75
Larger specimens to 12 to 14 ft.	13.50	11.00	9.00
-inverta, 3'-5'			
Densely-branched pendulous form	n.		
6 to 8 ft., B. & B 8 to 10 ft., B. & B	9.00 12.00		
—pyramidalis, 35'-50' Pyran	nidal	Norway	Sprusa
Narrow, pyramid type with bra			
angle. 6 to 7 ft., B. & B	10.00	ascending	on an
7 to 8 ft., B. & B	12.00		
8 to 10 ft., B. & B	15.00		
koyamai, 40'-50'		Koyamai	
Narrowly pyramidal. Most attracting possibilities in landscape plan	ive fol	iage. Has i	nterest-
15 to 18 in	1.50 2.00		
omorika, 40'-50'		Serbian :	
A rapid-growing, narrow, compa duced from Southeastern Europe. men tree,	ct pyr Good	amid type accent and	intro- l speci-
2 to 3 ft., B. & B	4.00		

	** ** ** **		. • . •
PICEA—continued	1-4	ce in Qua	ntities 25 -24 9
orientalis, 75'-100'	О	riental S	pruce
Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing.			
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.10 1.65 2.25 3.40 4.50 6.00	.95 1.35 1.90 2.80 3.75 5.00	.75 1.10 1.50 2.25 3.00
5 to 6 ft., B. & B	9.00	7.50	
polita, 60'-75'	Tiş	ger-tail S	pruce
Very distinct species. Has rigid le senting a most striking effect.	aves on s	tout limb	s, pre-
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.50 2.25 3.00 4.00 5.00	1.25 1.90 2.50 3.35 4.10	
pungens, 60'-80'	Co	olorado S	Spruce
Evergreen. Branches in distinct some lawn specimen.	whorls,	forming	hand-
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.35 1.80 2.25 3.40 5.25 6.75 10.15	1.10 1.50 1.90 2.80 4.40 5.50 8.45 12.50	.90 1.20 1.50 2.25 3.50 4.50
pungens glauca, 60'-80'	Blue Co	olorado S	Spruce
Similar to above, but of a plea plants.	sing blue	e color. S	elected
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B.	1.65 2.25 3.40 5.60 8.00 10.00 13.00 16.00 20.00	1.35 1.90 2.80 4.75 6.50 8.00 10.00	1.10 1.50 2.25 3.75 5.25 6.75
—kosteri, 60'-80'	Kost	er Blue S	Spruce
Our own stock now offered in unusually good. It was carefull every plant is well shaped.	y selecte	d for col	or, and
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Larger specimens to 10 ft.	3.90 5.00 6.75 8.25 10.00 15.00	3.25 4.25 5.50 7.25 8.25 12.00	2.60 3.40 4.50 5.60

	IInia Da	-i i- O-	
PICEA—continued	1-4	rice in Q1 5-24	25 - 249
—specki, 60'-80' Bluish-white foliage. 4 to 5 ft., B. & B	8.00		
5 to 6 ft., B. & B.	10.00		
DWARF SPRU	CES		
We have been building up a stock attractive varieties of dwarf spruces rockeries and locations when neat, wanted.	especia	lly adar	ted for
Picea excelsea clanbrasiliana, 6-9 in	n.	Barr	y Sruce
— — conica, 4-6 in., 6-9 in.	Arr	owhead	Spruce
— echiniformis, 4-6 in.	He	dgehog	Spruce
—— Gregoryana, 4-6 in., 6-9 in.		regory	
—— Maxwell, 4-6 in.		[axwell	-
— microsperma, 4-6 in.	Sma	11 Cane	
— — nidiformis, 4-6 in., 6-9 in., 9-12	in. B	irdnest	Spruce
4 to 6 in., B. & B	.90	.75	.60
6 to 9 in., B. & B 9 to 12 in., B. & B	1.35 1.80	1.10 1.50	.90 1.20
PIERIS floribunda, 4'	Mounta	in And	romeda
Evergreen. Waxy-white flowers in foliage, best in half-shady place	May. G	ood, dee hardy.	p green
12 to 15 in., B. & B	2.25	1.90	1.50
15 to 18 in., B. & B	3.40 4.50	2.80 3.75	2.2 <i>5</i> 3.00
japonica, 5'-6'	Tapane	se Andı	romeda
Evergreen. Thick, shiny leaves, ter. Drooping clusters of small, May. Grows slowly. Best in moist,	t <mark>urni</mark> ng white f	bronze lowers	in win-
12 to 15 in., B. & B	1.65	1.35	
15 to 18 in., B. & B.	2.85	2.35	
18 to 24 in., B. & B	3.90	3.25	
	5.25	4.40	
mariana, 5'-6'		Stagg	erbush
Waxy-white flowers, May-June. 12 to 15 in., B. & B	1.50	1.25	
PINUS			
bungeana, 80'-100'		Lacebar	1. Dina
An unusually hardy slow growing bark which peels off showing a Very desirable for collections.	tree: bu	sh v habi	t. Flakv
6 to 9 in., B. & B	1.10 1.65	.95 1.35	.75 1.10
cembra, 35'-50'	S127	iss Ston	e Pine
Very slow growing. Makes a near with dense, compact growth. Stand	t symme	etrical p	vramid
18 to 24 in., B. & B			
2 to 2½ ft., B. & B. 6 to 7 ft., B. & B.	4.50 6.00 15.00	3.75 5.00	

PINUS—continued	Unit	Price in Qua 5 - 24	ntities 25 - 249
densiflora, 60'-80'	Tai	panese Red	Pine
Evergreen. Foliage dark green. A	good,	desirable v	
2 to 3 ft., B. & B	2,20		
3 to 4 ft., B. & B	2.90	•	
4 to 5 ft., B. & B	3.00	_	
5 to 6 ft., B. & B	6.35	5.30	
6 to 7 ft., B. & B	7.50	6.25	
—umbraculifera (tanyosho) Jap Odd shape, short, stocky stems, wit light green. Handsome and usefu	th flati		cedles
6 to 7 ft., B. & B			
excelsa, 30'-60'		Himalayan	Pine
Silvery, gray-green needles. Gra white pine. A very handsome vari	ety.		lar to
2 to 3 ft., B. & B	2.25	1.90	
3 to 4 ft., B. & B	3.60	2.85	
4 to 5 ft., B. & B	5.25	4.50	
5 to 6 ft., B. & B	7.25	6.00	
flexilis, 30'-40'		Limber	Pine
Evergreen. Dark, bluish-green foli	iage;	very hardy.	
18 to 24 in., B. & B	1.65	1,35	1.10
2 to 3 ft., B. & B	2.60	2.20	1.75
3 to 4 ft., B. & B	4.50	3.75	3.00
4 to 5 ft., B. & B	6.00	3.73	
5 to 6 ft., B. & B	9.00		
mantana -d	C:-		Dima
montana, 10'		s Mountain	
Similar in habit to Pinus mugho			
Similar in habit to Pinus mugho and more open in form.	but		
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B	5.00		
Similar in habit to Pinus mugho and more open in form. 3 to $3\frac{1}{2}$ ft., B. & B	but		
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B	5.00 6.25	of faster g	rowth
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B	5.00 6.25 10.00	of faster g	rowth Pine
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B	5.00 6.25 10.00	of faster g	rowth Pine
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B	5.00 6.25 10.00 ed cl	of faster g	Pine al for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B	5.00 6.25 10.00 ed clork.	of faster g	rowth Pine
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60	Mugho ump. Usefu	Pine of for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B.	5.00 6.25 10.00 ed cl ork. 2.25 2.60 3.90	Mugho ump. Usefu	Pine al for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to ½ ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60	Mugho ump. Usefu	Pine al for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00	Pine of for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25	Pine of for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00	Pine of for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50	Pine al for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 2½ in., B. & B. 2½ to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50	Pine of for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50	Pine al for
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 5 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. nigra, 60'-70'	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 15.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 — Austrian	Pine 1.50
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 5 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. nigra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 12.00 15.00 18.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 — Austrian s, dense grore.	Pine of 1.50
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 3½ to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. nigra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 12.00 12.00 18.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 — Austrian s, dense gu	Pine of 1.50
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. nigra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	5.00 6.25 10.00 ed cl. ork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 18.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 Austrian s, dense grore. 2.80 4.40	Pine 1.50
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation we lied to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. migra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 12.00 12.00 18.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 Austrian s, dense grore. 2.80 4.40 6.25	Pine 1.50
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 5 to 6 ft., B. & B. nigra, 60'-70' Evergreen. Rich, dark green. Vi Good for background. Thrives at 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B.	5.00 6.25 10.00 ed cl ork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 18.00 18.00 3.40 5.25 7.50 9.40	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 Austrian s, dense grore. 2.80 4.40 6.25 7.80	Pine 1.50
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 5 to 6 ft., B. & B. 10 to 7 ft., B. & B. 11 to 15 ft., B. & B. 12 to 2 ft., B. & B. 13 to 3 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 7 ft., B. & B. 17 to 18 in., B. & B. 18 to 2 ft., B. & B. 19 to 4 ft., B. & B. 10 to 7 ft., B. & B. 11 to 5 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 15 to 6 ft., B. & B.	5.00 6.25 10.00 ed cl. ork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 18.00 3.40 5.25 7.50 9.40 13.50	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 — Austrian s, dense gr ore. 2.80 4.40 6.25 7.80 11.00	Pine 1.50 ————————————————————————————————————
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 10 to 3 ft., B. & B. 11 to 5 ft., B. & B. 12 to 4 ft., B. & B. 13 to 5 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 7 ft., B. & B. 17 to 5 ft., B. & B. 18 to 4 ft., B. & B. 19 to 6 ft., B. & B. 10 to 5 ft., B. & B. 11 to 5 ft., B. & B. 12 to 5 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B.	5.00 6.25 10.00 ed clork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 15.00 18.00 3.40 5.25 7.50 9.40 13.50 18.00	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 —— Austrian s, dense grore. 2.80 4.40 6.25 7.80 11.00 15.00	Pine 1.50
Similar in habit to Pinus mugho and more open in form. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. montana mughus, 3'-4' Evergreen. Forms a round-topp rock planting and foundation wo 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 5 to 6 ft., B. & B. 10 to 7 ft., B. & B. 11 to 15 ft., B. & B. 12 to 2 ft., B. & B. 13 to 3 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 7 ft., B. & B. 17 to 18 in., B. & B. 18 to 2 ft., B. & B. 19 to 4 ft., B. & B. 10 to 7 ft., B. & B. 11 to 5 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 15 to 6 ft., B. & B.	5.00 6.25 10.00 ed cl. ork. 2.25 2.60 3.90 5.25 6.00 7.50 9.00 12.00 18.00 3.40 5.25 7.50 9.40 13.50	Mugho ump. Usefu 1.90 2.20 3.25 4.40 5.00 6.25 7.50 10.00 — Austrian s, dense gr ore. 2.80 4.40 6.25 7.80 11.00	Pine 1.50

PINUS—continued	Unit P 1-4	rice in Qu 5 - 24	antities 25 - 249
resinosa, 60'-70'		Re	d Pine
Dark green, stiff needles, vigorou	s.		
18 to 24 in., B. & B		0.5	~ ~
2 to 3 ft., B. & B.	1.10 2.85	.95	.75
3 to 4 ft., B. & B.	4.50	2.35 3.75	1.90 3.00
4 to 5 ft., B. & B	6.00	5.00	4.00
5 to 6 ft., B. & B.	9.00	7.50	6.00
6 to 8 ft., B. & B	13.50	11.00	9.00
8 to 10 ft., B. & B	18.00	15.00	
10 to 12 ft., B. & B	24.00	20.00	
12 to 14 ft., B. & B	29.00	24.00	
strobus, 80'-100'		Whit	e Pine
Evergreen. Probably our most ad	antable		
Very picturesque when old.	-puble	una uscit	ii pinc.
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 3 ft., B. & B	2.85	2.35	1.90
3 to 4 ft., B. & B	5.25	4.40	3.50
Larger specimens to 18 ft. at \$2.2	5 per ft		0,5
sylvestris, 25'-30'			Pine
Evergreen. A rapid-growing, ha	ndsom e	tree, esp	ecially
when young. Good for windbreak			
2 to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.40	2.80	2.25
	5.60	4.75	3 .75
Larger specimens to 14 ft. at \$2.2	5 per it	•	
Alexandra and Outroot			
thunbergi, 80'-100'	Japane	se Black	Pine
Evergreen. A large growing tree	with r	ich, dark	green
Evergreen. A large growing tree foliage and long needles; good f	with r	ich, dark ping effec	green
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B	with r or group 2.25	ich, dark ping effec 1.90	green
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B	with r or group 2.25 3.40	ich, dark ping effec 1.90 2.80	green
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	with r or group 2.25 3.40 4.50	ich, dark ping effec 1.90 2.80 3.75	green
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B	with r or group 2.25 3.40	ich, dark ping effec 1.90 2.80	green
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	with r or group 2.25 3.40 4.50 6.35	ich, dark ping effec 1.90 2.80 3.75 5.30	green
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	e with r or group 2.25 3.40 4.50 6.35 7.50	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25	green ts.
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of	e with r or group 2.25 3.40 4.50 6.35 7.50	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25	green ts.
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft.	e with r or group 2.25 3.40 4.50 6.35 7.50 r America	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25	green ts.
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in	e with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80	green ts.
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in.	e with r or group 2.25 3.40 4.50 6.35 7.50	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75	green ts.
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in.	e with r or group 2.25 3.40 4.50 6.35 7.50 TAmeri 2.25 3.40 4.50 5.60	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75	green ts.
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	e with r or group 2.25 3.40 4.50 6.35 7.50	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75	green ts.
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 2½ in. orientalis, 70'-80'	e with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50	green ts
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street in	e with r or group 2.25 3.40 4.50 5.60 6.75 Europ Se: grov	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50	green ts
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street uly; withstands smoky city conditions.	e with r or group 2.25 3.40 4.50 6.35 7.50 The American America	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 eean Plan vs rather	green ts amore anetree quick-
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition for the street uly; with the street uly; with the street uly; with the street uly; wi	with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ se; growions. 2.25	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 ean Plan vs rather	green ts umore netree quick-
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition to 8 ft. 8 to 10 ft. 9 to 1½ in. 10 to 12 ft., 1½ to 1½ in. 11 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 14½ in. 13 to 15 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 1½ to 1½ in. 18 to 10 ft. 19 to 1½ in.	with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ se; grovions. 2.25 2.85	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 eean Plan vs rather	amore
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 2½ in. Orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition for to 18 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1¼ to 1½ in. 11 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 1½ in. 15 to 16 ft. 16 to 17 ft., 1½ to 1½ in. 16 to 17 ft., 1½ to 1½ in. 17 to 18 ft., 1½ to 1½ in. 18 to 10 ft., 1½ to 1½ in. 19 to 12 ft., 1½ to 1¾ in.	e with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ se; grovions. 2.25 2.85 3.90	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 bean Plan vs rather	green ts amore etree quick- 1.50 2.60
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 112 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition to 8 ft. 8 to 10 ft. 8 to 10 ft. 9 to 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in.	e with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ se; grov ions. 2.25 2.85 3.90 4.50	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 bean Plan vs rather	green ts amore etree quick- 1.50 1.90 2.60 3.00
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition to 8 ft. 8 to 10 ft. 8 to 10 ft. 9 to 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 11 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 2½ in.	e with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ se; grovions. 2.25 2.85 3.90	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 bean Plan vs rather 1.90 2.35 3.25 3.75 4.75	more
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 11 to 14 ft., 2 to 2½ in. Orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 11 to 12 ft., 1½ to 1½ in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 2½ in.	e with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ se; grovions. 2.25 2.85 2.85 3.90 4.50 5.60	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 ean Plan vs rather 1.90 2.35 3.25 3.75 4.75 5.50	green ts amore netree quick- 1.50 1.90 2.60 3.00 3.75 4.50
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition for the foliage of the foliag	with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ se; grow	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 bean Plan vs rather 1.90 2.35 3.25 3.75 4.75	more
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition for the first smo	e with r or group 2.25 3.40 4.50 6.35 7.50 r Ameri 2.25 3.40 4.50 5.60 6.75 Europ se; grovions. 2.25 2.85 3.90 4.50 5.60 6.75 7.90 9.00 13.50	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 bean Plan vs rather 1.90 2.35 3.25 3.75 4.75 5.50 6.55 7.50 6.55	green ts amore 1.50 1.90 2.60 3.00 3.75 4.50 5.25
Evergreen. A large growing tree foliage and long needles; good f 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. PLATANUS occidentalis, 75'-100' American Planetree of 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. orientalis, 70'-80' A good tree for park and street uly; withstands smoky city condition for the first smo	e with r or group 2.25 3.40 4.50 5.60 6.75 Europ se; grovions. 2.25 2.85 3.90 4.50 5.60 6.75 7.90 9.00	ich, dark ping effec 1.90 2.80 3.75 5.30 6.25 ican Syca 1.90 2.80 3.75 4.75 5.50 ican Plan vs rather 1.90 2.35 3.25 3.75 4.75 5.50 6.55 7.50	green ts amore 1.50 1.90 2.60 3.00 3.75 4.50 5.25

	Unit Pri	ce in Qua 5-24	ntities 25 -2 49
POLYGONUM auberti, 25'	Chi	na Fleed	cevine
Climbing plant of vigorous gr foamy sprays of white flowers d 2 year medium	rowth p uring su 45	roducing mmer and	great d fall.
POPULUS bolleana, 50'-60'	В	olleana H	Poplar
Leaves white underneath; simila Lombardy Poplar.	r column	ar charae	cter to
6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 1¾ to 2 in.	1.10 1.65 2.25 3.40 4.00	.90 1.35 1.90 2.80 3.50	.75 1.10 1.50 2.25
eugenie, 75'-90'	C	arolina I	oplar
A rapid grower; succeeds even seashore.	in dry p	olaces and	d near
6 to 8 ft., 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 12 to 14 ft., 1½ to 2 in. 14 to 16 ft., 2 to 2½ in. 14 to 16 ft., 2½ to 3 in.	.70 .90 1.30 1.90 2.25 3.15	.55 .75 1.00 1.50 1.90 2.60	.60 .85
maximowiczii, 80'-100'	Ja	panese I	Poplar
General habit similar to Carolin deeper green and leaves hang or white bark.			
12 to 14 ft., 2 to 2½ in	3.50 5.00 7.00 9.00	2.80 4.25 5.50 7.50	
nigra italica, 60'-80'	Lo	nbardy l	Poplar
Tall spire-like character; valued screens.	for land	lscape wo	rk and
6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 1¾ to 2 in 14 to 16 ft., 2 to 2½ in. 14 to 16 ft., 2½ to 3 in.	.55 .90 1.35 2.00 2.85 3.90 5.25	.47 .75 1.10 1.70 2.35 3.25 4.40	.37 .60 .90 1.35 1.90 2.60 3.50
simoni, 25'-30'		Simon 1	Poplar
Hardy, small, fastigate tree with	good fo	liage.	
6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft.	1.10 1.65 2.25 2.85 3.50	.95 1.35 1.90 2.35	.75 1.10 1.50 1.90
tremuloides, 40'-50'		Quaking	Aspen
Small tree distinguished by whit 12 to 14 ft	ish gray 5.00 6.00	bark.	

	Unit Pi 1-4	rice in Qu 5-24	
POTENTILLA fruticosa, 3'-4'	Shru	bby Cin	quefoil
Blooms profusely, yellow, June- able and useful shrub.	Septemb	er. Very	adapt-
12 to 18 in	.27 .45	.22 •37	.18 .30
PRUNUS americana, 10'-12'		merican	_
Bushy growth and has abundance April-May.	of show	y white	flowers
2 to 3 ft	-33	.27	,22
3 to 4 ft	45	·37	.30
4 to 5 ft	.55 .80	.47 .65	•37
6 to 8 ft	1.00	.80	
8 to 10 ft	1.25	1.00	
besseyi, 10'-12'		Bessy (Cherry
Also called Western Sand Cher purple fruit.			
18 to 24 in	·37 ·45	.30 •37	.2 <i>5</i> .30
cerasifera pissardi, 12'-15'			
- ,		ırpleleai	
Valued chiefly because of purpl pruned every year for best color	effect.	age; sho	uld be
4 to 5 ft	1.10	.95	-75
5 to 6 ft	1.65 2.00	1.35 1.70	1.10
		rpleleaf	Plum
A variety of the above, somewhat larger leaves.			
3 to 4 ft	.90	75	.60
4 to 5 ft	1.10	.75 .95	.00 •75
5 to 6 ft	1.65	1.35	-75
		Sand C	herry
Upright growth. Foliage similar to 5 to 6 ft			
glandulosa, 5'-6'	-	1.00	
	Flowe	ering Al	mond
Flowers double, May; very show White varieties.		are Pin	k and
18 to 24 in	.45	•37	.30
3 to 4 ft	.55 .80	.47 .65	·37
hortulana, 25'-30'		ortulan	Plum
Tree form. Parent of many orchan	rd varie	ties. Frui	t red-
dish yellow.			
4 to 6 ft	1.35 2.00	1.10 1.70	-
maritima, 9'-10'		Beach	
Small white flowers, April. Fruits subject for sandy soils or near sea	are pu shore.	rple. Spl	endid
5 to 6 ft	1.50	1.25	
		-	

PRUNUS—continued	Unit I 1-4	Price in Q	
padus, 30'-40'	Europe	an Bird	Cherry
Decorative flowering tree; has l white flowers, black fruit.	ong dro	oping rac	emes of
3 to 4 ft	-75	.60	.50
4 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.90 2.25	1.50 1.90	1.25
pennsylvanicum, 10'-12'	,		Cherry
Small shrubby tree; very show	mar. com		_
flowers April-May. Grows well i	n poor	soil.	ii wiiicc
8 to 10 ft	1.95	1.60	1.30
10 to 12 ft	2.85	2.35	1.90
12 to 14 ft	3.15	2.60	
persica (See Amygdalus Persic	a)		
serrulata, 40'-60'		Oriental	Cherry
One of the species of wild flor large strong tree with wealth of soms in early spring. Foliage lat to brilliant shades of yellow and 8 to 10 ft.	white, rge, deep I red in 3.75	semi-doul	ble blos-
10 to 12 ft., 2 to 2 ¹ / ₄ in	4.75		
sacchalinensis (sargenti), 40'-60 Largest and hardiest of Oriental soms, fading to white. An ideal tree. 6 to 8 ft	Cherrie	s. Rich pi	
8 to 10 ft., 13/4 to 2 in	4.50	3.75	
10 to 12 ft., 2 to 2½ in	6.00	5.00	
subhirtella, 25'-30'		Higan	Cherry
Small tree with ascending bra pink flowers.	anches.	Numerou	s single
6 to 8 ft	4.00 6.00	3.25 5.00	
-autumnalis, 25'-30' Autumn F		-	Cherry
Small tree. Semi-double pink blos			
or early spring.			
3 to 4 ft	2.00	1.70	
4 to 5 ft	2.50	2.05	
10 to 12 ft	9.00		-
—Beni Higan, 25'-30' Improved strain of subhirtella.			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.70	
5 to 6 ft	3.00	2.50	

Fragrance and color blend to make the Lilacs ever popular favorites. Visit our nurseries during early May when thousands of plants are in full bloom.

PRUNUS—continued	Unit P: 1-4	rice in Qu 5-24	antities 25-249
subhirtella pendula, 12'-15' V A most beautiful and graceful blossoms in early spring.	tree, co	Japan (vered wit	Cherry h pink
5 to 6 ft. stems, 1 yr. heads 5 to 6 ft. stems, 2 yr. heads 4 to 6 ft. stems, 5 yr. heads	3.75 5.60	3.00 4.7 <i>5</i>	_
2½ to 3 in. 3 to 3½ in.	10.50 13.50		
——flore plena, 12'-15' Double Similar to the above with larger		Teeping (Howers.	Cherry
5 to 6 ft. stems, 1 yr. heads		3.75	
tomentosa, 6'-7'		anking (
Fruits are light red. Flowers whi	te, befor	e leaves	appear.
2 to 3 ft	.70 .90	•55 •75	.60
4 to 5 ft	1.10	.95	-75
5 to 6 ft	1.35	1.10	.90
triloba plena, 7'-8' Double pink flowers, April-May.		lowering ne and us	
2 to 3 ft	.70 .90	·55 ·75	.60
JAPANESE CHE	RRIES		
All of our cherries are eastern go well branched, well rooted specime with light one or two year whips.	ns not	hey are to be con	heavy, npared
well branched, well rooted specime	ns not	to be con	heavy, npared
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25'	ns not	to be con	npared
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	profus 1.65 2.25	to be consion. 1.35 1.90	npared
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	profus 1.65 2.25	to be consion. 1.35 1.90	npared
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	profus 1.65 2.25 3.00	ion. 1.35 1.90 2.50	npared
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	profus 1.65 2.25 3.00 1.20 1.50 2.00	1.35 1.90 2.50 1.00 1.25	npared
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	profus 1.65 2.25 3.00 1.20 1.50 2.00	ion. 1.35 1.90 2.50 1.00 1.25	1.10 ———————————————————————————————————
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	1.65 2.25 3.00 1.20 1.50 2.00	1.35 1.90 2.50 1.00 1.25	1.10 ———————————————————————————————————
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	1.65 2.25 3.00 1.10 1.65 2.25 7.50 10.00	1.35 1.90 2.50 1.00 1.25 1.00	1.10 ———————————————————————————————————
well branched, well rooted specime with light one or two year whips. Amanogawa, 20'-25' Semi-double pale pink flowers in 3 to 4 ft	1.65 2.25 3.00 1.10 1.65 2.25 7.50 10.00	1.35 1.90 2.50 1.00 1.25	1.10 ———————————————————————————————————

	Unit Pr	ice in Qua	ntities 25 - 249
PRUNUS-Japanese Cherries-co	ntinued		
jonioi			
Single white.	_		
3 to 4 ft	1.65 2.25	1.35 1.90	
Kanzan, 40'			
One of the best—flowers deep pir	nk and w	ery doub	le.
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.90 2.25	1.50 1.90	
6 to 8 ft., 134 to 2 in	3.00	2.50	
8 to 10 ft., 2 to 2 ¹ / ₄ in	5.60	4.75	
10 to 12 ft., 21/4 to 21/2 in	7.50	6.25	
naden			
Semi-double pale pink.	_		
3 to 4 ft	1.65	1.35	
4 to 5 ft	2.25 3.00		
	3.00		
Ojochin, 25'	double	4	
Large tree with light pink, semi- 6 to 8 ft., 11/4 to 11/2 in		nowers.	
	4.50		
Paul Wohlert, 25'-30'	1 ((
Double, deep pink flowers—semi-	_	orm.	
8 to 10 ft	6.00 7.50		
	7.5		
Rosea superba, 30' Flowers double rose.			
3 to 4 ft	1.65	1.35	
8 to 10 ft	6.00		
serrulata sekizan			
Double pink.			
5 to 6 ft	2.85	2.35	1.90
6 to 8 ft	3.30	2.75	2.25
Shirofugen, 25'-35'			
Light pink buds opening to white	-doubl	e.	
3 to 4 ft	1.35	1.10	.90
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.25 2.85	1.90 2.35	1.50
8 to 10 ft., 1½ to 2 in	5.25	4.40	
10 to 12 ft., 2 to 2½ in	7.50	6.25	
takinioi			
Single white.			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.65	1.35	
Watereri, 30'			
Showy, double pink flowers.			
4 to 5 ft	1.90		-
5 to 6 ft	2.25 6.00		
5 to 10 to, 2 to 2/2 mm	0.00		

		rice in Qu 5 - 24	
PRUNUS-Japanese Cherries-co	ontinue	1	
Yedoensis (yoshino cherry), 35' Single, pale pink.			
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 2½ to 2½ in. 10 to 12 ft., 2½ to 3 in.	1.65 2.25 2.60 3.45 6.00 7.50	1.35 1.90 2.20 2.80	1.10 1.50 1.75 2.25
PSEUDOTSUGA douglasi, 70'-80	o'	Dou	glas-fi r
Evergreen. Very hardy; dark blu			
fers well drained situation.	ISII-SICC	n coloin	ig. Fic.
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B., specimen. 10 to 12 ft., B. & B., specimen. 12 to 14 ft., B. & B., specimen. 14 to 16 ft., B. & B., specimen. PTELEA trifoliata, 10'-12' Has clusters of fruit that look an 2 to 3 ft. 3 to 4 ft.	1.10 1.65 2.25 3.90 5.60 7.90 15.00 22.50 30.00 40.00 d smell .50 .70	.40 .55	•32 •45
PUERARIA thunbergiana, 60'			u-bean
One of the fastest growing vines in purple flowers.	in cultiv	ration; f	ragrant
1 year, strong	.22 .27	.20 .22	.15 .18
PYRACANTHA coccinea lalandi,		and Fire	ethorn
Evergreen. A beautiful broad-leave clusters of orange berries in the father North.	ed everg all. Need	reen with ds protec	h large ction in
2 to 3 ft., 5 in. pots	4.50 6.75	3.75 5.50	3.00 4.50



NURSERY GROWN OAKS

Our Specialty

The following list of Oaks is (we are told) one of the finest lots grown in America. For years we have been painstakingly building up a select lot of shade trees and have been convinced that Oaks would be finally recognized as one of the best shade tree groups. The increased popularity and demand have justified our conviction.

Our Oaks are straight stemmed with good heads and well defined leaders and have been transplanted several times so that the root systems are of the best.

They are especially adapted to highway and park planting and are available in quantity. We have over 100,000 including all sizes.

We handle our trees carefully, avoid exposure and take every precaution to insure safe transplanting.

	Unit P	rice in Qu	antities
	1-4	5-24	25-249
QUERCUS alba, 100'		Whi	te Oak
Best planted in spring. The most	rugged	oak of a	II. slow
in growth but makes magnificent		Oak Of a	11, 310 11
6 to 8 ft	1.65	1.35	1.10
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft., 11/4 to 11/2 in	3.40	2.80	2.25
9 to 11 ft., 1½ to 1¾ in	5.25	4.40	3.50
10 to 12 ft., 13/4 to 2 in	6.75	5.50	4.50
11 to 13 ft., 2 to 2½ in	9.00	7.50	6.00
12 to 14 ft., 2½ to 2½ in	11.00	9.50	7.50
12 to 14 ft., 2½ to 3 in	13.50	11.00	9.00
14 to 16 ft., 3 to $3\frac{1}{2}$ in	15.00	12.50	10.00
bicolor, 50'-60'	Swa	ımp Whi	te Oak
Large tree with round, somewhat	t open l	head. Gra	y, scaly
10 to 12 ft., 1½ to 1¾ in	r r0		
10 to 12 ft., 1½ to 1¼ in	5.50 7.00		
12 to 14 ft., 2 to 2½ in	10.00		
12 to 14 ft., $2\frac{1}{2}$ to 3 in	15.00		
,	13.00		
coccinea, 75'-90'		Scarl	et Oak
Most striking autumn colors; tall cut leaves.	l, statel		
Most striking autumn colors; tal			deeply
Most striking autumn colors; tall cut leaves. 6 to 8 ft	3.40	y grower, 2.80	
Most striking autumn colors; tall cut leaves. 6 to 8 ft		y grower, 2.80 4.40	deeply
Most striking autumn colors; tall cut leaves. 6 to 8 ft	3.40 5.25 6.00	y grower, 2.80 4.40 5.00	deeply
Most striking autumn colors; tall cut leaves. 6 to 8 ft	3.40 5.25	2.80 4.40 5.00 6.55	deeply
Most striking autumn colors; tall cut leaves. 6 to 8 ft	3.40 5.25 6.00 7.90	2.80 4.40 5.00 6.55 7.50	deeply
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in.	3.40 5.25 6.00 7.90 9.00	2.80 4.40 5.00 6.55	deeply
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 2½ in.	3.40 5.25 6.00 7.90 9.00	2.80 4.40 5.00 6.55 7.50 9.50	deeply
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in.	3.40 5.25 6.00 7.90 9.00 11.00	2.80 4.40 5.00 6.55 7.50 9.50 11.00	deeply
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 14 to 16 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. macrocarpa, 75'-80'	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 14 to 16 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in.	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 14 to 16 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. macrocarpa, 75'-80'	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2¼ in. 12 to 14 ft., 2½ to 2½ in. 14 to 16 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. macrocarpa, 75'-80' Vigorous grower of picturesque corky branches. 6 to 8 ft.	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2½ to 2½ in. 14 to 16 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. macrocarpa, 75'-80' Vigorous grower of picturesque corky branches. 6 to 8 ft. 8 to 10 ft.	3.40 5.25 6.00 7.90 9.00 13.50 15.75 18.00 appears	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00 Mossyciance owin 2.35 3.75	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2¼ to 2½ in. 14 to 16 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. macrocarpa, 75'-80' Vigorous grower of picturesque corky branches. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. 8 to 10 ft., 1¼ to 1½ in.	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00 appears	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00 Mossyci	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 2 to 2¼ in. 14 to 16 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. macrocarpa, 75'-80' Vigorous grower of picturesque corky branches. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in.	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00 appeara 2.85 4.50 5.60 6.75	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00 Mossycuance owin 2.35 3.75 4.75 5.50	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 2 to 2¼ in. 14 to 16 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. macrocarpa, 75'-80' Vigorous grower of picturesque corky branches. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00 appeara 2.85 4.50 5.60 6.75 9.00	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00 Mossycu ance owin 2.35 3.75 4.75 5.50 7.50	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ to 2½ in. 12 to 14 ft., 2½ to 2¼ in. 14 to 16 ft., ½ to 3 in. 14 to 16 ft., 3 to 3½ in. macrocarpa, 75'-80' Vigorous grower of picturesque corky branches. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1½ to 2½ in 12 to 14 ft., 2 to 2½ in	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00 appears 2.85 4.50 5.60 6.75 9.00 11.25	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00 Mossycuance owin 2.35 3.75 4.75 5.50 7.50 9.00	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 2½ to 2½ in. 14 to 16 ft., ½ to 3½ in. 14 to 16 ft., ½ to 3½ in. macrocarpa, 75′-80′ Vigorous grower of picturesque corky branches. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 1¾ in. 12 to 14 ft., 2½ to 3 in. 13 to 14 ft., 2½ to 1¾ in. 14 to 15 ft. 15 to 16 ft. 16 to 17 ft. 17 to 18 ft. 18 to 10 ft. 19 to 19 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 2½ in. 11 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 2½ in.	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00 appears 2.85 4.50 5.60 6.75 9.00 11.25 13.50	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00 Mossyctance owin 2.35 3.75 4.75 5.50 7.50 9.00	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2½ in. 12 to 14 ft., 2½ to 3¼ in. 14 to 16 ft., ½ to 3½ in. 14 to 16 ft., ½ to 3½ in. macrocarpa, 75′-80′ Vigorous grower of picturesque corky branches. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 1½ in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 2½ in. 14 to 16 ft., 3 to 3½ in.	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00 appears 2.85 4.50 5.60 6.75 9.00 11.25 13.50 18.00	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00 Mossycuance owin 2.35 3.75 4.75 5.50 7.50 9.00	2.25
Most striking autumn colors; tall cut leaves. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 2½ to 2½ in. 14 to 16 ft., ½ to 3½ in. 14 to 16 ft., ½ to 3½ in. macrocarpa, 75′-80′ Vigorous grower of picturesque corky branches. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 14 ft., 2 to 1¾ in. 12 to 14 ft., 2½ to 3 in. 13 to 14 ft., 2½ to 1¾ in. 14 to 15 ft. 15 to 16 ft. 16 to 17 ft. 17 to 18 ft. 18 to 10 ft. 19 to 19 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 2½ in. 11 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 2½ in.	3.40 5.25 6.00 7.90 9.00 11.00 13.50 15.75 18.00 appears 2.85 4.50 5.60 6.75 9.00 11.25 13.50	2.80 4.40 5.00 6.55 7.50 9.50 11.00 13.15 15.00 Mossyctance owin 2.35 3.75 4.75 5.50 7.50 9.00	2.25

	Unit D	rice in Qu	andidi
QUERCUS—continued	1-4		25-249
palustris, 75'-90'			in Oak
Takes most kindly to cultivation is very adaptable. Particularly good autumn effects.	; prefer	s moist a	oil but t tree;
4 to 6 ft	1.65 2.25	1.35 1.90	1.10
8 to 10 ft 8 to 10 ft., 1½ to 1½ in	2.85 3.40	2.35 2.80	1.90 2.25
10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2½ in	4.50 6.00	3.75 5.00	3.00 4.00
12 to 14 ft., 2½ to 3 in 14 to 16 ft., 3 to 3½ in	8.00 10.2 <i>5</i> 13.00	6.50 8.25 10.50	5.25 6.75 8.50
14 to 16 ft., 3½ to 4 in	15.00	12.50	
phellos, 50'-60'		Willow	v Oak
Narrow willow-like leaves; distir of oak.	nct from	other va	rieties
6 to 8 ft	2.85 4.50	2.35 3.75	1.90 3.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in 10 to 12 ft., 1 ¹ / ₂ to 1 ³ / ₄ in	6.00 6.75	5.00	4.00
10 to 12 ft., 134 to 2 in 12 to 14 ft., 2 to 21/4 in	7.50 9.00		
prinus, 75'-80'		Chestnu	t Oak
Rugged picturesque habit.	4.50		t Oak
Rugged picturesque habit. 6 to 8 ft	4.50	Chestnu 4.00	t Oak
Rugged picturesque habit.	4.50		-
Rugged picturesque habit. 6 to 8 ft robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in	10.00	4.00	-
Rugged picturesque habit. 6 to 8 ft robur, 50'-60' Interesting spreading habit.		4.00	-
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py	10.00 13.00 17.00 ramida)	4.00 English	n Oak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects.	10.00 13.00 17.00 ramidal	4.00 English	n Oak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects.	10.00 13.00 17.00 ramidal	4.00 English	n Oak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90'	10.00 13.00 17.00 ramidal indable la intimat	4.00 English English long lived	n Oak I tree. treat-
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds.	10.00 13.00 17.00 ramidal indable la intimat	4.00 English English long lived	n Oak I tree. treat-
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft.	10.00 13.00 17.00 rramidal indable la intimat 13.50 Com h autum	4.00 English English long lived garden mon Reconn colori	1 Oak 1 Oak 1 tree. 1 Oak 1 oak 1 treat- 1 oak 1 oak 1 oak
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in.	10.00 13.00 17.00 ramidal andable la intimate 13.50 Com	4.00 English English long lived te garden mon Rec	n Oak I tree. treat-
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft. 1½ to 1½ in. 10 to 12 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.	10.00 13.00 17.00 ramidal indable la intimat 13.50 Com h autun 2.85 3.90 5.25 6.75	4.00 English English long lived e garden mon Reconn colori 2.35 3.25 4.40 5.50	n Oak I tree. treat- I Oak 1,90 2,60 3,50 4,50
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 11½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in.	10.00 13.00 17.00 ramidal indable la intimat 13.50 Com h autun 2.85 3.90 5.25 6.75 7.90	4.00 English English long livece garden mon Reconn colori 2.35 3.25 4.40 5.50 6.55	1 Oak 1 tree. 1 Oak 1 tree. 1 Oak 1 1.90 2.60 3.50 4.50 5.25
Rugged picturesque habit. 6 to 8 ft. robur, 50'-60' Interesting spreading habit. 10 to 12 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. robur fastigiata, 35'-50' Py Narrowly columnar. Makes a depe Effective when used as an accent in ment or for heavy formal effects. 8 to 10 ft., B. & B. rubra, 75'-90' Comparatively quick growth; ric greens and reds. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	10.00 13.00 17.00 ramidal indable la intimat 13.50 Com h autun 2.85 3.90 5.25 6.75	4.00 English English long lived e garden mon Reconn colori 2.35 3.25 4.40 5.50	n Oak I tree. treat- I Oak 1,90 2,60 3,50 4,50

	Unit De	ice in Qua	
QUERCUS—continued	1-4		25 -2 49
velutina, 75'-90'	i		k Oak
Inhabits poor soils of dry and	gravelly	uplands.	Deep
green foliage turning yellowish autumn.	or re	ddish-bro	wn in
10 to 12 ft., 1½ to 1¾ in	6.7 <i>5</i> 8.00	5.25 6.75	
2 to 2½ in	10.15	8.45	
2½ to 3 in	13.15	10.95	
——— R №	•		
RETINOSPORA (See CHAMAI	ECYPA	RIS)	
RHAMNUS caroliniana, 30'	Caro	lina Buck	thorn
Has red fruit, turning black whe	n ripe.		
6 to 8 ft	2.25		
8 to 10 ft	3.00		
cathartica, 9'-10'	Comn	non Bucl	cthorn
Dark green leaves, black berries shrub.	s. Valua	ble backs	ground
2 to 3 ft	45	-37	.30
3 to 4 ft	.55 .80	.47 .65	·37
5 to 6 ft	1.00	.80	.65
6 to 7 ft	2.00	1.65	-
frangula, 8'-9'	Glo	ssy Bucl	kthorn
Berries red, changing to black.			
2 to 3 ft	45	-37	.30
3 to 4 ft	•55 •90	·47 ·75	-37
5 to 6 ft	1.10	.95	
6 to 8 ft	1.35	1.10	
RHODODENDRON carolinanum		D1 1 1	
		Rhodode	
These plants are nursery grown They are all well budded and so	and ex	ceptionali	y fine.
and height are about equal. This	variety	has brigl	ht pink
flowers in May or June and is or	ne of the	e best for	plant.
ing in open places. 12 to 15 in., B. & B	2.85	2.35	1.90
15 to 18 in., B. & B	3.90	3.25	2.60
18 to 24 in., B. & B	5.25	4.40	3.50
2 to 2½ ft., B. & B	6.00	5.00	4.00
		Rhodod	endron
White blooming variety of the a			
18 to 24 in., B. & B	3.00 4.00		
2 to 3 ft	5.00		
catawbiense, 6'-g'	atawba	Rhodod	endron
Nursery grown stock, perfectly	shaped	, and all	broad
bushy specimens. This variety flowers in May or June and pre	fers hal	f-shade.	
15 to 18 in., B. & B	2.85 3.40	2.35 2.80	1.90 2.25
2 to 2½ ft., B. & B	4.50	3.75	3.00
2½ to 3 ft., B. & B	5.60	4.75	3.75
3 to 3½ ft., B. & B	7.50	6.25	

RHODODENDRON—continued	Unit P 1-4	rice in Qu 5-24	antities 25-249
maximum, 8'-12' R Nursery Grown. Raised from seed	osebay	Rhodod	endron
Evergreen. Beautiful light pink in May-June. Large, handsome for masses.	flowers	freely pr most effe	oduced ctive in
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	2.25 3.40 4.50 6.00 7.50	1.90 2.80 3.75 5.00 6.25	1.50 2.25 3.00 4.00 5.00
mucronulatum, 6'	Korean	Rhodode	endron
Violet-pink flowers very early. I leaves in fall.	Handson	ne scarlet	tinted:
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. HYBRID RHODODENDRONS,	2.25 3.00 3.75 5.60	1.90 2.50 3.00 4.75	
Strong growing varieties.	3 0		
—Album elegans—Blush-pink.			
—Candidissima—White.			4', 4-5'
-Catawbiense alba-Clear white.		2½-3′, 3-4 2½-3′, 3-4	
-Catawbiense grandiflora—Rosy-p 12-15", 15-18", 18-24", -Everestianum—Rosy-lilac.	ourple. 2-2½',	2½-3′, 3-4 2½-3′, 3-4 2½-3′, 3-4	1′
-Roseum elegans-Rich pink. 12-15", 15-18", 18-24",			
-Roseum superbum—Clear, soft co	2-272 , oral-ros	2½-3,3-4 se	4-5
	2-3'	3 - 4	1', 4'
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	2.25 3.00 4.50 6.00 7.75 10.15 12.00	1.90 2.50 3.75 5.00 6.50 8.45	1.50 2.00 3.00 4.00 5.25 6.75 8.00
Medium growing varieties.			
-Amphion-Rose pink.			
-Charles Bagley-Bright red.	- 11	3-4', 4-5	5'
-Charles Dickens-Red.	24", 2-3		
—Caractacus—Red.	2-3		
-Delicatissimum—Blush white.	24", 2-3'		
-Dr. Dresselhuis-Bright red.	2-3'		
	2-3'	, 3 - 4′	

Unit Price in Quantities 1-4 5-24 25-249

	* *	<i>y</i> =4	-) -+)
HYBRID RHODODENDRON-	-contin	ued	
E. S. Rand—Rich scarlet.	2.	·3′	
—General Grant—Rosy-scarlet.	2.	·3′,3 - 4′	
-Ignatius Sargent-Deep pink.		3', 3-4'	
-Mrs. C. S. Sargent-Rich crimson	1.	·3′, 3•4′	
—Purpureum grandiflorum—Large			Late. 5-6'
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Compact or Dwarf varieties.	6.00 9.00 12.50 16.00 20.00		
Boule de Neige-White.			
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	4.10 6.00 7.90 9.40	3.50 5.00 6.55 7.80	2.75 4.00 5.25 6.25
RHODORA canadensis, 3'		R	hodora
Also called Rhododendron canado	2.00	1.70	
18 to 24 in., B. & B	2.50	1.70 2.00	
RHODOTYPOS kerrioides, 4'-5'		White	
RHODOTYPOS kerrioides, 4'-5' Fresh green foliage, pure white ing, black, bead-like berries all bead.	lowers, winter.	May-June	e. Shin-
Fresh green foliage, pure white ing, black, bead-like berries all	dowers, winter. .45 .60	May-June	e. Shin-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60 -5' F April-N coral-r	May-June Also call 37 .50 ragrant May. Most	e. Shin- ed Jet- .30 .40 Sumac attrac-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60 -5' F April-N coral-1	May-June Also call 37 .50 ragrant May. Most red fruits.	s, Shin- ed Jet- .30 .40 Sumac attrac- . With-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60 -5' F April-N coral-1	May-June Also call 37 .50 ragrant May. Most red fruits.	shin- ed Jet- .30 .40 Sumac attrac- . With-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in	.45 .60 -5' F April-N coral-1	May-June Also call 37 .50 ragrant May. Most red fruits.	s, Shin- ed Jet- .30 .40 Sumac attrac- . With-
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13'	.45 .60 -5' F April-N coral-1 .45 .70 .90	May-June Also call 37 .50 ragrant May. Most ed fruits. 37 .55 .75 .95 Shining	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 60 75 Sumac
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good at show in poor arid situations; good	.45 .60 -5' F April-N coral-r .45 .70 .90 1.10	May-June Also call 37 .50 ragrant May. Most red fruits. 37 .55 .75 .95 Shining coloring.	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 .60 .75 Sumac
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in.	.45 .60 -5' F April-N coral-1 .45 .70 .90 1.10	May-June Also call 37 .50 ragrant May. Most red fruits. 37 .55 .75 .95 Shining coloring. nassing. 37	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 .60 .75 Sumac Makes
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good at show in poor arid situations; good	.45 .60 -5' F April-N coral-r .45 .70 .90 1.10	May-June Also call 37 .50 ragrant fay. Most ed fruits. 37 .55 .75 .95 Shining coloring. massing.	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 .60 .75 Sumac Makes
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good at show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. *cotinus, 10'-12'	.45 .60 -5' F April-N coral-1 .45 .70 .90 1.10 atumn d for n .45 .70	May-June Also call 37 .50 Tragrant May. Most red fruits. 37 .55 .75 .95 Shining coloring. massing. 37 .55	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 .60 .75 Sumac Makes
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.45 .60 -5' F April-N coral-1 .45 .70 .90 1.10 ntumn d for n .45 .70 .90	May-June Also call 37 .50 ragrant fay. Most ed fruits. 37 .55 .75 .95 Shining coloring. nassing. 37 .55 .75 .75 .75 .75 .75 .75 .75 .75 .7	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 .60 .75 Sumac Makes
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good as show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. *cotinus, 10'-12' Also called Purple Fringe. 2 to 3 ft. 3 to 4 ft.	.45 .60 .5′ F April-N coral-145	May-June Also call 37 .50 Tragrant May. Most red fruits. 37 .55 .75 .95 Shining coloring. massing. 37 .55 .75 .75 .75 .75 mon Smo	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 .60 .75 Sumac Makes .30 45 .60 ketree
Fresh green foliage, pure white ing, black, bead-like berries all bead. 18 to 24 in. 2 to 3 ft. RHUS canadensis (aromatica), 4' Clusters of small yellow flowers, tive in June when covered with stands drought. Aromatic foliage 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. copallina, 12'-13' Showy crimson fruits; good at show in poor arid situations; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. *cotinus, 10'-12' Also called Purple Fringe. 2 to 3 ft.	.45 .60 -5' F April-N coral-1 .45 .70 .90 1.10 ntumn d for n .45 .70 .90 Com	May-June Also call 37 .50 ragrant May. Most ed fruits. 37 .55 .75 .95 Shining coloring. massing. 37 .55 .75 .75 mon Smo	s. Shin-ed Jet- 30 40 Sumac attrac- With- 30 45 .60 .75 Sumac Makes 30 45 .60 ketree

RHUS—continued	Unit P	rice in Qua 5-24	antities 25 - 249
—purpurea, 10'-12'	Pu	rple Smo	ketree
Purple leaved form of the type.			
5 to 6 ft	4.00 5.00		
glabra, 10'-12'		Smooth S	
Crimson fruits in bunches; rich a in poor soils.	utumn (coloring;	thrives
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	45	-37	.30
typhina, 15'-18'	S	taghorn S	Sumac
Picturesque habit; brilliant autun			
2 to 3 ft	•33	.27	.22
3 to 4 ft	.45	•37	.30
4 to 5 ft	-55	-47	-37
5 to 6 ft	.80	.65	.52
6 to 8 ft	1.00	.90	
typhina laciniata, 14'-15'		redded S	Sumac
Leaves are finely cut, giving feath	ery app		
18 to 24 in	•33	.27	.22
2 to 3 ft	45	·37	.30
4 to 5 ft	.55 .80	.47 .65	
5 to 6 ft	1.05	.90	
		-9-	
ROBINIA hispida, 5'-6'		Rose-	acacia
Rosy pink, attractive flowers, Ma	ıy-June.	•	
18 to 24 in	45	·37	.30
pseudoacacia, 60'-80'		mmon I	ocust
Has fragrant white flowers in Ma	у.		
3 to 4 ft	. 45	·37	.30
ROSA blanda, 4'-5'		Meadow	Rose
Pink, May. Almost thornless; red	dish bra	inches.	
12 to 18 in	-33	.27	.22
18 to 24 in	.45	·37	.30
2 to 3 ft	.70	-55	45
		Rose of	China
A very desirable border rose with	yellow	flowers.	
18 to 24 in	-55	-47	·37
2 to 3 ft	.80	.65	.52
humilis, 2'-3'		Pasture	Rose
The common wild rose of the pastu	ITES	1 000010	1000
12 to 18 in	45	27	
	43	-37	
lucida, 5'-6'		Virginia	
Useful for the shrub border or r Thrives under neglect. Pink flower	aturali s in Jur	zing in m ne-July.	asses.
12 to 15 in	.22	.20	.15
15 to 18 in	-33	.27	.22
18 to 24 in		/	
18 to 24 in	45	-37	.30

	Timia Dai		.:.:
ROSA—continued	1-4	e in Quan 5-24 2	5-249
multiflora, 9'-10'	J:	apanese	Rose
White, June. Vigorous, free-flowe	ring and	fragrant.	
18 to 24 in	.27	.22	.18
2 to 3 ft	-33	.27	.22
3 to 4 ft	45	·3 7	.30
nitida, 3'-4'		Bristly	Rose
Deep pink, June. Good for hole mass planting; good autumn colo		s and ge	neral
12 to 18 in	45	-37	.30
18 to 24 in	-55	.47	•37
palustris (carolina), 6'-8'		Swamp	Rose
Prefers moist situation. Pink flow	vers June-	August.	
12 to 18 in	•33	.27	.22
18 to 24 in	.45	·37	.30
rubiginosa, 5'-6'		Sweet	brier
Bright pink flowers, June. Good	d foliage	with aro	matic
odor.			
18 to 24 in	45	-37	.30
2 to 3 ft	-55	-47	-37
3 to 4 ft	.70 .80	•55 67	-45 52
4 to 5 ft	.00	.65	.52
rubrifolia (ferruginea), 5'-6'		Redleaf	Rose
Has distinct purplish-red leaves subject.	and bark	x; good v	vinter
12 to 18 in	-33	.27	.22
18 to 24 in	.45	·37	.30
2 to 3 ft	.55	-47	-37
3 to 4 ft	.70	-55	.45
rugosa, 4'-5'	Red	Rugosa	Rose
Handsome shrub, large pink	flowers, J	une-Septe	mber.
Rich green foliage and large red	l fruits;	useful in	either
shrubbery border or as hedge.			
18 to 24 in	45	·37	.30 ∙37
2 to 3 ft	-55	-4 7	•37
—alba, 4'-5'	White	Rugosa	Rose
White flowers. May-September.			
18 to 24 in	.70	· 5 5	
2 to 3 ft	.75	.60	
setigera, 5'-6'		Prairie	Rose
Deep rose flower, June-July. Vig	zorous gro		
2 to 3 ft	45	-37	.30
3 to 4 ft	.52	45	-35
4 to 5 ft	.70	-55	.45
spinossissima, 4'		Scotch	Rose
Dwarf spreading rose, with smal	l leaves a	nd showy	white
to pinkish flowers.			
12 to 18 in	.45	.37	.30
18 to 24 in	·55	47 65	-37
2 to 3 ft	-75	.65	.50

ROSA—continued	Unit P	rice in Q1 5-24	
wichuraiana, white, 10'-12'	v	Vichuria	n Rose
Trailing plant with evergreen shi flowers. Blooms rather late in the	ning fol	iage. Pu	re white
1 year	-37	.30	.25
2 year	-45	-37	.30

CLIMBING ROSES or RAMBLERS

Albertine. Semi-double, pale pink.

American Beauty Climbing. Red.

Aviateur Bleriot, Yellow.

Christine Wright. Wild rose-pink.

Dr. Van Fleet. Shell-pink.

Emily Gray. Semi-double, golden-buff.

Max Graf. Trailing sort with glossy foliage and attractive pink flowers.

Mary Wallace. Semi-double, clear rose-pink.

Pauls Scarlet. Vivid scarlet.


Silver Moon. Yellowish-white.

Dorothy Perkins. White.

Excelsa. Red.

Tausendschon. Soft pink

Tausendschon. Soft pink.			
RUBUS odoratus, 6'	Flowerin	g Ras	pberry
Makes excellent ground cover is fers moisture at roots. Rosy-pu tember.	n shaded l irple flow	location ers, Jui	s. Pre- ne-Sep-
18 to 24 in 2 to 3 ft	.50 .75	.40 .62	



SALISBURIA adiantifolia (See GINKGO)

SALIX babylonica, 50'-60' Babylon Weeping Willow Particularly appropriate for waterside planting with its long pendulous branches.

			Unit Pr	ice in Qu	antities
			1-4	5-24	25-249
4	to 6 ft.	****************	.90	-75	.60
6	to 8 ft.	• • • • • • • • • • • • • • • • • • • •	1.35	1.10	.90
8	to 10 ft.		2.00	1.70	-

SALIX—continued		rice in Q 5-24	uantities 25 -2 49
—salamoni, 40'-50' Sala Similar to the above but less p ascending branches and pendulous	endulo	us. A t	Willow ree with
6 to 8 ft	1.35	1.10	.90
8 to 10 ft	1.65	1.35	1.10
10 to 12 ft	2.25	1.90	1.50
Spreading branches pendulous at		eeping	Willow
4 to 6 ft	1.05	.90	.70
6 to 8 ft	1.35	1.10	.90
8 to 10 ft	2.00	1.70	
caprea (bush form), 15'-20'	Goa	at or E	uropean Willow
Very desirable for spring effects. well as wet places.	will de	o well o	n dry as
3 to 4 ft	45	·37	.30
4 to 5 ft	.70	-55	45
5 to 6 ft	.90	•75	.60
6 to 8 ft	1.10	.95	-75
8 to 10 ft	1.35	1.10	.90
discolor, 20' An	nerican	Pussy	Willow
Similar to the above.			
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.80	
elegantissima, 40'-50' Thur Hardier and more vigorous th			Willow
Willow.			
4 to 6 ft	.90	.75	.60
6 to 8 ft	1.35	1.10	.90
8 to 10 ft	2.00	1.70	1.35
10 to 12 ft	2.75	2.30	1.85
12 to 14 ft	3 .7 5	3.00	
fragilis, 40'-50' Very adaptable tree of upright ha	ibit.	Brittle	Willow
4 to 6 ft	1.20	1.00	.80
6 to 8 ft	1.45	1.20	
incana (rosmarinifolia), 8'-10'	• •	semarv	Willow
An attractive, slow-growing Wille		-	
greatly resembling Sagebrush or I	Russian-	olive in	appear-
18 to 24 in	-33	.27	.22
2 to 3 ft	45	-37	.30
nigra, 30'-40' Small dense tree with narrow foli	iage and		Willow ark.
	_		
3 to 4 ft	.55 .90	.47 .75	.60
	obe W	eeping	Willow
Weeping form with golden bark.			
4 to 6 ft	1.20	1,00	

	Unit D	rice in O	
SALIX—continued	1-4	rice in Qua 5-24	
pentandra, 20'-30'		Laurel V	Villow
Shining, rich, dark green leaves background; valuable for seashor	make th re plant	nis a wort	hwhile
4 to 6 ft	.90	.75	.60
6 to 8 ft	1.35	1.10	.90
	1.80	1.50	1.20
purpurea, 15'-20'		Purple	Osier
Vigorous shrub producing long to used for tying or basketing making	flexible	branches.	Often
2 to 4 ft	.50	40	-32
vitellina aurea, 30'-40' Ri	ıssian (Golden W	illow
weeping to semi-weeping tree. B	ranches	golden v	ellow
4 to 0 it	.90	·75	.60
0 to 8 ft	1.35	1.10	.90
8 to 10 ft	1.80	1.50	1.20
-britzensis, 20'-25'		-	
	ronze	Golden W	illow
Particularly good when used with	the fo	llowing v	ariety.
4 to 5 ft	.90	-75	.60
5 to 6 ft	1.35	1.10	.90
—nova, 30'-'40	NT	~ 11 77	
Bright golden yellow bark.	new (Golden W	illow
bright golden yellow bark.			
4 to 6 ft	.90	.75	.60
6 to 8 ft	1.35	1.10	.90
-pendula, 25'-30' We	ening (Golden W	illow
	1	JOIGCH VV	IIIOW
Weeping tree similar to Salix baby branches.	ionica l	out with g	olden
4 to 6 ft	.90	.7 5	.60
6 to 8 ft	1.35	1.10	.90
	1.80	1.50	1.20
SAMBUCUS canadensis, 8'-9'	Aı	merican l	Elder
Useful for swampy places; fragran	it flowe	rs, June-Ji	ıly.
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	45	-37	.30
5 to 6 ft	·55	-47	-37
	. 75	.62	.50
—acutiloba, 7'-9' Cut	leaf Ar	nerican I	Elder
Deeply cut and fern-like foliage give effect. Has same general characteris	TAC ATOA	llent land	scape
2 to 2 ft	tics as A	American E	luer.
2 to 3 ft	tics as A	American E	
3 to 4 ft	33 45	American E .27	.22
3 to 4 ft	33 .45 .55	American E	
3 to 4 ft	33 45	American E .27 -37	.22 .30
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aurea, 10'-12' Gold	33 45 .55 .75	American E .27 .37 .47	.22 .30 .37 .50
3 to 4 ft	33 45 .55 .75	.27 -37 -47 .62	.22 .30 .37 .50
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aurea, 10'-12' Gold Has conspicuous yellow foliage. 18 to 24 in.	33 45 .55 .75	.27 -37 -47 .62	.22 .30 .37 .50
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aurea, 10'-12' Gold Has conspicuous yellow foliage. 18 to 24 in. 2 to 3 ft.	tics as A -33 -45 -55 -75 den An	American E .27 .37 .47 .62	.22 .30 .37 .50
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aurea, 10'-12' Gold Has conspicuous yellow foliage. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.33 .45 .55 .75 den An	American E .27 .37 .47 .62 nerican E	.22 .30 .37 .50 Clder
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. —aurea, 10'-12' Gold Has conspicuous yellow foliage. 18 to 24 in. 2 to 3 ft.	.33 .45 .55 .75 den An	American E .27 .37 .47 .62 merican E .20 .27	.22 .30 .37 .50 Clder

	Unit Pr	ice in Qua	ntities
SAMBUCUS—continued		-	25-249
pubens, 10'-12' Attractive scarlet fruit.		can Red	Elder
3 to 4 ft	.50	-	
racemosa, 8'-10' Yellowish white flowers, scarlet f: 4 to 5 ft		ean Red .60	Elder
SASSAFRAS variifolium, 30'-60'	Com	mon Sas	safras
Beautiful orange foliage in fall. green with fragrant leaves.			
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	1.50 2.00 3.00 4.50	1.25 1.70 2.50 3.75	
SCHIZOPHRAGMA hydrangeoid		30' ydrangea	.Vina
Beautiful climbing sort. More at Hydrangea petiolaris but less vig	tractive	in flower	
3 in. pots	1.00		
SCIADOPITYS verticillata, 50'-75		Umbrella	
Distinctive ornamental evergree habit. Slow growing. Shining g specimen tree. Useful for heavy f	reen fo	liage—an	amidal ideal
15 to 18 in., B. & B	1.90 2.85	1.50 2.35	1.25
2 to 2½ ft., B. & B	3.75 5.25	3.00 4.40	2.50 3.50
SOPHORA japonica, 30'-40'	Chine	se Schol	lartree
White flowers in late summer; r winter. Also called Pagoda Tree.	oticeabl	e green b	ark in
2 to 3 ft	1.65 2.25	1.35 1.90	1.10 1.50
4 to 5 ft	3.00	· E 1	
SORBARIA aitchisoni, 4'-5' Graceful, compound foliage; flow September.			
2 to 3 ft	45	·37 ·47	.30 ·37
4 to 5 ft	.55 .70	-55	.45
5 to 6 ft	.90	.75	.60
sorbifolia, 4'-5' Fluffy heads of white flowers, J		al False- ust.	spirea
18 to 24 in	45 .60	·37	
SORBUS americana, 30' As	merican	Mounta	in-ash
Attractive small tree with brig clusters.	ght red	fruits in	large
3 to 4 ft	1.35 1.80	1.10 1.50	.90 1.20
5 to 6 ft	2.25 3.40	1.90 2.80	1.50 2.25
0 10 0 11	3.40		

	Ilnie D	rice in Ow	
SORBUS—continued	1-4	rice in Qua 5•24	
aucuparia, 25'-30' Eu	ropean	Mounta	in-ash
A valuable tree on a small lawn quite striking.	; the sc	arlet berr	ies are
4 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
10 to 12 It	3.60	2.85	
SPIRAEA alba, 4'-6'	1	Meadow :	Spirea
Panicles of white flowers in July.			
2 to 3 ft	-37	.30	.25
3 to 4 ft	45	-37	.30
4 to 5 ft	-55	47	-37
albiflora, 3'		apanese S	Spirea
A good dwarf shrub. White flowers			. 0
18 to 24 in	.27 •33	.22 .27	.18
	•33	.21	.22
arguta, 5'-6'		Garland S	
Very free flowering. Somewhat sin more vigorous.	milar to	thumber	gi but
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	-32	.27
3 to 4 ft	.50	40	•33
billiardi, 5'-6'		Billiard S	
Bright pink, fluffy flower spikes, for dry places.	July-Oc	tober. Val	luable
2 to 3 ft	.30	.25	.20
3 to 4 ft	45	-37	.30
4 to 5 ft	.52	45	. 35
bumalda, 3'		umalda S	
Light pink flower, July-Septem "facing" shrub.	ber. A	good, d	lwarf,
15 to 18 in	.27	.22	.18
18 to 24 in	-37	.30	.25
	. 45	•37	.30
		aterer S	
Deeper rose pink than preceding; summer.	very fre	e-flowering	ng all
12 to 15 in	.22	.20	.15
15 to 18 in	-3 3	.27	.22
18 to 24 in	-37	.30	.27
2 to 2½ ft	.50	40	•33
-froebeli, 4'-5'		Frobel S	pirea
Tall and more vigorous than abov flowers.	e with	bright cri	mson
18 to 24 in	.27	.22	.18
2 to 2½ ft	·3 7	.30	.25
2½ to 3 ft	45	-37	.30

SPIRAEA—continued	Unit P 1-4	rice in Qua 5 - 24	25-249
latifolia (salicifolia), 4'-5'		Meadow	Spirea
White or pink flowers.			
18 to 24 in	.27	.22	.18
2 to 3 ft	·37	.30	.25
3 to 4 ft	45	-37	.30
4 to 5 ft	-55	-47	-37
margaritae, 4'-5'	M	argarita	Spirea
Very handsome shrub with brig	ht pink 1	lowers.	
18 to 24 in	-33	.27	.22
2 to 3 ft	-45	-37	.30
multiflora, 4'-5'		Snow G	arland
Showy clusters of white flowers habit.	in May.	Graceful a	arching
18 to 24 in	-37	.30	.25
2 to 3 ft	45	-37	.30
nipponica rotundifolia, 6'-7'	Big	Nippon	Spirea
Vigorous shrub with white flow	wers in]	uly. Dark	green
foliage until late fall.			
2 to 3 ft	.70	-37	.30
		-55	-45
opulifolia (See PHYSOCARP)	US opul	ifolia)	
prunifolia, 7'-8'		Bridaly	
White, May. Free-flowering; had ing foliage, turning orange in	ndsome, autumn.	dark greer	ı, shin•
18 to 24 in	45	-37	.30
2 to 3 ft	•55	47	-37
3 to 4 ft	.80	.65	.52
reevesiana, 7'-8'		Reeves	_
Pure white, May-June. Gracefu leaves until late. Single or doub	ı l, ar chir ole variet	ng habit; ties.	retains
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.27
3 to 4 ft	45 •55	-37 -47	.30 -37
—fl. pl., 7′-8′		l. Reeves	_
Arching shrub similar in chara to Spirea vanhouttei.	icter and	flowering	g habit
18 to 24 in	-33	.27	.22
2 to 3 ft	45	-37	.30
3 to 4 ft	-55	-47	-37
salicifolia, 4'-6'	W	illowleaf	Spirea
Upright habit, showy light pink panicles.			
18 to 24 in	.18	.15	.12
2 to 3 ft	.27	.22	.18
3 to 4 ft		.27	.22
4 to 5 ft	45	·37	.30
sorbifolia (See SORBARIA so	rbifolia))	

SPIRAEA—continued	Unit P	rice in Qu 5 - 24	antities 25 - 249
thunbergi, 4'-5'	·		
Slender, arching branches clothed		hunberg	
ers, April-May. Small, feathery, li able for seaside planting.	ight gre	en leaves	e now- . Valu-
12 to 18 in	.22	.20	1.0
18 to 24 in	·37	.30	.15 .25
tomentosa, 3'-4'		Hai	rdhack
Woolly, rose-pink flowers, July-Se ish underside. Good in masses for	ptembe low gr	r. Leaves	
18 to 24 in	.27	,22	.18
2 to 3 ft	-33	.27	.22
3 to 4 ft	45	-37	.30
trichocarpa, 5'-6'		Korean	Spirea
White flowers in June.			-
18 to 24 in	·3 3	.27	.22
2 to 3 ft	45	-37	.30
3 to 4 ft	.55	47	-37
vanhouttei, 8'-9'		nhoutte	
White, May-June. Graceful habit. ing and very adaptable.	Extren	ely free-	flower-
18 to 24 in	.18	.15	.12
2 to 3 ft	.27	.22	.18
3 to 4 ft	-37	.30	.25
4 to 5 ft	45	-37	.30
veitchi, 10'-12'		Veitch :	
Tallest growing Spirea, Useful pla	ant for		
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav	rily.	the backs	
Tallest growing Spirea. Useful ploof the shrub border. Flowers heav	rily. •37	the backs	
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav	rily.	the backs	
Tallest growing Spirea. Useful place of the shrub border. Flowers heaved to 3 ft	37 .50 .70	.30 .40 .55	ground
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12'	oily. 37 50 70 Colc	.30 .40 .55	ground
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragran	oily. .37 .50 .70 Colc. t. Decor	.30 .40 .55 his Blade	ground
Tallest growing Spirea. Useful planed of the shrub border. Flowers heave 2 to 3 ft	Colc.	.30 .40 .55	ground
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragran	oily. .37 .50 .70 Colc. t. Decor	.30 .40 .55 his Blade rative seed	ground
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragran 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15'	Colc30 .70 Colc. t. Decor .90 1.20 1.50	30 .40 .55 his Blade rative seed .75 1.00	dernut pods.
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragrant 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods.	Colc30 .70 Colc. t. Decor .90 1.20 1.50	30 .40 .55 his Blade rative seed .75 1.00	dernut pods.
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragrant 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft.	Colc30 .70 Colc. t. Decor .90 1.20 1.50	.30 .40 .55 his Blade rative seed .75 1.00	dernut l pods.
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragram 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft. 4 to 5 ft.	.37 .50 .70 Cole t. Decor .90 1.20 1.50 Am upright	.30 .40 .55 his Blade rative seed .75 1.00 ——————————————————————————————————	dernut l pods.
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragran 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.37 .50 .70 Colc t. Decor .90 1.20 1.50 Am upright	.30 .40 .55 his Blade rative seed .75 1.00 ——————————————————————————————————	dernut l pods.
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragram 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft. 4 to 5 ft.	.37 .50 .70 Cole t. Decor .90 1.20 1.50 Am upright	.30 .40 .55 his Blade rative seed .75 1.00 ——————————————————————————————————	dernut l pods.
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragram 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 5 to 8 ft. 5 to 8 ft.	Am upright	der. Blade branches	dernut l pods. dernut s from .40 .50 .65 .82
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragrant 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. STEPHANANDRA flexuosa, 5'-6' Graceful, compact habit; handsom	.37 .50 .70 Colc t. Decor .90 1.20 Am upright .60 .75 1.00 1.25	.30 .40 .55 his Bladd rative seed .75 1.00 ——————————————————————————————————	dernut l pods. dernut s from .40 .50 .65 .82
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragram 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. STEPHANANDRA flexuosa, 5'-6' Graceful, compact habit; handsom 18 to 24 in.	Am upright .60 .75 .60 .75 .90 .1.20 .1.50 .75 .1.00 .1.25	.30 .40 .55 his Bladd rative seed .75 1.00 .60 .80 1.00 Stephan	dernut pods. dernut from 40 .50 .65 .82
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragrant 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. STEPHANANDRA flexuosa, 5'-6' Graceful, compact habit; handsom 18 to 24 in. 2 to 3 ft.	.37 .50 .70 Colc t. Decor .90 1.20 Am upright .60 .75 1.00 1.25	der. Blade branches .50 .60 .80 1.00 Stephan ge.	dernut l pods. dernut s from 40 .50 .65 .82 andra
Tallest growing Spirea. Useful ple of the shrub border. Flowers heav 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. STAPHYLEA colchica, 10'-12' Flowers white, May-June. Fragram 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. trifoliata, 10'-15' Dense shrub with numerous stout base. Decorative seed pods. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. STEPHANANDRA flexuosa, 5'-6' Graceful, compact habit; handsom 18 to 24 in.	Am upright .60 .75 .60 .75 .90 1.20 1.50 .60 .75 1.00 1.25 Cutleaf te foliag .30	.30 .40 .55 his Bladd rative seed .75 1.00 .60 .80 1.00 Stephan	dernut pods. dernut from 40 .50 .65 .82

	Unit I	Price in Qua	ntities
STEPHANANDRA—continued	1-4	5-24	25-249
tanakae, 6'		io Stephan	
More vigorous than the variety fle and flower clusters.	xuosa.	Has larger	leaves
3 to 4 ft	.55 .70	•47 •55	·37 -45
5 to 6 ft	.90	.7 <i>5</i>	.60
STEWARTIA pentagyna, 6'-15'		untain Ste	
Handsome shrubs with large show and orange red anthers.	y flow	ers, white s	tamens
2 to 3 ft	1.50 2.50		
4 to 5 ft	4.00		
pseudocamellia, 20'-25'	Jap	anese Ste	wartia
Larger in every way than former			
4 to 5 ft 5 to 6 ft	2.50 3.50	2.05 2.80	
6 to 7 ft	5.00	4.15	
STRANVAESIA davidiana, 12'-15	,		
Evergreen shrub. Attractive red f			
12 to 18 in., pot grown	1.10	•95	. 75
undulata, 12'-15'			
Tender woody evergreen shrub foliage and attractive red fruits.		handsome	shiny
12 to 18 in., pot grown 18 to 24 in	1.25	1.00 1.25	.85 1.00
·	_		
STYRAX japonica, ta'-ts'	la:	nanese Sno	owhell
STYRAX japonica, 12'-15' White, bell-shaped, pendant flow handsome specimen.		panese Sno ine-July. M	
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	ers, Ju	ine-July. M	akes a
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70	ne-July. M .55 .95	•45 •75
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	ers, Ju	ine-July. M	akes a
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10 3.40 6.00 7.90	.55 .95 2.80 5.00 6.55	•45 •75
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	.70 1.10 3.40 6.00 7.90 10.00	.55 .95 2.80 5.00	•45 •75
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10 3.40 6.00 7.90 10.00	.55 .95 2.80 5.00 6.55	.45 .75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher	.55 .95 2.80 5.00 6.55 8.00	45 .75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat	.55 .95 2.80 5.00 6.55 8.00 nault Snowing at the	dakes a 45 -75 2.25 wherry Arnold .15
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in. 2 to 3 ft.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat	.55 .95 2.80 5.00 6.55 8.00 nault Snow ing at the	/sakes a -45 -75 -2.25 /vberry Arnold -15 -20
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat	.55 .95 2.80 5.00 6.55 8.00 nault Snow ing at the .20 .25 .37	/sakes a -45 -75 2.25 wberry Arnold -15 -20 -30
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat .22 .30 .45 Sprea	.55 .95 2.80 5.00 6.55 8.00 nault Snow ing at the .20 .25 .37 ding Snow	// sakes a -45 -75 -2.25 // berry Arnold -15 -20 -30 // berry
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer mosus.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea	.55 .95 2.80 5.00 6.55 8.00 nault Snow ing at the .20 .25 .37 ding Snow perior to S	45 -75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer mosus. 18 to 24 in. 2 to 3 ft. 2 to 3 ft.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat .22 .30 .45 Sprea	.55 .95 2.80 5.00 6.55 8.00 nault Snow ing at the .20 .25 .37 ding Snow	// sakes a -45 -75 -2.25 // berry Arnold -15 -20 -30 // berry
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer mosus. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 2 to 3 ft. 3 to 4 ft.	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat .22 .30 .45 Sprea and su	.55 .95 2.80 5.00 6.55 8.00 nault Snow ing at the .20 .25 .37 ding Snow perior to S	45 -75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cher riginat .22 .30 .45 Sprea and su .22 .33 .45	.55 .95 2.80 5.00 6.55 8.00 nault Snow ing at the .20 .25 .37 ding Snow perior to S	45 -75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer mosus. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. racemosus, 5'-6' Conspicuous, white berries, attract	70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea and su .22 .33 .45		45 -75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer mosus. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. racemosus, 5'-6' Conspicuous, white berries, attractable, but best in half-shady, mois 18 to 24 in.	70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea and su .22 .33 .45		45 -75 2.25
White, bell-shaped, pendant flow handsome specimen. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. SYMPHORICARPOS chenaulti, This is a very beautiful hybrid o Arboretum. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. mollis, 6'-8' A more profuse berry producer mosus. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. racemosus, 5'-6' Conspicuous, white berries, attractable, but best in half-shady, mois	.70 1.10 3.40 6.00 7.90 10.00 6'-8' Cherriginat .22 .30 .45 Sprea and su .22 .33 .45	.55 .95 2.80 5.00 6.55 8.00 nault Snow ing at the .20 .25 .37 ding Snow perior to S .20 .27 .37 Snow	// Arnold .15 .20 .30 // berry . race15 .22 .30 // berry adapt-

	Timin D		
SYMPHORICARPOS—continued	1 1-4	rice in Qu 5-24	25 - 249
vulgaris, 4'-5'		Cor	alberry
Coral-red berries persisting the for shade, and bank planting. Currant.	oughou Also k	t winter	Good
18 to 24 in	.22	.20	.15
2 to 3 ft	.30 .45	.25	.20
	*43	-37	.30
SYMPLOCUS paniculata, 25'-40' Deciduous shrub with slender spre white fragrant flowers.	ading l	Sw oranches.	eetleaf Hardy;
18 to 24 in	-55	-47	-37
2 to 3 ft	.80	.65	.52
4 to 5 ft	1.10	.95	.75
5 to 6 ft	2.20	1.35 1.80	1.10
SYRINGA chinensis (rothomager	nsis) &	′-o′	
		Chines	e Lilac
Slender branches, graceful habit.	Violet	flowers i	in May.
rree-nowering.			
18 to 24 in	•33	.27	.22
2 to 3 ft 3 to 4 ft	-55	47	-37
	.80	.65	.52
chinensis saugeana, 8'-9' Deep purple flowers.	Purple	e Chines	e Lilac
18 to 24 in	•33	.27	.22
2 to 3 ft	.52 .80	.47 .65	·37
japonica, 18'-20'	Japan	nes e Tr e	e Lilac
Loose bunches creamy-white flow some foliage; grows into well-sha	vers. I	ine-Inly.	
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 9 ft	2.85	2.35	1.90
josikaea, 9'-10'	H	ungaria	n Lilac
Violet flowers. June. Good, shining	g, dark	green fol	liage.
18 to 24 in	-33	.27	.22
2 to 3 ft	.52	.45	-35
Large light purple flowers. Distin	net		
18 to 24 in	.8o	.65	72
2 to 3 ft		.90	.52
3 to 4 ft	1.30	1.05	.85
microphylla	1	Littlelea	Lilac
18 to 24 in	1.25		Lilac
2 to 3 ft	1.65		
montesquieu, 12'-15'			
Very floriferous with large panic lilac flowers.	eles of	single p	urplish
18 to 24 in	.80	.65	.52
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.30	1.05	.85

	LIKILO		
SYRINGA—continued	Unit P	rice in Qua 5-24	ntities 25 -2 49
persica, 9'-10'		Persian	Lilac
Blooms freely, lilac, May-June.			
18 to 24 in	.45	-37	.30
2 to 3 ft	.70	-55	45
-alba, 5'-6'	Whit	e Persian	Lilac
Fragrant white flowers in May or			
18 to 24 in	.52	47	-37
2 to 3 ft	. 80	.65	.52
—laciniata, 5'-6'	Cutlea	f Persian	Lilac
18 to 24 in	.52	47	
2 to 3 ft	.80		
villosa, 7'-8'		Late	Lilac
Pale pinkish-lilac, June. Fragrant	: bushs		
2 to 3 ft	·45	37	.30
3 to 4 ft	.70	-55	45
4 to 5 ft	.90	•75	.60
5 to 6 ft	1.10	•95	.75
vulgaris, 12'-15'	Commo	n Purple	Lilac
Blooms in early May.			
18 to 24 in	.27	.22	.18
2 to 3 ft	·37	.30	.25
3 to 4 ft	-55	.47	·37
4 to 5 ft	.80 1.00	.65 .90	.52
			.70
—alba, 12'-15'		on White	Lilac
White form of the common lilac			
18 to 24 in	.45	-37	.30
2 to 3 ft	.70	•55	45
View VK	-	10	•
	T. (1)	11/	
	11/	12 58	•
		I par	
- Write All Francisco	The same	1VA	5
	1	W.	
	EXECUTE	ALTERNATION OF THE PARTY OF THE	
(2.37.7) [1] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2	出国锋领		
The way of the state of the sta			مده بعد
	Wilk I'E & WH	1, 1111. I Wall of	lifter
and the state of t	MI ME TO SHARE		
	-		
Que	-		
	-		

DRUMTHWACKET LODGE

From the front porch of this cottage, on what is now Stockton Street, Washington reviewed his troops on their march to Trenton in December 1776

SYRINGA-continued

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

These are all grown from cuttings and are on their OWN ROOTS, which is the best method of propagation. The resulting plant is more permanent than the grafted stock commonly offered. We specialize in named Lilacs and are able to offer these superior grown plants at prices that compare favorably with inferior grafted stock. These named Lilacs generally grow from 6 to 12 ft. in height, depending on the variety and locality.

WE CAN OFFER THE FOLLOWING VARIETIES IN QUANTITY AT EXCEPTIONALLY ATTRACTIVE PRICES.

Name and Color Sizes available PD Adelaide Dunbar-Double. Violet red. 12-18, 18-24, 2-3 BD Alphonse Lavalle-Double. Deep lilac blue. 12-18 PD Charles Joly-Double. Light red purple. 12-18, 18-24 PS Charles Tenth—Single. Dull red purple. 12-18, 18-24, 2-3 WS Florent Stepman-Single. White large flower. 12-18, 18-24, 2-3, 3-4 BS Hugo Koster-Single. Lilac blue. 12-18, 18-24, 2-3 PS John deMessmaker-Single. Light red purple. 12-18, 18-24, 2-3 BD Kath. Havemeyer—Double. Lilac v. purple. 12-18, 18-24, 2-3 PS Ludwig Spaeth-Single. Purple v. red. 12-18, 18-24, 2-3 DW Mme. Cas. Perrer-Double. Creamy white. 12-18, 18-24, 2-3 BS Mme. F. Morel-Single. Deep pink-lilac. 12-18, 18-24, 2-3, 3-4 WD Mme. Lemoine-Double. White. 12-18, 18-24, 2-3, 3-4 WS Marie LeGraye-Single. White. 12-18, 18-24, 2-3 BD Michel Buchner-Double. Pinkish lilac. 12-18, 18-24 BD Olivier de Serres-Double. Light pink-lilac. 18-24, 2-3, 3-4 RD Paul Hariot-Double. Red mauve. 12-18, 18-24, 2-3 BD Pres. Grevy-Double. Light pink-lilac. 12-18, 18-24, 2-3 RS Pres. Poincare-Double. Clear red-purple. 12-18, 18-24, 2-3 PS Reaumur-Single. Clear purple-red. 12-18, 18-24, 2-3, 3' BS Rubra de Marly-Single. Pale lilac red. 12-18, 18-24, 2-3, 3-4 WS Vestale-Single. White large flower. 12-18, 18-24, 2-3

PD Wm. Robinson-Double. Red v.-purple.

12-18, 18-24, 2-3

	Unit P	rice in Qı	iantities
SYRINGA—continued	1-4	5-24	25-249
12 to 18 in	-55	-47	-37
18 to 24 in	.80	.65	.52
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.30	1.05	.85
——— T ≫			
TAMARIX gallica, 8'-9'	F	rench T	`amarix
Light pink, May-June, blue-green			
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	-37	.30
4 to 5 ft	-55	47	-37
odessana, 5'-6'		dessa T	
Characteristic bluish-green folia	ge with	pink flo	wers in
August.	.25	.20	
12 to 16 m	•25	.20	
parviflora, 12'-14'		frican T	
Reddish brown bark. Large ter flowers.	minal p	anicles	of pink
18 to 24 in	.27	.22	.18
2 to 3 ft	-37	.30	.25
3 to 4 ft	.50	.40	•33
4 to 5 ft	.70	-55	45
mantan Inc	T:	T	`
pentandra		tamen T	
Slender and spreading growth. Likes very dry or sandy soils.	Pink no	wers in	August.
18 to 24 in	.27	.22	.18
2 to 3 ft	·37	.30	.25
3 to 4 ft	.50	.40	•33
4 to 5 ft	.70	.55	. 45
TAXODIUM distichum, 75'-100'	Commi	on Dald	arro#086
Tall, pyramidal, symmetrical deci			
foliage. Distinct in appearance.	iddous ti	ce with	leathery
6 to 8 ft., B. & B	9.00	7.50	6.00
8 to 10 ft., B. & B	12.00	10.00	7.50
10 to 12 ft., B. & B	13.50	11.00	9.00
TAXUS baccata, 15'-20'		Fngli	sh Yew
Broad-based, pyramidal tree w	ith da-1		
brown fruits.	itii uaii	green	Tonage,
15 to 18 in., B. & B	1,35	1.10	.90
18 to 24 in., B. & B	1.65	1.35	1.10
-compacta (adpressa erecta), 12'-	15'		
Upright			
Slow growth and of neat compact leaves.	t habit.	Short de	ep green
2½ to 3 ft., B. & B	4.50	3.75	3.00
3 to 4 ft., B. & B	6.75	5.50	4.50
4 to 5 ft., B. & B	7.50	6.75	7.5
	,.,,	5.75	

TAXUS—continued	Unit F 1 - 4	rice in Qu 5-24	
-erecta aurea, 12'-15' Golden Upri	ight Sho	rtleaf Er	ıg. Yew
Bushy form with slender upright slightly golden.	branche	s. Tips of	foliage
2 to 2½ ft., B. & B	6.75		
—fastigiata (hibernica), 10' Columnar form with dense com			sh Yew
12 to 15 in., B. & B			
15 to 18 in., B. & B.	1.65 2.50	1.35	1.10
—repandens, 18"-24"	Spreadin	g Englis	sh Yew
Evergreen. Spreading, horizont green leaves. Valuable for low p	al brand lanting.	ches, dar	k blue-
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B.	2.85	2.35	1.90
18 to 24 in., B. & B	3.90	3.25	
2½ to 3 ft., B. & B.	5.25 6.75	4.25	
3 to 4 ft., B. & B	8.50	5.50 7.00	
4 to 5 ft., B. & B	11.00		
—tardiva, 15'	Shortle	af Engli	sh Vew
Low tree of irregular habit with Distinct form.	long spr	eading bi	anches.
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	3.40	2.80	2.25
2 to 2½ ft., B. & B	4.50	3 . 75	3.00
-Washingtoni, 4'-5'	. W	ashingto	n Yew
A form of wide spreading habit w	ith gold	en ye llow	leaves.
18 to 24 in., B. & B	3.00		-
	4.00	_	
canadensis, 2'-2½'			a Yew
Evergreen. Spreading habit. Broshade; good for underplanting.	onzy in	winter.	Prefers
18 to 24 in., B. & B	2.80	2.25	
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	3.50 4.25		
		Japanes	e Yew
Evergreen. Rich, deep green le	aves. Si	preading.	hughy
hardy.	planting	s. Except	ionally
12 to 15 in., B. & B	1.10	.95	-75
15 to 18 in., B. & B		1.90	1.50
18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	3.40	2.80	2.25
2½ to 3 ft., B. & B.	5.25 6.75	4.40	3.40
3 to 3½ ft., B. & B	7.90	5.50 6.50	4.50 5.25
3½ to 4 ft., B. & B	10.15	8.45	6.75
4 to 5 ft., B. & B	13.50	11.00	9.00
5 to 6 ft., B. & B	18.00	15.00	
—browni, 10'-12'			
More compact than cuspidata.			
15 to 18 in	3.40	2.80	

	Unit Pr	ice in Qu	antities
TAXUS—continued	1-4	5-24	25-249
	Upright		e Yew
Evergreen. The upright type of	Taxus cu	spidata.	
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.10 1.65 2.85 3.40 4.50 6.75 9.00 11.00	.95 1.35 2.35 2.80 3.75 5.50 7.50 9.50	.75 1.10 1.90 2.25 3.00 4.50 6.00 7.50
-columnaris, 20'-25'			
Narrow columnar form.			
18 to 24 in	3.00	2.50	
—hatfieldi, 15'-18'		Hatfield	1 Yew
Columnar type similar to Hicks'	Yew but	more co	mpact.
12 to 15 in	1.10	.90	. 75
15 to 18 in	1.65	1.35	1.10
18 to 24 in	2.85	2.35	1.90
2 to 2½ ft	3.90	3.25	2.60
2½ to 3 ft	5.60 7.50	4.75 6.25	3.7 <i>5</i> 5.00
-hicksi, 20'-25'	7.50	-	Yew
Distinctly columnar form with u	pright br	anches.	
15 to 18 in., B. & B	1.65	1.35	1.10
18 to 24 in., B. & B	3.00	2.50	2.00
2 to 2½ ft., B. & B	4.50	3.75	3.00
2½ to 3 ft., B. & B	6.00	5.00	4.00
3 to 4 ft., B. & B	7.90	6.55 8.00	5.25
4 to 5 ft	10.00	6.00	
cuspidata nana (brevifolia), 2'-3'		-	
Evergreen. Broad, thick leaves, bli ing and irregular, spreading hab			
9 to 12 in., B. & B	1.10 2.25	.95 1.90	.75 1.50
15 to 18 in., B. & B	3.40	2.80	2.25
18 to 24 in., B. & B	5.60	4.75	3.75
2 to 2½ ft., B. & B.	8.00		
—brevimedia			
Hardy broad upright form.			
15 to 18 in	2.25	1.90	1.50
18 to 24 in	3.00	2.50	2.00
—thayeri, 6'-8'		Thayers	Yew
Low, wide spreading form distinct		ne type.	
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B	3.40	2.80	2.25
2 to 2½ ft., B. & B	5.00	4.30	3.40
$2\frac{1}{2}$ to 3 ft., B. & B	6.75	5.50	4.50

TAXUS—continued	Unit P	rice in Qu 5-24	antities 25-249
intermedia, 12'-15'		Hybri	d Yew
Hybrid between Taxus baccata an	d Taxu	s cuspidat	a.
9 to 12 in., B. & B			
12 to 15 in., B. & B.	1.10	.95	-75
1# to 19 in D & D	1.65	1.35	1.10
15 to 18 in., B. & B.	2.85	2.35	1.90
18 to 24 in., B. & B	3.90	3.25	2.60
2 to 2½ ft., B. & B	5.25	4.40	3.50
THUJA occidentalis, 15'-30'	Ameri	ican Arbo	rvitae
Evergreen. Slender pyramid wit winter coloring. Good accent plan	h broa	d base.	Bronzy
2 to 3 ft., B. & B.	_		
2 to 4 ft D & D	1.65	1.35	1.10
3 to 4 ft., B. & B.	2.25	1.90	1.50
4 to 5 ft., B. & B	3.40	2.80	2.25
5 to 6 ft., B. & B	4.50	3.75	3.00
6 to 8 ft., B. & B	6.75	5.50	_
8 to 10 ft., B. & B	10.20		4.50
10 to 12 ft D l-D	13.50	8.50	6.75
, = = = = = = = = = = = = = = = = = = =	13.50	11.00	9.00
—compacta, 2½'-4'		ons Arbo	
Evergreen. Almost globe-shaped. I formal or foundation planting.	Bright g	green. Use	ful in
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80		
2 to 21/2 ft., B. & B.		1.50	1.20
21/2 to a ft D la D	2.25	1.90	1.50
2½ to 3 ft., B. & B.	2.75	2.30	
3 to 3½ ft., B. & B.	3.50	2.80	
$3\frac{1}{2}$ to 4 ft., B. & B	4.50	3.75	
4 to 4½ ft., B. & B.	6.00	5.00	
-douglasi aurea, 10'-15' Dougla	s Gold	len Arbo	rvitae
A broad pyramid with golden-gree	n folia	re Vices	
stoff D & D		ge. vigoro	us.
5 to 6 ft., B. & B	4.50		
6 to 8 ft., B. & B	6.00		
8 to 10 ft., B. & B	9.00		
10 to 12 ft., B. & B	2.00		
ossidentalia al-unud			
occidentalis elegantissima, 10'-15'			
Gold	lentipp	ed Arbon	rvitae
Evergreen. Branches tipped with green.	yellow.	Rich, lu	strous
6 to 8 ft., B. & B	8 00	6	
Q to 10 ft D 0 D	8.00	6.50	
10 to 10 ft., B. & B.	1.00	9.50	
10 to 12 ft., B. & B	4.00	12.00	
ellwangeriana, 4'-6'	n Thur	n b Arbor	vitae
Evergreen. Has heather-like leave			
close texture Forms low Land	Ll	se nabit;	sort,
close texture. Forms low, broad, purple winter coloring.	Dlunt	pyramid.	Rich
15 to 18 in., B. & B	1.10	.95	-75
18 to 24 in., B. & B	1.65	1.35	1.10
2 40 2T/ ft D 9 D	2.25		
21/ 40 2 ft D 8- D	_	1.90	1.50
-/2 to g rtig B. & B	3.00	2.50	

	TI-la D		
THUJA—continued	1-4	rice in Qua 5-24	25 - 249
—globosa, 3'-4'	G1	obe Arbo	rvitae
Evergreen. Useful in formal shaped.	work. N	aturally	globe-
12 to 15 in., B. & B	1.00	.90	.70
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.20	1.90	1.50
2½ to 3 ft., B. & B	2.85	2.35	1.90
3 to 372 It., B. & B	3 .7 5	3.00	
—hoveyi, 3'-4'		vey Arbo	
Evergreen. Oval in shape, nea Bright green foliage.	rl y a s	broad as	high.
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	1.80	1.50	1.20
2 to 2½ ft., B. & B	2.25	1.90 2.35	1.50 1.90
3 to 3½ ft., B. & B	3.50	2.80	
3½ to 4 ft., B. & B.	4.50	3.75	
		em Arbo	rvitae
Dwarf dark green form, broader t			
18 to 24 in., B. & B	3.00	2.50	
_		ody Arbo	
Evergreen. Conspicuous, golden- outline.	yellow	form. Col	lumnar
2 to 2½ ft., B. & B	1.65	1.35	1.10
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	4.50 5.60	3.7 <i>5</i> 4.7 <i>5</i>	3.00 3.75
6 to 7 ft., B. & B	7.90	6.55	5.25
7 to 8 ft., B. & B	10.00	8.00	
8 to 10 ft., B. & B	12.00	10.00	
occidentalis plicata, 10'-12'		oss Arbo	
Evergreen. Rich, deep blue-gre			
branchlets give pleasing effect in pyramid.	_	id shade.	
5 to 6 ft., B. & B	6.00	5.00	4.00
6 to 7 ft., B. & B	7.90	6.55 8.95	5.25
7 to 8 ft., B. & B 8 to 10 ft., B. & B	10.7 <i>5</i> 13.50	11.00	
10 to 12 ft., B. & B	16.50	13.50	
—pyramidalis, 15'-30'	Pyrami	idal Arbo	rvitae
Evergreen. Retains bright green c	-		
ter. Narrow columnar shape; s formal planting.			
18 to 24 in., B. & B	1.35	1.10	.90
2 to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	4.50	3 .75	3.00
5 to 6 ft., B. & B	6.00	5.00	4.00
6 to 7 ft., B. & B	7.90	6.55 8.05	5.25
8 to 10 ft., B. & B	10.75 13.50	8.95 11 . 00	7.15 9.00
10 to 12 ft., B. & B	17.00	15.00	12.00


THUJA—continued	Unit P	rice in Qu 5-24	antities 25-249
-rosenthali, 6'-10'	Rosent	hal Arbo	orvitae
Evergreen. Dense, rugged, colun	nnar for	m. Slow g	grower.
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	
2½ to 3 ft., B. & B	2.85	2.35	
3 to 4 ft., B. & B	3.90	3.25	
4 to 5 ft., B. & B	5.60	4.75	
5 to 6 ft., B. & B	6.75	5.50	
6 to 7 ft., B. & B	9.00	7.50	
umbraculifera, 2'-3'		ella Arbo	
Particularly good, low, mushroon green foliage. Very hardy.	m-shaped	torm wi	th rich
15 to 18 in., B. & B	1.10	.95	-75
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	2.85	2.35	1.90
-vervaeneana, 8'-12'	Verva	ene Arbo	rvitae
	greenish.	yellow i	oliage.
bronzy in winter. Broadly pyran		,	· · · · · · · · · · · · · · · · · · ·
18 to 24 in., B. & B	1.10	.90	-75
2 to 2½ ft., B. & B	1.50	1.25	1.00
2½ to 3 ft., B. & B	2.00	1.70	1.35
3 to 4 ft., B. & B	2.85	2.35	1.90
4 to 5 ft., B. & B	3.40	2.80	2.25
5 to 6 ft., B. & B	5.60	4.75	3.75
6 to 8 ft., B. & B	7.50	6.25	
Golden leaved form of the type. 18 to 24 in., B. & B	1.10 1.75	.90 1.50	75 1.20
3 to 4 ft., B. & B	2.70	2.25	
4 to 5 ft., B. & B	3.60	3.00	
5 to 6 ft., B. & B	5.50	4.50	
occidentalis wareana, 12'-15'	Siber	ian Arbo	rvitae
Evergreen. Light green, fleshy idal, rugged in appearance.	foliage.	Broadly 1	yram-
18 to 24 in., B. & B	1.35	1.10	.90
2 to 2½ ft., B. & B.	1.80	1.50	1.20
2½ to 3 ft., B. & B.	2.25	1.90	1.50
3 to 4 ft., B. & B	3.40	2.80	2.25
4 to 5 ft., B. & B	5.60	4.75	3.75
orientalis (biota), 20'-25'	Orien	tal Arbo	
Evergreen. Rather stiff, column foliage, bronze in winter; a good	ar habit accent p	; bright lant.	green
2 to 3 ft., B. & B	1.65	1.35	1.10
3 to 4 ft., B. & B	2.25	1.90	1.50
4 to 5 ft., B. & B	3.40	2.80	2.25
5 to 6 ft., B. & B	4.50	3.75	3.00
-aurea conspicua (biota), 7'-8'		ire Arbo	
Golden-yellow in spring, bronze tinctive.	-yellow	in winter	r. Dis-
3 to 4 ft., B. & B	3.10	3.75	
4 to 5 ft., B. & B	5.75	4.50	
5 to 6 ft., B. & B	6.50		
6 to 7 ft., B. & B	7.50		

	Unit P	rice in Qu	ntities
THUJA—continued	1-4	5-24	25-249
nana (biota), 2½'-3' Berckma	ans Gol	den Arbo	rvitae
A gem for dwarf planting; cor warm golden-yellow foliage. Esp- work and edging.			
9 to 12 in., B. & B	1.10	.95	.75
12 to 15 in., B. & B	1.65	1.35	1.10
15 to 16 m., B. & B	2.25	1.90	1.50
—compacta (biota), 3'-4'		old Arbo	
Forms a compact oval-shaped spe fresh green color, with beautiful			sistent,
4 to 5 ft., B. & B	6.00		
5 to 6 ft., B. & B	7.50		
orientalis elegantissima (biota),	7′-8′		
Yello	w Colu	mn Arbo	orvitae
Assumes a rich, deep golden-bron pact, columnar.	ze coloi	in winter	r. Com-
18 to 24 in., B. & B	1.65	1.35	1.10
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B.	3.40	2.80	2.25
3 to 4 ft., B. & B	4.50	3.75	3.00
4 to 5 ft., B. & B	6.00 7.50	5.00 6.25	4.00
5 to 0 It., B. & B	7.30	0.23	
plicata atrovirens (lobbi), 100'		ant Arbo	orvitae
Rich, shining, deep green, fleshy	leaves.		
6 to 8 ft., B. & B	7.50	6.25	
8 to 10 ft., B. & B	9.00	7.50	
10 to 12 ft., B. & B	10.50 12.00	9.00 10.50	
12 to 14 ft., b. & b	12.00	10.50	
standishi, 25'-40'		dish Arbo	orvitae
Hardy evergreen of broad pyram	_	bit.	
2 to 2½ ft., B. & B.	1.65	1.35	
2½ to 3 ft., B. & B	2.25	1.90 2.25	
4 to 5 ft., B. & B	2.70 3.75	3.00	
5 to 6 ft., B. & B	4.25	3.75	
6 to 7 ft., B. & B	6.50	6.00	
TILIA americana, 75'-90'	A	merican :	Linden
Grows rather quickly, forming	an oper	head. H	as fra-
grant yellow flowers.			
6 to 8 ft	1.10	.95	-75
8 to 10 ft	1.80	1.50	1.20
8 to 10 ft., 1½ to 1½ in	2.25	1.90	1.50
10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in	3.00	2.50 3.00	2.50
12 to 14 ft., 2 to 21/4 in	3.75 4.50	3.75	3.00
12 to 14 ft., 2½ to 2½ in	5.60	4.75	3.75
14 to 16 ft., 2½ to 3 in	6.35	5.30	
14 to 16 ft., 3 to 3½ in	7.90	6.55	
14 to 10 111, 0 to 0/2 1111111111	1.90	~,,,	

TILIA—continued	Unit Pr	ice in Qu 5 - 24	antities 25 -2 49
cordata, 70' Little	leaf Eu	manaam 1	id
Very small leaves and desirable h	eleaf Eur abit of g	ropean 1 growth.	Linden
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	2.85	2.35	1.90
8 to 10 ft., 1½ to 1½ in	3.40	2.80	2.25
8 to 10 ft., 1½ to 1¾ in	3.90	3.25	2.60
10 to 12 ft., 13/4 to 2 in	4.50	3.75	3.00
10 to 12 ft., 2 to 2 ¹ / ₄ in	5.25		
10 to 12 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	6.00	4.40	3.50
12 to 14 ft., $2\frac{1}{2}$ to 3 in		5.00	4.00
12 to 14 ft., 3 to $3\frac{1}{2}$ in	7.90	6.55	5.25
euchlora, 70'-80'	10.15	8.45	6.75
	Cr	imean I	_inden
Fair size tree; yellow branchlets foliage.	and sh	iny dark	green
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.90	3.25	
neglecta, 60'-75'			
		Gray I	inden
Similar to the American Linden	but has	grayish	green
foliage.			
10 to 11 ft., 2 to 21/4 in	6.00	5.00	
10 to 12 ft., 21/4 to 21/2 in	7.00	5.60	
12 to 14 ft., $2\frac{1}{2}$ to 3 in	8.00	6.75	
12 to 14 ft., 3 to $3\frac{1}{2}$ in	9.00	7.50	
14 to 16 ft., 3½ to 4 in	10.50	8.50	
14 to 16 ft., 4 to 5 in	12.00	10.50	
petiolaris, 40'-60'	337	-	
	We	eping I	inden
Large tree with dense growth, silv	rery folia	age and	droop-
ing branchlets.			
6 to 8 ft	2.40	3.00	
8 to 10 ft	4.50	3.75	
8 to 10 ft., 1½ to 1½ in	5.30	4.50	
10 to 11 ft., 1½ to 1¾ in	6.75	5.50	
	eaf Euro	opean L	inden
Large leaved European Linden-fi	rst one t	o bloom	. Sym-
metrical tree. Excellent lawn speci	men. Sati	sfactory	street
tree.			
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft., 1¼ to 1½ in.	2.85	2.35	1.90
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.40	2.80	2.25
8 to 10 ft., 13/4 to 2 in	3.90	3.25	2.60
10 to 12 ft., 2 to $2\frac{\pi}{4}$ in	4.50	3.75	3.00
10 to 12 ft., 2½ to 2½ in	5.60	4.75	3.75
12 to 14 ft., 2½ to 3 in	6.75	5.50	4.50
12 to 14 ft., 3 to 3½ in	7.90	6.55	
			5.25
—pyramidalis, 70' Py Ascending branches forming a dist	ramidal	Eur. L	inden ee.
5 to 6 ft	2.40	2.00	
_			
-rubra, 70' Redbranch	ied Euro	pean L	inden
With same characteristics as the type red branchlets.	e-diffe	ring only	with
6 to 8 ft., 1 to 11/4 in	0.50		
8 to 10 ft 11/4 to 11/ in	3.50		
8 to 10 ft., 11/4 to 11/2 in	4.00		
8 to 10 ft., 1½ to 1¾ in	5.00		
10 to 12 ft., 13/4 to 2 in	6.00		
10 to 12 ft., 2 to 2½ in	7.50		
12 to 14 ft., $2\frac{1}{2}$ to 3 in	9.00		

	Tinia D		
TILIA—continued	1-4	rice in Qua 5•24	25 - 249
tomentosa (argentea), 40'-60'		Silver I	Linden
Handsome, dense-headed tree th and drought. Leaves green above			d heat
9 to 10 ft., 1½ to 1¾ in	4.50	3.75	3.00
10 to 11 ft., 13/4 to 2 in	5.60	4.75	3.75
10 to 12 ft., 2 to 2 1/4 in	6.75	5.50	4.50
10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.00	7.50	6.00
12 to 14 ft., $2\frac{1}{2}$ to 3 in	11.00	9.50	7.50
12 to 14 ft., 3 to $3\frac{1}{2}$ in	13.50	11.00	
vulgaris, 70'-90'		ropean I	
In late June the fragrant flower symmetrical and compact.	s are n	oticeable;	grows
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
8 to 10 ft., 11/4 to 11/2 in	3 .75	3.00	2.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	3.75	3.00
11 to 12 ft., 13/4 to 2 in	5.25	4.40	3.50
11 to 13 ft., 2 to 2 ¹ / ₄ in	6.00	5.00	4.00
11 to 13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.75	6.50	5.25
13 to 14 ft., $2\frac{1}{2}$ to 3 in	9.00	7.50	
*TRIPTERYGIUM regeli, 3'-4'			
Low growing shrub with angled branches and greenish white flow fruit.	d, wart ers, foll	y reddish owed by	-brown winged
2 to 3 ft., B. & B	1.50	1.25	
	1.75	1.50	11
TSUGA canadensis, 75'-90'	C	anada He	
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect	Ca daptabl tive sha	anada He e, the spi dow effect	reading
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or inf	Cadaptabl tive sha formal j	anada He e, the spi dow effect planting.	reading ts. Use-
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or inf 18 to 24 in., B. & B	Cadaptabl tive sha formal 1	anada He e, the spi dow effect blanting. 1.35	reading ts. Use-
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B 2 to 3 ft., B. & B	Cadaptabl tive sha formal 1 1.65 2.85	anada He e, the spi dow effect blanting. 1.35 2.35	reading ts. Use- 1.10 1.90
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B	Cadaptabl tive sha formal 1 1.65 2.85 3.90	anada He e, the spi dow effect planting. 1.35 2.35 3.25	1.10 1.90 2.60
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or inf 18 to 24 in., B. & B	daptabl tive sha formal 1 1.65 2.85 3.90 5.60	anada He e, the spi dow effect blanting. 1.35 2.35 3.25 4.75	1.10 1.90 2.60 3.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Cadaptabl tive sha formal j 1.65 2.85 3.90 5.60 6.35	anada He e, the spi dow effect planting. 1.35 2.35 3.25 4.75 5.30	1.10 1.90 2.60 3.75 5.25
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Cadaptabl tive sha formal j 1.65 2.85 3.90 5.60 6.35 10.25	anada He e, the spi dow effect colanting. 1.35 2.35 3.25 4.75 5.30 8.25	1.10 1.90 2.60 3.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Cadaptabl tive sha formal j 1.65 2.85 3.90 5.60 6.35	anada He e, the spi dow effect planting. 1.35 2.35 3.25 4.75 5.30	1.10 1.90 2.60 3.75 5.25
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B.	Cadaptabl tive sha formal j 1.65 2.85 3.90 5.60 6.35 10.25 13.00	anada Hee, the spi dow effect blanting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50	1.10 1.90 2.60 3.75 5.25
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	Cidaptabl tive sha formal 1 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50	anada Hee, the spi dow effect blanting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50	1.10 1.90 2.60 3.75 5.25
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or into 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 12 to 14 ft., B. & B. —microphylla (gracilis), 40'-50'	Cadaptabl tive sha formal J 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00	anada Hee, the spi dow effect planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B.	Cadaptabl tive sha formal J 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00	anada Hee, the spi dow effect planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. -microphylla (gracilis), 40'-50' Small-leav	Cadaptabl tive sha formal J 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00	anada Hee, the spi dow effects planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. Small-leav Slow growing form with very sma	Cadaptabl tive sha formal 1 1.65 2.85 3.90 5.00 6.35 10.25 13.00 16.50 22.50 36.00	anada Hee, the spi dow effects planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or inf 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. —microphylla (gracilis), 40'-50' Small-leav Slow growing form with very sma 2 to 2½ ft., B. & B.	Cadaptabl tive sha formal J 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00 ed Can Il leave	anada Hee, the spi dow effects planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or inf 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. -microphylla (gracilis), 40'-50' Small-leav Slow growing form with very sma 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	daptabl tive sha formal J 1.65 2.85 3.90 5.60 6.35 10.25 13.00 22.50 36.00 ed Can Il leave	anada Hee, the spi dow effects planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. Slow growing form with very sma 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	Cadaptabl tive sha formal J 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00 ed Can Il leave	anada Hee, the spi dow effects planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or inf 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. -microphylla (gracilis), 40'-50' Small-leav Slow growing form with very sma 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	daptabl tive sha formal 1 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00	anada Hee, the spi dow effects planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. -microphylla (gracilis), 40'-50' Small-leav Slow growing form with very sma 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	daptabl tive sha formal J 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00 ed Can Il leave 4.50 5.50 6.00 8.00 10.00	anada Hee, the spi dow effects planting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or inf 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. Slow growing form with very sma 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	daptabl tive sha formal 1 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00 ed Can 11 leave 4.50 5.50 6.00 8.00 10.00	anada He e, the spi dow effect blanting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75
TSUGA canadensis, 75'-90' Evergreen. Most graceful and a horizontal branches making effect ful as either clipped hedge or int 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B. -microphylla (gracilis), 40'-50' Small-leav Slow growing form with very sma 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	daptabl tive sha formal 1 1.65 2.85 3.90 5.60 6.35 10.25 13.00 16.50 22.50 36.00 ed Can 11 leave 4.50 5.50 6.00 8.00 10.00	anada He e, the spi dow effect blanting. 1.35 2.35 3.25 4.75 5.30 8.25 10.50 14.25	1.10 1.90 2.60 3.75 5.25 6.75

TSUGA—continued	Unit P 1-4	rice in Qu 5-24	antities 25-249
caroliniana, 50'-60'	Cai	olina H	emlock
Evergreen. One of our choicest n in growth than above.	ative ev	ergreens;	slower
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B.	1.65 2.85 4.50 6.75 9.00 11.00	1.35 2.35 3.75 5.50 7.50 9.50	1.10 1.90 3.00 4.50 6.00 7.50
diversifolia, 30'-40'	Jap	anese H	
Slow compact growth with short 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.65 2.25 3.00 3.75	1.35 1.90 2.50 3.00	1.10 1.50 2.00 2.50
sieboldi, 40'-50' Similar to above but of faster gr		ebold He	emlock
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.65 2.25 3.45 4.50	1.35 1.90 2.80 3.75	1.10 1.50 2.25



ALEXANDER HALL, PRINCETON THEOLOGICAL SEMINARY
The Seminary, which has no corporate relation with the University, is the oldest and largest theological seminary in the
country

— ≪ U >> —

Unit Price in Quantities 1-4 5-24 25-249

ULMUS americana, 80'-100'

American Elm

Stateliness and dignity are here exemplified. Fairly rapid in growth, this typical American tree soon assumes regal proportions and commands respect of all who look upon it.

6 to 8 ft	1.10	.95	-75
8 to 10 ft	1.35	1.10	.90
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.50	1.25	1.00
9 to 11 ft., 1½ to 1¾ in	2.25	1.90	1.50
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
11 to 12 ft., 2 to 2 ¹ / ₄ in	4.50	3.75	3.00
12 to 14 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	5.60	4.75	3.75
12 to 14 ft., 2½ to 3 in	7.75	6.50	5.25
14 to 16 ft., 3 to 3½ in	10.00	8.00	6.75
14 to 16 ft., 3½ to 4 in	12.50	10.50	
16 to 18 ft., 4 to 4½ in	15.00	13.50	-
18 to 20 ft., 4½ to 5 in	21.00	18.00	

-Moline, 80'-100'

Moline Elm

A remarkable new variety of extremely strong growth and large, handsome, deeply grained foliage. Very desirable.

6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
8 to 10 ft., 11/4 to 11/2 in	2.85	2.35	1.90
10 to 12 ft., 1½ to 1¾ in	3.90	3.25	2.60
10 to 12 ft., 13/4 to 2 in	5.00	4.30	3.40
11 to 12 ft., 2 to 2 ¹ / ₄ in	7.50	6.00	
11 to 13 ft., 21/4 to 21/2 in	9.00	7.50	
13 to 14 ft., $2\frac{1}{2}$ to 3 in	11.25	9.00	

-"Princeton", 80'-100'

Princeton Elm

A selected strain of American Elm (all budded stock). In the young stage, a type similar to the Moline Elm but with a slightly more spreading top.

6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
8 to 10 ft., 11/4 to 11/2 in	2.85	2.35	1.90
10 to 12 ft., 1½ to 1¾ in	3.75	3.00	2.50
12 to 14 ft., 13/4 to 2 in	4.50	3.75	3.00
12 to 14 ft., 2 to 21/4 in	5.60	4.75	3.75

-Vase shape, 60'-75'

Vase Shaped American Elm

This is the typical spreading elm which has been selected for its splendid characteristics: large foliage, straight, clean stem, quick growth and uniformity of shape.

10 to 12 ft., 1½ to 1¾ in	2.80	2.50	
10 to 12 ft., 13/4 to 2 in	3.60	2.85	
11 to 12 ft., 2 to 2 ¹ / ₄ in	4.50	3.75	
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.00	6.00	
12 to 14 ft., 2½ to 3 in	9.00	7.50	
14 to 16 ft., 3 in	12.00	9.75	

ULMUS—continued	Unit Pri	ce in Q1 5-24	antities 25 - 249
campestris, 80'-100'		Engli	sh Elm
Smooth barked tree with somew	hat dull		
6 to 8 ft	2.00	1.70	
8 to 10 ft	2.75	2.30	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.30 4.00	2.75 3.35	
10 to 12 ft., 13/4 to 2 in	4.75	4.00	
11 to 13 ft., 2 to 2½ in	5.50	4.75	-
pumila, 50'-75'		Chine	se Elm
Forms symmetrical head. Has sma gularly free from disease. Acclim gested city conditions.			
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25		
10 to 12 ft., 1½ to 1¾ in	3.00		
10 to 12 ft., 1¾ to 2 in	4.50 6.00		
11 to 1,0 1ti, 2 to 2/4 mi	0.00		
→ V >>			
*VACCINIUM corymbosum, 5'-6'	Highbu	sh Blu	eberry
One of the best native shrubs. Flow	ers and f	ruit be	
Wonderful autumn coloration. Pre	fers acid	soil.	
18 to 24 in., B. & B	1.50	1.25	
2 to 3 ft., B. & B	2.00	1.70	
4 to 5 ft., B. & B	2.50 3.50	2.00 3.00	
VIBURNUM acerifolium, 4'-5' M	3,5		urnum
White, May-June. Black fruits, ma	ple-like	leaves '	turning
purple in autumn; good for dry sl planting in woodland.	hady plac	ces and	under-
18 to 24 in	.45	-37	
3 to 4 ft	•55 •70	·47 ·55	
americanum (oxycoccos), 8'-9'	., -	•55	
	erican Ci	ranber	ybush
Bright scarlet berries in large b	ounches,	persisti	ng all
18 to 24 in	.45	·37	.30
2 to 3 ft	.55	-47	-37
3 to 4 ft	.70	.55	-45
carlesi, 4'-6'	Fragra		
One of the most desirable, semi-d- with wonderfully fragrant flow shaded with pink. Foliage nice gree	er cluste	wering ers of	shrubs white
12 to 15 in., pot gr	.75	.60	
cassinoides, 5'-6'		Wit	he-rod
White, June-July. Berries pink ch Rich autumn coloring; splendid : water.	nanging for mass	to dark ing an	blue.
12 to 18 in	·33	27	1 near
18 to 24 in		.27	near
4 (U 3 It	.52	.47	.22 -37
3 to 4 ft	.52 .80	.47 .65	.22 -37 .52
3 to 4 ft	.52	.47	.22 -37
	.52 .80 1.10	.47 .65 .95	.22 -37 .52

	Unit l	Price in Q	uantities
VIBURNUM—continued	1-4	5 - 24	25-249
dentatum, 10'-12'		Arro	wwood
White, May-June. Berries blue-b purple and red; thrives in wet so		autumn	coloring
18 to 24 in	•33	.27	.22
2 to 3 ft	45	-37	.30
3 to 4 ft	.55 .80	.47 .65	-37
5 to 6 ft	1.00	.90	.52 .70
dilatatum, 8'-9'	L	inden Vi	burnum
White, May-June. Scarlet showy be some and valuable.	erries	persisting	g. Hand-
18 to 24 in	-33	.27	.22
2 to 3 ft	.80	.65	.52
3 to 4 ft	1.00	.90	.70
4 to 5 ft	1.30	1.05	.85
5 to 6 ft	1.65 2.00	1.35	1.10
lantana, 15'-18'	2.00	Wayfar	ino-tree
		•	_
White, May-June. Handsome, dark Berries red, changing to black.	green	, WIIIIKIE	u leaves,
18 to 24 in	-33	.27	.22
2 to 3 ft	45	-37	.30
3 to 4 ft	.55	.47	•37
4 to 5 ft	.80	.65	.52
5 to 6 ft	1.00	.90	.70
lentago, 18'-20'			nyberry
White, May-June. Handsome, shi fruits. Splendid shrub for massin		eaves. Bl	ue-black
18 to 24 in	-55	-47	-37
2 to 3 ft	.80	.65	.52
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.35	1.10	.90
5 to 6 ft	1.65	1.35	-
6 to 7 ft	2.00	1.70	
7 to 8 ft	2.50 3.00	2.05 2.50	
molle, 10'-12'	•	tucky Vi	huenum
Larger, darker green leaves, bu "dentatum."			
18 to 24 in	-33	.27	.22
2 to 3 ft	45	-37	.30
3 to 4 ft	.70	-55	.45
4 to 5 ft	.90	.7 5	.60
5 to 6 ft	1.10	.90	.75
6 to 7 ft	1.35	1.10	.90
opulus, 9'-10' Eur	ropear	Cranbe	rrybush
Very similar in habit of growth as Cranberrybush.	nd fru	it to the A	merican
12 to 18 in		3=	22
18 to 24 in	-33	.27	.22
2 to 3 ft	45	·37	.30 •37
3 to 4 ft	•55	•47	
J 10 4 10	70		.4.5
4 to 5 ft	.70	.55 .75	.45 .60
4 to 5 ft	.70 .90 1.30	.55 .75 1.00	.45 .60 .85

VIBURNUM—continued	Unit Pi 1-4	rice in Qua 5-24	
opulus nanum, 18"-24"	Dwarf	Cranberr	ybush
Useful for edging or facing shru compact.	bs. Rare	ly flower	s. Very
4 to 6 in	-33	.27	.22
6 to 9 in	-55	.47	-37
9 to 12 in	.80	.65	.52
sterile, 9'-10'	Con	mon Sno	owball
Has showy, round head of white	flowers,	May-Jun	e.
12 to 18 in	-33	.27	.22
18 to 24 in	.45	-37	.30
2 to 3 ft	•55	-47	-37
3 to 4 ft	.70	-55	.45
prunifolium, 10'-12'			ckhaw
Pure white flowers, April-June. B ries. Sturdy habit; handsome shr	lue-blac ub.	k, glaucoi	18 ber-
18 to 24 in	.90	.75	.60
2 to 2½ ft	1.10	.90	.75
$2\frac{1}{2}$ to 3 ft	1.35	1.10	.90
4 to 5 ft	1.65	1.25	1.10
5 to 6 ft	3.00	1.90 2.50	1.50
6 to 8 ft	4.00		
rhytidophyllum, 6'-8'	_eather!	leaf Vibu	ırnum
Evergreen. Large, oblong leaves, beneath; a bold, handsome shrub.	deep gr	een above	gray
12 to 15 in., B. & B	-55	-47	-37
15 to 18 in., B. & B.	1.10	.90	.75
18 to 24 in., B. & B	1.65	1.35	1.10
sieboldi (japonicum), 9'-10'	Sieb	old Vibu	rnum
White, May-June. Berries pink, ch some, large, dark green leaves. Vi	anging gorous.	to black.	Hand-
18 to 24 in	45	-37	.30
2 to 3 ft	.55	.47	•37
3 to 4 ft	.80	.65	.52
4 to 5 ft	1.05	.90	.70
tomentosum, 7'-8'	Double	file Vibu	rnum
Flat heads of white flowers, Jun- Good foliage.	e. Berrie	s red to	black.
18 to 24 in	·37	.30	.27
2 to 3 ft	-4 5	•37	.30
3 to 4 ft	.70 .90	·55	.45
—plicatum, 7'-8'	-	·75	.60
Showy white flowers in balls. In	Japar ine. Har	nese Sno ndsome fo	wball oliage
with purple autumn coloring.			
18 to 24 in	45	-37	.30
2 to 3 ft	.70	-55	45
	.90	•75	.60
venosum, 8'-10'	Vei	ny Vibui	num
Resembles dentatum. Somewhat sn 2 to 3 ft			
3 to 4 ft	·45	-37	.30
4 to 5 ft	.70 .90	∙55 •75	.45 .60
	.,,	.13	.00

	Unit Pr	ice in Qua	ntities
VIBURNUM—continued	1-4	-	25-249
wrighti, 7'-8'	Wri	ght Vibu	rnum
A native of Japan. Very upright scarlet fruits produced abundantly		cter. Attr	active
18 to 24 in	.45	·3 7	.30
2 to 3 ft	.70	-55	.45
3 to 4 ft	.90 1.35	.75 1.10	.60
5 to 6 ft	1.65	1.35	
6 to 8 ft	2.25	1.90	
VINCA minor, 6"-8"	Periwi	nkle or M	[yrtle
A trailing evergreen plant. Gloss	v folias	ze, blue fl	owers
in spring. Excellent ground cov shade.	er in fi	ull sunshi	ne or
3 in. pots	.22	.20	.15
VITEX agnus-castus, 4'-5'		lac Chast	
Dainty shrub, lilac flowers. Augu green, star-shaped leaves; prefe	ist to Se rs sun.	eptember.	Gray-
18 to 24 in	-3 3	.27	.22
2 to 3 ft	45	. 37	.30
—alba, 4'-5' White flowered form of the above		ite Chast	e-tree
18 to 24 in	45	·37	
2 to 3 ft	-55	-47	
agnus macrophylla, 3'-4' Large lea	ved Lil	ac Chast	e-tree
A great improvement on the type			
attractive.			•
12 to 18 in	.22	.20	.15
18 to 24 in	.3 3	.27	.22
2 to 3 ft	·45 ·52	∙37 •45	.30 .35
	.,,2	4 3	. •33
VITIS aestivalis, 25'-35'		Summe r (-
Strong growing ornamental vine;		r bank cov	ering.
2 yr. transplants	.30	.25	.20
cordifolia, 30'-40'		Frost (Grape
Roundish leaves; small glaucous covering and trelliswork.	s fruit;	good for	bank
2 yr. transplants	.30	.25	.20
labrusca, 25'-35'		Fox	Grape
Strong growing vine, self clinging	g; large	showy fr	uit.
2 yr. transplants	.30	.25	.20

——≪ W >>--

			Quantities
HIDIOTI A 1111	1-4	5-24	
WEIGELA amabilis, 7'-8'		Rose	Weigela
Light Pink.			
3 to 4 ft	-45	-37	.30
4 to 5 ft	.52	45	_
5 to 6 ft	.70	.55	
	.,	-55	-40
candida, 7'-8'		White	Weigela
Large, pure white flowers.			•
3 to 4 ft	4.5	07	20
4 to 5 ft	45	-37	.30
5 to 6 ft	.52 .70	.45 .55	
<i>y</i> •• • • • • • • • • • • • • • • • • •	.,0	•99	45
Eva Rathke, 4'-5'	Redfle	owered '	Weigela
Carmine, June-August. Most florif			
12 to 18 in			
18 to 24 in	.22	.20	.15
2 to 3 ft	-33	.27	.22
2 to 5 ft	-45	•3 7	.30
Feerie, rose colored flowers.			
18 to 24 in	22		
2 to 3 ft	-33	.25	.22
3 to 4 ft	.45	-37	.30
4 to 5 ft	.55	-47	-37
4 to 3 1t	.70	-55	45
floribunda, 8'	C	rimson 1	Weigela
Upright growing shrub with crims			vi cigcia
18 to 24 in	•33	.27	.22
2 to 3 ft	.45	-37	.30
3 to 4 ft	.50	40	-33
4 to 3 1t	.70	-55	-45
nana variegata, 6'-8' Vari	iegate	d Leaf V	Weigela
Pale pink flowers; variegated le			
growth.	aves;	dwarr,	compact
.,			
2 to 3 ft	45	.37	.30
3 to 4 ft	.52	.45	-35
4 to 5 ft	.70	·5 <i>5</i>	45
rosea, 7'-8'		Pink I	Veigela
	33		
Showy, pink flowers freely pro-	aucea.	June. \	/igorous
_			
18 to 24 in	.22	.20	.15
2 to 3 ft	•33	.27	.22
3 to 4 ft	. 45	-37	.30
WEIGELA HYBRIDS			
conquerant, red			
desboisi, rose			
girondin, red			
Gustav Mallot, rose red			
profusion, reddish pink			
richesse, deep pink			
18 to 24 in	·3 3	.25	
2 to 3 ft	.45	-37	
3 to 4 ft	-55	-47	

		rice in Qua	
WISTERIA multijuga, 35'-50'		5-24 2 luster Wis	
Has long drooping racemes of purifine to cover a trellis or pergola.	_		
12 to 18 in	.60	∙37 •55	.30 .40
2 to 3 ft., grafts	•75 1.90	.60 1.50	.50 1.25
—alba, 35'-50' W1	nite We	eping Wis	steria
12 to 18 in	.70 .75 1.90	.55 .60 1.50	.50
-rosea, 35'-50'	osy We	eping Wis	teria
12 to 18 in	.52	.45	•35 •50
sinensis, blue, 35'-50' (grafted)	Ch	inese Wi	steria
This is by far the best stock to cause they will really bloom.	plant	in wisteria	s be-
12 to 18 in		.45 .60	•35 •50
alba, 35'-50' W	hite Ch	inese Wis	teria
12 to 18 in	.45	·37	.30
18 to 24 in	.52	45	-35
2 to 3 ft., 2 yr. grafts 3 to 4 ft., 3 yr. grafts	.70 .90	•55	.45 .60
4 to 5 ft., 2 vr. grafts	_	.75 1.10	.00



MORVEN

The home of Richard Stockton, a signer of the Declaration of Independence. Here many notables were entertained in Revolutionary days

— ≺ Y - Z >

Unit Price in Quantities 1-4 5-24 25-249

ZANTHORHIZA apiifolia, 2'-3'

Yellowroot

Good ground cover. Will succeed on dry, sandy soil, banks, etc. Small purplish flowers, May-June.

1 yr., 6 to 9 in	.20	.17	.14
2 yr., 9 to 12 in	.27	.22	.18
3 yr., 12 to 15 in	•33	.27	

FRUITING APPLE TREES

Cortland-4-6 ft., 6-8 ft., 8-10 ft.

Grimes Golden-4-6 ft., 6-8 ft.

McIntosh-4-6 ft., 6-8 ft.

Petrel-4-6 ft., 6-8 ft., 8-10 ft.

Red Delicious-4-6 ft., 6-8 ft.

Red Rome-4-6 ft., 6-8 ft.

Rome Beauty-4-6 ft., 6-8 ft.

Starr-4-6 ft., 6-8 ft.

Stayman Winesap-4-6 ft.

Twenty Ounce Pippin-6-8 ft.

Wealthy-4-6 ft., 6-8 ft., 8-10 ft.

Yellow Delicious-4-6 ft., 6-8 ft.

Yellow Transparent-4-6 ft., 6-8 ft., 8-10 ft.

Prices of Above Varieties

4 to 6 ft	-75	.50	40
0 to 0 it	1.00	.80	.65
8 to 10 ft	2.00	1.70	1.35

The Flowering Crabs described on pages 68 to 71 make beautiful lawn specimens. Fragrant flowers in Spring followed by yellow, orange or red fruits make them attractive both Summer and Winter.

What Shall I Plant?

FOR A QUICK-GROWING SCREEN

TREES

Acer negundo Chamaecyparis pisifera and Pinus sylvestris varieties Larix decidua Morus alba Picea excelsa

Pinus resinosa Populus in variety Pseudotsuga douglasi Salix in variety Thuja occidentalis Tsuga canadensis

SHRUBS

Eleagnus angustifolia Euonymus bungeanus Ligustrum ovalifolium Ligustrum ibota Lonicera fragrantissima

Pinus strobus

Photinia villosa Physocarpus opulifolius Rhamnus frangula Viburnum lantana Viburnum lentago

FOR A FORMAL CLIPPED HEDGE

Acer campestre Acer ginnale Carpinus carolinianum Crataegus oxycantha Crataegus crus-galli Juniperus virginiana and varieties

Fagus sylvatica Picea excelsa Pinus strobus Taxus in variety Thuja occidentalis and varieties Tilia cordata Tsuga canadensis

SHRUBS

Ilex crenata bullata Ilex crenata microphylla

Berberis thunbergi

Ligustrum ibolium Ligustrum ovalifolium Euonymus radicans vegetus Pyracantha coccinea lalandi Rhamnus cathartica Rhamnus frangula

FOR AN INFORMAL, FLOWERING OR FRUITING HEDGE

Berberis in variety Deutzia gracilis Deutzia lemoinei Euonymus patens Forsythia Hibiscus syriacus Juniperus pfitzeriana Kalmia latifolia Kerria japonica Lonicera (bush forms) Mahonia aquifolia Philadelphus coronarius Philadelphus lemoinei Pinus montana mughus

Rhodotypos kerriodes Rosa hugonis Rosa rubiginosa Rosa rugosa Spirea arguta Spirea bumalda Spirea Van Houttei Sorbaria aitchisoni Syringa-The Lilacs Taxus cuspidata nana Taxus intermedia Viburnum tomentosum Viburnum lantana

FOR A WET LOCATION

TREES

Evergreen

Thuja occidentalis and varieties Tsuga canadensis

Deciduous

Acer negundo Acer saccharum Acer rubrum Alnus glutinosa Amelanchier canadensis Betula lutea Betula nigra

Carpinus caroliniana Liquidambar styraciflua Magnolia glauca Nyssa sylvatica Platanus orientalis Populus in variety Quercus bicolor Quercus palustris Quercus phellos Salix in variety Tilia americana Taxodium distichum

SHRUBS

Alnus rugosa Aronia arbutifolia Azalea vaseyi Azalea viscosa Benzoin aestivale Cephalanthus occidentalis Chionanthus virginica Clethra alnifolia Cornus alba Cornus stolonifera Cornus amomum Dirca palustris Enkianthus campanulatus Hypericum densiflorum

Ilex glabra Ilex verticillata Itea virginica Potentilla fruiticosa Rosa palustris Salix in variety Sambucus canadensis Spirea tomentosa Vaccinium corymbosum Viburnum americanum Viburnum cassinoides Viburnum dentatum Virburnum opulus Viburnum lentago

FOR A DRY LOCATION

TREES

Acer campestre Acer ginnala Ailanthus glandulosa Betula populifolia Juniperus chinensis Juniperus virginiana Picea canadensis Picea excelsa

Pinus banksiana Pinus montana Pinus strobus Pinus sylvestris Prunus pennsylvanicum Prunus serotina Ptelea trifoliata Ouercus coccinea

SHRUBS

Amorpha fruiticosa Baccharis halimifolia Ceanothus americanus Caragana arborescens Colutea arborescens Comptonia asplenifolia Cytisus scoparius Eleagnus angustifolia Eleagnus longipes Genista tinctoria Juniperus communis and varieties

Juniperus horizontalis Lespedeza formosa Ligustrum in variety Lycium chinense Potentilla fruticosa Prunus maritima Rhamnus frangula Rhus in variety Robinia hispida Rosa nitida Rosa rugosa Rosa spinossissima Tamarix gallica Juniperus chinensis sargenti Tamarix parviflora

BERRY-BEARING TREES AND SHRUBS

RED BERRIES

Aronia arubtifolia Benzoin aestivale Berberis thunbergi Cornus florida Cornus kousa Cornus mas Cotoneaster apiculata Cotoneaster dammeri Cotoneaster dielsiana Cotoneaster divaricata Cotoneaster franchetti Cotoneaster horizontalis Cotoneaster horizon, perpusilla Cotoneaster hupehensis Cotoneaster lemoinei Cotoneaster rotundifolia Cotoneaster racem, soong, Cotoneaster salici floccosa Cotoneaster simonsi Crataegus coccinea Crataegus cordata Crataegus crus-galli Elaeagnus longipes Elaeagnus pungens Elaeagnus umbellata Euonymus alatus

Euonymus europaeus Euonymus radicans vegetus Ilex cornuta Ilex opaca Ilex verticillata Lonicera korolk, florib, Lonicera maacki Lonicera minutiflora Lonicera morrowi Lonicera syringantha wolfi Lonicera tartarica Malus floribunda Malus sargenti Nyssa sylvatica Photinia villosa Pyracantha cocc. lalandi Rhus canadensis Rosa blanda Rosa rubiginosa Rosa rugosa Sorbus aucuparia Symphoricarpos chenaulti Symphoricarpos vulgaris Viburnum americanum Viburnum dilatatum Viburnum opulus Viburnum wrighti

BLACK BERRIES

Amelanchier canadensis Aronia melanocarpa Berberis verruculosa Cotoneaster acutifolia Ilex crenata convexa Ilex crenata microphylla Ilex glabra Ligustrum acuminata Ligustrum ibota Ligustrum regelianum Rhamnus cathartica Rhamnus frangula Rhodotypos kerrioides Viburnum acerifolium Viburnum lantana Viburnum prunifolium Viburnum sieboldi

WHITE BERRIES

Cornus alba sibirica Cornus paniculata Cornus stolonifera Myrica carlon. (gray) Pachysandra terminalis Symphoricarpos racem.

DEEP BLUE-BLACK BERRIES

Berberis gagnepaini Berberis julianae Berberis tricanthophora Callicarpa japonica Callicarpa purpurea Cornus amomum Symplocos paniculata Viburnum cassinoides Viburnum dentatum Viburnum lentago

SMALL OR DWARF PLANTS FOR THE ROCK GARDEN AND BORDER

Abelia grandiflora Acer palmatum and var. Azalea amoena Azalea hinodegiri Berberis triacanthophora Berberis verruculosa Berberis thunbergi minor Buxus Calluna in variety Caryopteris incana Ceanothus americanus Chamaecyparis obtusa gracilis nana Chamaecyparis obtusa lycopodioides Chamaecyparis plumosa lutescens Chamaecyparis squarrosa Cotoneaster hor. perpusilla Spirea bumalda anthony Cotoneaster microphylla Daphne cneorum Daphne mezereum Deutzia gracilis Deutzia lemoinei Diervilla sessilifolia Diervilla trifida Euonymus radicans and var. Viburnum opulus nana Hypericum moserianum Ilex convexa (bullata)

Ilex crenata microphylla Itea virginica Juniperus (spreading types) Leucothoe catesbaei Lonicera nitida Lonicera pileata Lonicera syringantha Mahonia aquifolium Nandina domestica Pachysandra terminalis Picea canadensis glauca conica Picea excelsa (dwarf forms) Pieris floribunda Pieris japonica Pinus montana mughus Prunus glandulosa Rhododendron carolinianum Rosa nitida Rosa spinossissima waterer Spirea thunbergi Stephanandra flexuosa Symphoricarpos (various) Taxus canadensis Taxus cuspidata nana Thuja (globe and dwarf forms) Yucca filamentosa

FOR A SMOKY, DUSTY, CITY SITUATION

TREES

Ailanthus glandulosa Carpinus betulus Crataegus crus-galli Ginkgo biloba Ilex opaca

Picea pungens Pinus nigra austriaca Pinus sylvestris Platanus orientalis Populus in variety

Zanthorhiza apiifolia

SHRUBS

Acanthopanax pentaphyllum Ligustrum in variety Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ilex crenata Ilex microphylla

Lonicera fragrantissima Physocarpus opulifolius Rhodotypos kerrioides Spiraea van houttei Symphoricarpos in variety Syringa vulgaris Viburnum cassinoides

FOR PARTIALLY SHADED LOCATIONS

TREES

Acer pennsylvanicum Acer spicatum Amelanchier canadensis Chionanthus virginica Cornus florida and rubra Halesia tetraptera

Ilex opaca (Evergreen) Magnolia glauca Oxydendrum arboreum Tsuga canadensis (Evergreen) Tsuga caroliniana (Evergreen)

FOR PARTIALLY SHADED LOCATIONS (continued)

SHRUBS (* tolerates dense shade)

Acanthopanax pentaphyllum
Aronia
Azalea aborescens
*Azalea nudiflora
Azalea vaseyi
Azalea viscosa

Azalea viscosa
*Benzoin aestivale
Calycanthus floridus
Cephalanthus occidentalis
Cercis canadensis

Cercis canadensis Cornus alternifolia Cornus amomum Cornus mas

Diervilla trifida
*Dirca palustris
*Hamamelis

Hydrangea arborescens grandiflora

Hydrangea quercifolia Hypericum aureum Ilex crenata microphylla

*Ilex glabra Ilex verticillata *Kalmia

*Kerria japonica

*Leucothoe cataesbaei Ligustrum ibota regelianum Ligustrum ovalifolium Ligustrum vulgare Lonicera fragrantissima Lonicera morrowi Lonicera tatarica

*Mahonia aquifolia *Pachysandra terminalis Pachistima canbyi *Pieris floribunda

*Pieris japonica Potentilla fruticosa

Pyracantha coccinea lalandi *Rhododendron

Rhodotypos kerriodes *Rubus odoratus Sorbaria sorbifolia Stephanandra flexuosa

*Symphoricarpos
Taxus baccata repandens
*Taxus canadensis

Taxus canadensis Taxus cuspidata Taxus nana (brevifolia) Vaccinium corymbosum

*Viburnum acerifolium Viburnum lentago Viburnum opulus Viburnum prunifolium

*Vinca Minor

*Zanthorhiza apiifolia

TREES FOR AVENUES AND STREETS

Habit—Tall, formal and heavy.

Acer platanoides Acer pseudoplatanus Liriodendron tulipifera Platanus orientalis Quercus rubra Quercus velutina Tilia americana Tilia cordata Tilia platyphyllos Tilia vulgaris

Habit—Tall, irregular or light textured.

Acer dasycarpum Acer rubrum Ailanthus glandulosa Fraxinus americana Ginkgo biloba Gleditsia triacanthos Quercus coccinea Quercus palustris Ulmus americanum Ulmus pumila

Habit—Medium height for narrow, residential street.

Acer saccharum
Aesculus hippocastanum
Catalpa speciosa
Celtis occidentalis
Cercidiphyllum japonicum
Liquidambar styraciflua
Phellodendrom chinense
Populus bolleana

Populus nigra italica Populus simoni Quercus phellos Quercus robur fastigiata Sophora japonica Tilia petiolaris Tilia tomentosa Ulmus pumila

GENERAL INDEX OF COMMON NAMES

	PAGE		PAGE
Α		Dovetree	39
Abelia, Glossy	7	Dutchman's-pipe	15
Actinidia, Bower	12		
Akebia, Fiveleaf	13	E	
Alder	13		
Almond, FloweringAlthea	8 4 49	Elder	98-99
Ampelopsis	14	Elaeagnus Elm	41
Andromeda	80	Elsholtzia	41
Apples	124	Empress Tree	74
Aralia	8, 14	Engelmann Creeper	14
ArborvitaeArrowwood	110-113	Enkianthus	41
Ash	45-46	Euonymus	42-43
Atlas Cedar	25		
Azalea	15–19	${f F}$	
D		False-spirea	99
В		Filbert, Purple	33
Baldcypress	107	Fir	7-8, 88
Barberry	20-21	Firethorn	88
Bayberry	71	Fleecevine	83
Bearberry	15	ForsythiaFothergrilla	44–45 45
Beautybush	24 59	Franklinia (Gordonia)	45
Beautybush Beech	44	(
Beech Plum	84	•	
Benzoin	19	G	
Birch	21-22	Glorybower, Harlequin	30
Black Haw	26	Goldenchain	60
Bladder-senna	120 31	Goldenrain-tree	60
Bladdernut	102	Goldflower	50
Blueberry	118	Gordonia Grape, ornamental	45 121
Boston Ivy	14	Groundselbush	19
Boxwood	9		
Bridal Wreath	23 101	**	
Broom	38	Н	
Buckeye	12	Hackberry	26
Buckthorn	91	Hardhack	102
Burningbush	42	Hawthorn	36-38
Bushclover Butterflybush	60 22	Hazelnut	33
Butternut	53	Heather He-Huckleberry	24 65
Buttonbush	26	Hemlock	115–116
		Hercules-club	14
С		Holly	51-52
Catalna	25	Holly Grape	68
Catalpa	25 55–58	Honeysuckle40 Hophornbeam	73
Cedar of Lebanon	26	Hoptree	88
Chaste-tree	121	Hornbeam	24, 25
Cherry, Flowering	85-88	Horsechestnut	12
Chokeberry Christmasberry	15	Hydrangea Wine	49-50
Cinquefoil	77 84	Hydrangea Vine Hypericum	99 50
Clematis	30	, , , , , , , , , , , , , , , , , , , ,	50
Climbing Hydrangea	50	-	
Coffee-tree	47	I	
Corktree	104 74	Incense Cedar	61
Cornelian-cherry	32	Indigo	52
Cotoneaster	33-36	Indigobush	13
Crabapple, Flowering	68-71	Inkberry	51
Cranberrybush	118	Ivy	14, 48
Cypress	38 27–30		
Creeping Savin	56	J	
Cucumbertree	66	Japanese Beautybush	0.4
		Japanese Cherry	24 86–88
D		lapanese Holly	51
_		Japanese Hydrangea Vine Japanese Maple Japanese Spurge	99
Daphne Deodar	39	Japanese Maple	9-10
Deutzia	25 39-40	Japanese Spurge	74
Devil's Walking Stick	14	Jasmine Jerseytea	53
Dogwood	31-33	Judas Tree	25 27
Douglas Fir	88	Juniper	53-58

	PAGE		Dian
K	TAGE	Roses	PAGE 94-96
	26	Rugosa Roses	95
Katsura-tree	26 47		
Kerria Koster Blue Spruce	59	S	
Koster Blue Spruce	79	Sandmyrtle	60
Kudzu-bean	88	Sassafras	99
-		Scholartree Shadblow	99 13
L		Silverbell	48
Larch	60	Silverberry	41
Laurel	59	Smoketree Snowball	93 120
Leadplant Leatherleaf	13 30	Snowbell	103
Leatherwood	40	Snowberry	103-104
Leucothoe	60	Snowhill Hydrangea	49
Lilac Linden	104-107	Sourgum	99 72
Locust		Sourwood	73
200431	,	Spicebush	19
M		Spirea25,	100–102
141		SpruceStaggerbush	77–80 8 0
Magnolia	66-68	Stephanandra	
Maidenhair-tree	46 8-12	Stewartia	103
Maple	65	St. Johnswort Stranvaesia	50 103
Mockorange	74-77	Sumac	93-94
Monkshood Vine	13	Summersweet	31
Mountain Ash Mountain Holly	99–100 72	Sweetbay	66
Mulberry	71	Sweetfern	95 31
Myrtle	121	Sweetgum	62
		Sweetleaf	104
N		Sweetshrub	24 52
Nandina	72	Sweetspire Sycamore	82 82
Nandina Nanking Cherry	86	<i>Dystallo10</i>	
Nannyberry	119	T	
Neillia	72	Tamarix	107
Ninebark	77	Thorn	36-38
•		Tree of Heaven	12
0			
		Tripterygium	115
Oak	89-91	Trumpetcreeper	23
Olive (Russian)	41		
Olive (Russian) Osage Orange	41 66	Trumpetcreeper	23
Olive (Russian)	41	Trumpetcreeper Tuliptree	23 62
Olive (Russian) Osage Orange Osmanthus	41 66	TrumpetcreeperTuliptree	23
Olive (Russian) Osage Orange Osmanthus	41 66 73	Trumpetcreeper Tuliptree	23 62
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering	41 66 73	Trumpetcreeper Tuliptree U Umbrella Pine V	23 62 99
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush	41 66 73	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree	23 62 99
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering	41 66 73	Trumpetcreeper Tuliptree U Umbrella Pine V	23 62 99
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia	41 66 73 14 43 24 121 77	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum	23 62 99 59 118–121
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine	41 66 73 14 43 24 121 77 80–82	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper	23 62 99 59 118–121 30
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia	41 66 73 14 43 24 121 77	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower	23 62 99 59 118–121 30
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pine Pinxerbloom Plane tree Plum	41 66 73 14 43 24 121 77 80–82 18 82 83	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W	23 62 99 118–121 30 14
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxterbloom Plane tree Plum Poplar	41 66 73 14 43 24 121 77 80–82 18 82 83 83 83	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree	23 62 99 59 118–121 30 14
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pine Pinxerbloom Plane tree Plum	41 66 73 14 43 24 121 77 80–82 18 82 83	Trumpetcreeper Tuliptree U U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela	23 62 99
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxterbloom Plane tree Plum Poplar Privet	41 66 73 14 43 24 121 77 80–82 18 82 83 83 83	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree	23 62 99 59 118–121 30 14
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxterbloom Plane tree Plum Poplar	41 66 73 14 43 24 121 77 80–82 18 82 83 83 83	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow	23 62 99
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxterbloom Plane tree Plum Poplar Privet	41 66 73 14 43 24 121 77 80–82 18 82 83 83 83	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry	23 62 99 118–121 30 14 53 119 122 30 93 98 52
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxterbloom Plane tree Plum Poplar Privet	41 66 73 14 43 24 121 77 80-82 83 83 61-62	Trumpetcreeper Tuliptree U U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry Wintercreeper	23 62 99 118–121 30 14 53 119 122 30 93 98 52 43
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxterbloom Plane tree Plum Poplar Privet Q Quince	41 66 73 14 43 24 121 77 80-82 83 83 61-62	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry	23 62 99 118–121 30 14 53 119 122 30 93 98 52 43 123 48
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxterbloom Plane tree Plum Poplar Privet Q Quince R	41 66 73 14 43 24 121 77 80-82 83 83 61-62	Trumpetcreeper Tuliptree U U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry Wintercreeper Wisteria Witch-hazel Witch-nod	23 62 99 118–121 30 14 53 119 122 30 98 52 43 123 48 118
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxerbloom Plane tree Plum Poplar Privet Q Quince R Raspberry, Flowering	41 66 73 14 43 24 121 780-82 18 82 83 83 61-62	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry Wintercreeper Wisteria Witch-hazel	23 62 99 118–121 30 14 53 119 122 30 93 98 52 43 123 48
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pine Pinxerbloom Plane tree Plum Poplar Privet Q Quince R Raspberry, Flowering Redbud	41 66 73 14 43 24 121 77 80-82 18 82 83 83 61-62	Trumpetcreeper Tuliptree U U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry Wintercreeper Wisteria Witch-hazel Withe-rod Woadwaxen	23 62 99 118–121 30 14 53 119 122 30 98 52 43 123 48 118
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pinxerbloom Plane tree Plum Poplar Privet Q Quince R Raspberry, Flowering	41 66 73 14 43 24 121 780-82 18 82 83 83 61-62	Trumpetcreeper Tuliptree U U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry Wintercreeper Wisteria Witch-hazel Witch-nod	23 62 99 118–121 30 14 53 119 122 30 98 52 43 123 48 118
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pine Pinxterbloom Plane tree Plum Poplar Privet Q Quince R R Raspberry, Flowering Redbud Red Cedar Retinospora Rhododendron	41 66 73 14 43 24 121 77 80-82 83 83 61-62 38 38 61-62	Trumpetcreeper Tuliptree U U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry Wintercreeper Wisteria Witch-hazel Withe-rod Woadwaxen Y Yellowroot	23 62 99 118–121 30 14 53 119 122 30 93 98 52 43 128 118 46
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pine Pinxterbloom Plane tree Plum Poplar Privet Q Quince R R Raspberry, Flowering Redbud Red Cedar Retinospora Rhododendron	41 666 73 14 443 24 121 780-82 83 83 61-62 38 96 27 57-58 28-30 91-93 35	Trumpetcreeper Tuliptree U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry Wintercreeper Wisteria Witch-hazel Withe-rod Woadwaxen Y Yellowroot Yellowwood	23 62 99 118-121 30 14 53 119 122 30 93 93 93 94 123 48 113 46
Olive (Russian) Osage Orange Osmanthus P Peach, Flowering Pearlbush Peatree Periwinkle Photinia Pine Pine Pinxterbloom Plane tree Plum Poplar Privet Q Quince R Raspberry, Flowering Redbud Red Cedar Retinospora	41 66 73 14 43 24 121 77 80-82 83 83 61-62 38 38 61-62	Trumpetcreeper Tuliptree U U Umbrella Pine V Varnishtree Viburnum Virgin Bower Virginia Creeper W Walnut Wayfaring-tree Weigela White Fringetree White Kerria Willow Winterberry Wintercreeper Wisteria Witch-hazel Withe-rod Woadwaxen Y Yellowroot	23 62 99 118-121 30 14 53 119 122 30 93 93 93 94 123 48 113 46



PRINTED AT THE PRINCETON UNIVERSITY PRESS PRINCETON, NEW JERSEY

